



ELSEVIER

Animal Feed Science and Technology 75 (1998) 171–216

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Author index

*Animal Feed Science and Technology, volumes 51–75,
1995–1998*



A

- Abate, A., see Mbuthia, E.W., 67 (1997) 291
- Abbas, T., Hasnain, A. and Ali, R., Black gram as a pollen substitute for honey bees, 54 (1995) 357
- Abdullah, A.S. and Rajion, M.A., Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79
- Abdullah, N., see Imai, S., 52 (1995) 345
- Abdullah, N., see Jin, L.Z., 70 (1998) 197
- Abo-Shehada, M., see Deshck, A., 73 (1998) 29
- Abodabos, A., see Al Jassim, R.A.M., 64 (1997) 287
- Abreu, J.M.F., see Bruno-Soares, A.M., 75 (1998) 15
- Abreu, J.M.F. and Bruno-Soares, A.M., Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
- Abu-Tarboush, H.M., Al-Saiady, M.Y. and Keir El-Din, A.H., Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39
- Acamovic, T., see Salawu, M.B., 69 (1997) 67, 207, 219
- Acciaoli, A., see Franci, O., 67 (1997) 279
- Acharya, S.N., see Iwaasa, A.D., 57 (1996) 225
- Adamović, M., Grubić, G., Milenković, I., Jovanović, R., Protić, R., Sretenović, L. and Stoićević, L., The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 359
- Adebowale, E.A., see Taiwo, A.A., 56 (1995) 133
- Adekola, A.I., see Aning, K.G., 71 (1998) 185
- Adekunle, I.O., see Larbi, A., 72 (1998) 81
- Aderibigbe, A.O., Johnson, C.O.L.E., Makkar, H.P.S., Becker, K. and Foidl, N., Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223
- Adesogan, A.T., Owen, E. and Givens, D.I., Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259
- Adinew, K., see Odenyo, A.A., 65 (1997) 99
- Adogla-Bessa, T. and Owen, E., Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 1. Effect of crop growth stage and enzyme on silage composition and stability, 55 (1995) 335
- Adogla-Bessa, T. and Owen, E., Ensiling of whole-crop wheat with cellulase–hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349
- Adomako, D., see Tuah, A.K., 51 (1995) 269
- Agnew, R.E., see Park, R.S., 68 (1997) 235
- Agnew, R.E., see Park, R.S., 72 (1998) 155
- Aguilar, C., see Chilbroste, P., 68 (1997) 259
- Agyemang, K., Larbi, A. and Murty, D.S., Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189
- Aharoni, Y., Gilboa, N. and Silanikove, N., Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251
- Aharoni, Y., see Holzer, Z., 64 (1997) 133
- Aherne, F.X., see Baidoo, S.K., 62 (1996) 111
- Aherne, F.X., see Darroch, C.S., 61 (1996) 173
- Aherne, F.X., see Nam, D.S., 56 (1995) 265
- Ahn, H.S., see Kim, C.W., 61 (1996) 343
- Ahsan-ul-Haq, A., see Rasool, S., 72 (1998) 347
- Aichinger, F., see Zollitsch, W., 66 (1997) 63
- Ajakaiye, A., Atteh, J.O. and Leeson, S., Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293
- Ajuyah, A.O., Balnave, D. and Annison, E.F., Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131
- Akin, D.E., Kimball, B.A., Windham, W.R., Pinter Jr., P.J., Wall, G.W., Garcia, R.L., LaMorte, R.L. and Morrison III, W.H., Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29
- Akin, D.E., Morrison III, W.H., Rigsby, L.L., Gamble, G.R., Sethuraman, A. and Eriksson, K.-E.L., Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305
- Akin, D.E., see Ames, N., 54 (1995) 267
- Akin, D.E., see Karunanandaa, K., 55 (1995) 179
- Akinsoyinu, A.O., see Taiwo, A.A., 56 (1995) 133
- Al Bustany, Z., The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283
- Al Jassim, R.A.M., Awadeh, F.T. and Abodabos, A., Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

- Al-Rokayan, S.A., Naseer, Z. and Chaudhry, S.M., Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65
- Al-Dehneh, A., Huber, J.T., Wanderley, R., Theurer, C.B., Pessarakli, M. and DeYoung, D., Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327
- Al-Saiady, M.Y., see Abu-Tarboush, H.M., 57 (1996) 39
- Al-Saiady, M.Y., see Attia, F.M., 65 (1997) 257
- Alanis R., J., see Ramos, J.A., 70 (1998) 249
- Alaviuhkola, T., see Siljander-Rasi, H., 60 (1996) 1
- Alaviuhkola, T., see Valaja, J., 51 (1995) 193
- Alawa, J.P., see Kallah, M.S., 68 (1997) 153
- Alawa, J.P., see Lakpini, C.A.M., 67 (1997) 197
- Albino, L.F.T., see Fialho, E.T., 55 (1995) 239
- Alcaraz, G., see Julliand, V., 70 (1998) 161
- Aldrich, J.M., Holden, L.A., Muller, L.D. and Varga, G.A., Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257
- Alemán, T., see Nahed, J., 68 (1997) 213
- Aletor, V.A., see Aning, K.G., 71 (1998) 185
- Alexandrov, A.N., Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99
- Ali, C.S., see Chaudhry, S.M., 57 (1996) 165
- Ali, M.A. and Leeson, S., The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227
- Ali, M.A., see Jin, L.Z., 70 (1998) 197
- Ali, R., see Abbas, T., 54 (1995) 357
- Allen, M.E., see Ullrey, D.E., 59 (1996) 27
- Allen, M.S., Relationship between forage quality and dairy cattle production, 59 (1996) 51
- Allen, M.S., see Kohn, R.A., 52 (1995) 1, 15
- Allonby, E., see Deshck, A., 73 (1998) 29
- Almirall, M. and Esteve-Garcia, E., In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149
- Alokan, J.A., see Aning, K.G., 71 (1998) 185
- Alsobayel, A.A., see Attia, F.M., 65 (1997) 257
- Alvarez, C., see García, J., 54 (1995) 33
- Alvir, M.R., see González, J., 73 (1998) 71
- Alvir, M.R., see Pereira, J.C., 74 (1998) 107
- Alzueta, C., Rebolé, A., Barro, C., Treviño, J. and Caballero, R., Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249
- Alzueta, C., see Rodríguez, M.L., 71 (1998) 341
- Åman, P., see Dandanell Daveby, Y., 74 (1998) 229
- Amaning, K.O., see Tuah, A.K., 51 (1995) 269
- Ameny, G.A., Bunting, L.D., Sticker, L.S., Jenny, B.F. and Hintz, R.W., Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
- Ames, N., McElroy, A.R., Akin, D.E. and Lyon, C.E., Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267
- Ammerman, C.B., see Henry, P.R., 66 (1997) 237
- Ammerman, C.B., see Luo, X.G., 57 (1996) 281
- Ammerman, C.B., see Sandoval, M., 66 (1997) 223
- Andersen, L.M., see Prawirodigdo, S., 67 (1997) 205
- Anderson, D.M., Fredrickson, E.L., Nachman, P., Estell, R.E., Havstad, K.M. and Murray, L.W., Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315
- Ando, Y., see Komaki, H., 70 (1998) 363
- Andrés, S.G., see González, J., 73 (1998) 71
- Andrieu, J., see Aufrère, J., 62 (1996) 77
- Andrighetto, I., Cozzi, G., Magni, G., Hartman, B., Hinds, M. and Sapienza, D., Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287
- Andrighetto, I., see Cozzi, G., 64 (1996) 43
- Angel, C.R., A review of ratite nutrition, 60 (1996) 241
- Angue, Y., see Nathier-Dufour, N., 51 (1995) 255
- Angulo, E. and Cubiló, D., Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71
- Angulo, E., Brufau, J. and Esteve-Garcia, E., Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25
- Angulo, E., Brufau, J. and Esteve-Garcia, E., Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233
- Aning, K.G., Ologun, A.G., Onifade, A., Alokan, J.A., Adekola, A.I. and Aletor, V.A., Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185
- Annison, E.F., see Ajuyah, A.O., 62 (1996) 131
- Antongiovanni, M., see Franci, O., 67 (1997) 279
- Antoniewicz, A., see Kosmala, I., 59 (1996) 245

- Antoniewicz, A.M., A new feed description and numbering system designed for feed value database, 54 (1995) 1
- Antoniewicz, A.M., Kowalczyk, J., Kanski, J., Gorska-Matusiak, Z. and Nalepka, M., Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
- Aranda I., E., see Ramos, J.A., 70 (1998) 249
- Arcaro, Jr., I., see de Castro, F.B., 52 (1995) 93
- Archibald, K.A.E., see Garcia, G.W., 60 (1996) 29
- Archimède, H., Sauvant, D., Dorléans, M., Chaptout, P. and Poncet, C., Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
- Archimède, H., Sauvant, D., Hervieu, J., Poncet, C. and Dorléans, M., Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327
- Archimède, H., Sauvant, D., Hervieu, J., Ternois, F. and Poncet, C., Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267
- Archimède, H., see Schmidely, P., 63 (1996) 163
- Arieli, A., Bruckental, I., Kedar, O. and Sklan, D., In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
- Arieli, A., Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97
- Arija, I., Brenes, A., Viveros, A. and Elices, R., Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137
- Aronen, I., see Vanhatalo, A., 55 (1995) 139
- Arosemena, A., DePeters, E.J. and Fadel, J.G., Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103
- Arosemena, A., DePeters, E.J. and Fadel, J.G., Corrigendum to "Extent of variability in nutrient composition within selected by-product feedstuffs" [Animal Feed Science and Technology 54 (1995) 103-120], 66 (1997) 305
- Arosemena, A., see DePeters, E.J., 67 (1997) 127
- Arruda, M.A.Z., see Nogueira, A.R.A., 74 (1998) 79
- Asante, F., see Atuahene, C.C., 72 (1998) 133
- Ashbell, G., see Silva, A.G., 68 (1997) 247
- Ashbell, G., see Weinberg, Z.G., 55 (1995) 287
- Ashbell, G., Weinberg, Z.G. and Hen, Y., Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
- Ashes, J.R., see Gulati, S.K., 64 (1997) 127
- Ashes, J.R., see Gulati, S.K., 66 (1997) 159
- Ashok, G., Turner, N.D., Byers, F.M., Holtzapple, M.T. and Overhulse, K.A., Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267
- Astigarraga, L., see Peyraud, J.L., 64 (1997) 155
- Astigarraga, L., see Peyraud, J.L., 72 (1998) 235
- Atkinson, J.L., see Nyachoti, C.M., 70 (1998) 295
- Atreja, P.P., see Ghosh, M.K., 60 (1996) 43
- Atreja, P.P., see Gupta, H.K., 74 (1998) 29, 45
- Atteh, J.O., see Ajakaiye, A., 65 (1997) 293
- Atteh, J.O., see Leeson, S., 57 (1996) 239
- Attia, F.M., Alsobayel, A.A., Kriadees, M.S., Al-Saiady, M.Y. and Bayoumi, M.S., Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257
- Atuahene, C.C., Donkoh, A. and Asante, F., Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133
- Atwell, C.A., see Dibner, J.J., 62 (1996) 1
- Audet, L., Emerging feed mill technology: keeping competitive, 53 (1995) 157
- Aufrère, J., Graviou, D., Demarquilly, C., Perez, J.M. and Andrieu, J., Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
- Aumaitre, A., see Comizzoli, P., 64 (1997) 215
- Aumaitre, A., see Lizardo, R., 56 (1995) 67
- Aumaitre, A., see Lizardo, R., 66 (1997) 1
- Aumaitre, A., see Reis de Souza, T., 52 (1995) 77
- Aumont, G., Caudron, I., Saminadin, G. and Xandé, A., Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1
- Avondo, M., see Licitra, G., 69 (1997) 315
- Awadeh, F.T., see Al Jassim, R.A.M., 64 (1997) 287
- Axe, D.E., Factors affecting uniformity of a mix, 53 (1995) 211
- Ayala, P.Pd., see Fuente, J.M., 56 (1995) 45
- Ayers, A.C., Barrett, R.P. and Cheeke, P.R., Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
- Azrieli, A., see Weinberg, Z.G., 55 (1995) 287

B

- Baas, T.C., see Thacker, P.A., 63 (1996) 187
- Baba, M., see Kallah, M.S., 68 (1997) 153

- Babatunde, G.M., see Onifade, A.A., 62 (1996) 91
Babatunde, G.M., see Onifade, A.A., 64 (1997) 337
Babidis, V., see Christaki, E., 65 (1997) 287
Bach Knudsen, K.E., Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319
Bach Knudsen, K.E., see Børsting, C.F., 53 (1995) 317
Bach Knudsen, K.E., see Beames, R.M., 62 (1996) 189
Bach Knudsen, K.E., see Canibe, N., 64 (1997) 293
Bach Knudsen, K.E., see Gdala, J., 65 (1997) 15
Bach Knudsen, K.E., see Jensen, M.S., 72 (1998) 329
Bach Knudsen, K.E., see Steenfeldt, S., 54 (1995) 249
Bach Knudsen, K.E., Steenfeldt, S., Børsting, C.F. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205
Bae, H.D., McAllister, T.A., Kokko, E.G., Leggett, F.L., Yanke, L.J., Jakober, K.D., Ha, J.K., Shin, H.T. and Cheng, K.-J., Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165
Bahaa, A.O., see Corley III, R.N., 72 (1998) 295
Baidoo, S.K., Clowes, E.J. and Aherne, F.X., The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
Baker, R.T.M., The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35
Bakker, R., see Bruining, M., 73 (1998) 37
Bakshi, M.P.S. and Fontenot, J.P., Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
Bakshi, M.P.S., see Wadhwa, M., 72 (1998) 11
Balcels, J., see Martín-Orúe, S.M., 63 (1996) 341
Balcels, J., see Martín-Orúe, S.M., 71 (1998) 269
Balcels, J., see Perez, J.F., 62 (1996) 251
Ballet, N., Besle, J.M. and Demarquilly, C., Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69
Balnave, D., see Ajuyah, A.O., 62 (1996) 131
Balogun, B.I., see Lakpini, C.A.M., 67 (1997) 197
Balogun, T.F., see Kaankuka, F.G., 62 (1996) 229
Baloyi, J.J., Ngongoni, N.T., Topps, J.H. and Ndlovu, P., Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179
Barbosa, H.P., see Fialho, E.T., 55 (1995) 239
Barcena G.R., see Ramos, J.A., 70 (1998) 249
Bárcena, R., see Martínez-Avalos, A.M.M., 70 (1998) 257
Bárcena-Gama, J.R., see Roa V., M.L., 64 (1997) 327
Bárcena-Gama, J.R., see Miranda, R.L.A., 63 (1996) 289
Barej, W., see Puchała, R., 66 (1997) 75
Barnes, R.J., see Park, R.S., 68 (1997) 235
Barresi, S., see Licitra, G., 69 (1997) 315
Barreto, S.L., see Hossain, S.M., 71 (1998) 217
Barreto, S.L., see Hossain, S.M., 73 (1998) 307
Barrett, R.P., see Ayers, A.C., 57 (1996) 51
Barrière, Y., see Tovar-Gómez, M.R., 68 (1997) 77
Barrios Urdaneta, A., see González Ronquillo, M., 72 (1998) 19
Barro, C., see Alzueta, C., 52 (1995) 249
Barroeta, A.C., see Blanch, A., 61 (1996) 335
Barroeta, A.C., see Serrano, X., 70 (1998) 275
Barton, D., see Porter, M.G., 68 (1997) 67
Bas, P., see Schmidely, P., 63 (1996) 163
Basson, H.M., see Meeske, R., 70 (1998) 239
Batajoo, K.K. and Shaver, R.D., In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
Batista, L.A.R., see Nogueira, A.R.A., 74 (1998) 79
Batterham, E.S., see Fernández, J.A., 53 (1995) 279
Batterham, E.S., see Prawirodigo, S., 67 (1997) 205
Baucells, M.D., see Blanch, A., 61 (1996) 335
Baucells, M.D., see Serrano, X., 70 (1998) 275
Bayoumi, M.S., see Attia, F.M., 65 (1997) 257
Bayourthe, C., Moncoulon, R. and Enjalbert, F., Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121
Beames, R.M., Helm, J.H., Eggum, B.O., Boisen, S., Bach Knudsen, K.E. and Swift, M.L., A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189
Beauchemin, K.A., see Iwaasa, A.D., 57 (1996) 225
Beauchemin, K.A., Using ADF and NDF in dairy cattle diet formulation—a western Canadian perspective, 58 (1996) 101
Becker, K., see Aderibigbe, A.O., 67 (1997) 223
Becker, K., see Blümmel, M., 69 (1997) 131
Becker, K., see Getachew, G., 72 (1998) 261

- Becker, K., see Makkar, H.P.S., 55 (1995) 67
- Becker, K., see Makkar, H.P.S., 61 (1996) 381
- Becker, K., see Makkar, H.P.S., 63 (1996) 211
- Becker, K., see Makkar, H.P.S., 67 (1997) 245
- Beckers, Y., Théwis, A. and Maudoux, B., Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305
- Bedford, M.R., Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
- Beede, D.K., see Sanchez, W.K., 59 (1996) 3
- Beek, S.D., see Dado, R.G., 73 (1998) 151
- Behnke, K.C., Feed manufacturing technology: current issues and challenges, 62 (1996) 49
- Bekaert, H., see Eeckhout, W., 52 (1995) 29
- Belay, T., see Teeter, R.G., 58 (1996) 37, 127
- Belibasakis, N.G. and Tsirgogianni, D., Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87
- Belibasakis, N.G. and Tsirgogianni, D., Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227
- Belibasakis, N.G. and Tsirgogianni, D., Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175
- Belibasakis, N.G. and Tsirgogianni, D., Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53
- Bello, M.G.D. and Escobar, A., Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91
- Belyea, R.L., see Brown, I.E., 52 (1995) 299
- Belyea, R.L., see Williams, J.E., 70 (1998) 123
- Ben Salem, H., Nefzaoui, A., Ben Salem, L. and Tisserand, J.L., Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
- Ben Salem, L., see Ben Salem, H., 68 (1997) 101
- Ben-Ghedalia, D., see Miron, J., 51 (1995) 91
- Ben-Ghedalia, D., see Miron, J., 57 (1996) 75
- Ben-Ghedalia, D., see Miron, J., 67 (1997) 311
- Berardo, N., Dzowela, B.H., Hove, L. and Odoardi, M., Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201
- Berenpas, H.J., see Houdijk, J.G.M., 71 (1998) 35
- Berger, L.L., Why do we need a new NRC data base?, 53 (1995) 99
- Bernal-Santos, G., van Soest, P.J., Sniffen, C.J. and Thonney, M.L., Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201
- Bertechini, A.G., see Hossain, S.M., 71 (1998) 305, 365
- Bertechini, A.G., see Hossain, S.M., 73 (1998) 307
- Bertin, G., see Giger-Reverdin, S., 63 (1996) 149
- Bertin, G., see Jouany, J.P., 75 (1998) 1
- Bertrand, D., see Nathier-Dufour, N., 51 (1995) 255
- Berzaghi, P., see Cozzi, G., 64 (1996) 43
- Besle, J.M., see Ballet, N., 67 (1997) 69
- Besser, T.E., see Krytenburg, D.S., 75 (1998) 75
- Bezault, N., see Giger-Reverdin, S., 63 (1996) 149
- Biot, P., see Carré, B., 71 (1998) 19
- Biswas, J.C., see Singh, P., 72 (1998) 183
- Bittman, S., see Mir, P.S., 55 (1995) 275
- Blümmel, M., Makkar, H.P.S., Chisanga, G., Mtimuni, J. and Becker, K., The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131
- Blümmel, M., see Getachew, G., 72 (1998) 261
- Blümmel, M., see Makkar, H.P.S., 67 (1997) 245
- Blair, R., see Jacob, J.P., 61 (1996) 27, 41
- Blanch, A., Barroeta, A.C., Baucells, M.D., Serrano, X. and Puchal, F., Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335
- Blas, E., see Fernández-Carmona, J., 52 (1995) 289
- Blas, E., see Fernández-Carmona, J., 64 (1996) 61
- Boer, H., see Williams, B.A., 57 (1996) 183
- Bohatier, J., see Jouany, J.P., 75 (1998) 1
- Böhme, H., see Flachowsky, G., 64 (1997) 91
- Boisen, S. and Fernández, J.A., Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29
- Boisen, S. and Fernández, J.A., Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
- Boisen, S., see Beames, R.M., 62 (1996) 189
- Bolsen, K.K., see Coblenz, W.K., 72 (1998) 53
- Bonsi, M.L.K., Osuji, P.O. and Tuah, A.K., Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

- Bonsi, M.L.K., Tuah, A.K., Osuji, P.O., Nsahlai, V.I. and Umunna, N.N., The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
- Boorman, K.N., see Short, F.J., 59 (1996) 215
- Boros, D., see Marquardt, R.R., 60 (1996) 321
- Borowy, N.K., see Makkar, H.P.S., 55 (1995) 67
- Borowy, N.K., see Makkar, H.P.S., 61 (1996) 381
- Børsting, C.F., Bach Knudsen, K.E., Steinfeldt, S., Mejborn, H. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
- Børsting, C.F., see Bach Knudsen, K.E., 52 (1995) 205
- Børsting, C.F., see Steinfeldt, S., 54 (1995) 249
- Bosch, M.W., see Houdijk, J.G.M., 71 (1998) 35
- Bosch, M.W., see Qin, G., 57 (1996) 313
- Bosch, M.W., see van der Poel, A.F.B., 66 (1997) 289
- Bossuyt, C., see Wittenberg, K.M., 60 (1996) 301
- Boucqué, Ch.V., see de Boever, J.L., 51 (1995) 243
- Boucqué, Ch.V., see De Boever, J.L., 60 (1996) 103
- Boucqué, Ch.V., see De Boever, J.L., 66 (1997) 211
- Boucqué, Ch.V., see De Boever, J.L., 75 (1998) 93
- Boucqué, Ch.V., see Fiems, L.O., 71 (1998) 79
- Boucqué, Ch.V., see de Smet, A.M., 51 (1995) 297
- Bovolenta, S., see Malossini, F., 61 (1996) 155
- Bowman, J.G.P., Sowell, B.F. and Paterson, J.A., Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
- Bradley, G.L. and Savage, T.F., The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
- Bradley, G.L. and Savage, T.F., The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
- Brand, T.S. and Van der Merwe, J.P., Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139
- Brand, T.S., Olckers, R.C. and van der Merwe, J.P., Triticale (*Triticum secale*) as substitute for maize in pig diets, 53 (1995) 345
- Brenes, A., see Arija, I., 70 (1998) 137
- Brenes, A., see Marquardt, R.R., 60 (1996) 321
- Britton, R.A., see Mendoza, G.D., 54 (1995) 315
- Britton, R.A., see Mendoza, G.D., 74 (1998) 329
- Britton, R.A., see Richards, C.J., 55 (1995) 35
- Broersma, K., see Mir, P.S., 55 (1995) 275
- Brosh, A., see Holzer, Z., 64 (1997) 133
- Brouns, F., Edwards, S.A. and English, P.R., Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301
- Brown, D.L., see Wright, J.B., 69 (1997) 195
- Brown, I.E., Fellner, V., Belyea, R.L. and Ellersieck, M.R., Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299
- Brownlee, A.G., see Faichney, G.J., 64 (1997) 193
- Bruckental, I., see Arieli, A., 51 (1995) 287
- Bruckental, I., see Miron, J., 57 (1996) 75
- Brufau, J., see Angulo, E., 53 (1995) 233
- Brufau, J., see Angulo, E., 63 (1996) 25
- Bruining, M., Bakker, R., van Bruchem, J. and Tamminga, S., Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37
- Bruni, R., see Franci, O., 67 (1997) 279
- Bruno-Soares, A.M., Murray, I., Paterson, R.M. and Abreu, J.M.F., Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
- Bruno-Soares, A.M., see Abreu, J.M.F., 70 (1998) 49
- Bryden, W.L., see Hew, L.I., 75 (1998) 83
- Bryden, W.L., see Ravindran, V., 63 (1996) 323
- Buchanan-Smith, J.G., see Iwaasa, A.D., 57 (1996) 225
- Bunting, L.D., see Ameny, G.A., 53 (1995) 305
- Buraczewska, L., see Gdala, J., 67 (1997) 115
- Buraczewska, L., Valaja, J., Buraczewski, S., Näsi, M. and Gdala, J., Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201
- Buraczewski, S., see Buraczewska, L., 58 (1996) 201
- Burton, J.L., Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
- Butler, L.G., see Wheeler, R.A., 64 (1996) 1
- Buxton, D.R., Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
- Byers, E.B., see Gulati, S.K., 66 (1997) 159
- Byers, F.M., see Gandi, J., 68 (1997) 195

- Byers, F.M., see Ashok, G., 53 (1995) 267
Byers, Y.G., see Gulati, S.K., 66 (1997) 159

C

- Caballero, R., see Alzueta, C., 52 (1995) 249
Caine, W.R., see Imbeah, M., 52 (1995) 41
Caine, W.R., Verstegen, M.W.A., Sauer, W.C., Tamminga, S. and Schulze, H., Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177
Calsamiglia, S., see Howie, S.A., 63 (1996) 1
Campbell, L.D., see Simbaya, J., 61 (1996) 219
Campos, R., see de Blas, J.C., 70 (1998) 151
Cañeque, V., Velasco, S., Sancha, J.L., Manzanares, C. and Souza, O., Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241
Canibe, N. and Bach Knudsen, K.E., Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
Canibe, N. and Eggum, B.O., Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
Carabaño, R., Motta-Ferreira, W., de Blas, J.C. and Fraga, M.J., Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249
Carazzolo, A., see Xiccato, G., 71 (1998) 229
Carithers, S.N., see Corley III, R.N., 72 (1998) 295
Carlini, C.R., see Udedibie, A.B.I., 74 (1998) 95, 179
Carmona, J., see Nahed, J., 68 (1997) 213
Carpino, S., see Licitra, G., 69 (1997) 315
Carpino, S., see Licitra, G., 72 (1998) 1
Carré, B., Melcion, J.P., Widiez, J.L. and Biot, P., Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19
Carro, M.D., see López, S., 73 (1998) 99
Carro, M.D., see Pereira, J.C., 74 (1998) 107
Carroll, D.J., see Evers, D.J., 59 (1996) 233
Carroll, D.J., see Evers, D.J., 71 (1998) 241
Casler, M.D., Schneider, D.K. and Combs, D.K., Development and application of a selection criterion for particle size breakdown of smooth brome grass leaves, 61 (1996) 57
Castañón, A.A.R., see Pieltain, M.C., 62 (1996) 271
Castañón, J.I.R., Flores, M.P. and Pettersson, D., Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361
Castañón, J.I.R., see Pieltain, M.C., 62 (1996) 271
Castañón, J.I.R., see Pieltain, M.C., 73 (1998) 187
Castaño, A., see Lopez-Bote, C.J., 70 (1998) 1
Castaño, A., see Lopez-Bote, C.J., 72 (1998) 33
Castell, A.G., Guenter, W. and Igbasan, F.A., Nutritive value of peas for nonruminant diets, 60 (1996) 209
Castell, A.G., see McNiven, M.A., 52 (1995) 333
Castrillo, C., Fondevila, M., Guada, J.A. and de Vega, A., Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73
Castrillo, C., see Martín-Orúe, S.M., 63 (1996) 341
Castrillo, C., see Martín-Orúe, S.M., 71 (1998) 269
Caudron, I., see Aumont, G., 51 (1995) 1
Centeno, C., see Rodríguez, M.L., 71 (1998) 341
Cervera, C., see Fernández-Carmona, J., 52 (1995) 289
Cervera, C., see Fernández-Carmona, J., 64 (1996) 61
Chai, W. and Udén, P., An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281
Chalupa, W. and Sniffen, C.J., Protein and amino acid nutrition of lactating dairy cattle—today and tomorrow, 58 (1996) 65
Chalupa, W., Galligan, D.T. and Ferguson, J.D., Animal nutrition and management in the 21st century: dairy cattle, 58 (1996) 1
Chaney, W.R., see Wheeler, R.A., 64 (1996) 1
Chang, S., see Gandi, J., 68 (1997) 195
Chapoutot, P. and Sauvant, D., Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59
Chapoutot, P., see Archimède, H., 54 (1995) 341
Chase, L.E., see Hall, M.B., 70 (1998) 23
Chaudhary, L.C. and Srivastava, A., Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281
Chaudhary, L.C., Srivastava, A. and Singh, K.K., Rumen fermentation pattern and digestion of structural carbohydrates in buffalo (*Bubalus bubalis*) calves as affected by ciliate protozoa, 56 (1995) 111

- Chaudhry, A.S. and Miller, E.L., The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69
- Chaudhry, A.S., In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301
- Chaudhry, A.S., Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315
- Chaudhry, S.M., Fontenot, J.P. and Naseer, Z., Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155
- Chaudhry, S.M., Fontenot, J.P., Naseer, Z. and Ali, C.S., Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165
- Chaudhry, S.M., see Al-Rokayan, S.A., 75 (1998) 65
- Che, X., see Li, D., 73 (1998) 173
- Cheeke, P.R., see Ayers, A.C., 57 (1996) 51
- Cheeke, P.R., see Hussain, I., 51 (1995) 231
- Cheeke, P.R., see Hussain, I., 57 (1996) 1, 195
- Cheeke, P.R., see Hussain, I., 62 (1996) 121
- Cheeke, P.R., see Wang, Y., 74 (1998) 143
- Chen, C.R., see Wen-Shyg Chiou, P., 74 (1998) 123
- Chen, H.P., see Tan, Z.L., 53 (1995) 337
- Chen, K.-L., see Wen-shyg Chiou, P., 73 (1998) 161
- Chen, K.J., see Wen-Shyg Chiou, P., 74 (1998) 123
- Chen, K.-C., see Chiou, P.W.-S., 54 (1995) 93
- Chen, K.-J., see Chiou, P.W.-S., 55 (1995) 215
- Chen, K.-J., see Chiou, P.W.-S., 68 (1997) 339
- Chen, K.-L., see Wen-shyg Chiou, P., 67 (1997) 49
- Chen, T.C., see Lin, C.D., 54 (1995) 217
- Chen, X.B., see Chikunya, S., 63 (1996) 333
- Cheng, K.-J., see Wang, Y., 74 (1998) 143
- Cheng, K.-J., see Bae, H.D., 65 (1997) 165
- Cheng, K.-J., see McAllister, T.A., 62 (1996) 29
- Chew, B.P., Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103
- Chhabra, A., see Ghosh, M.K., 60 (1996) 43
- Chiba, L.I., Ivey, H.W., Cummins, K.A. and Gamble, B.E., Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
- Chiba, L.I., Ivey, H.W., Cummins, K.A. and Gamble, B.E., Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15
- Chigwada, W., see Galbraith, H., 67 (1997) 83
- Chikunya, S., Newbold, C.J., Rode, L., Chen, X.B. and Wallace, R.J., Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
- Chilibroste, P., Aguilar, C. and García, F., Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259
- Chiou, P.W.S., see Hsu, J.-C., 60 (1996) 93
- Chiou, P.W.S., see Yu, B., 70 (1998) 353
- Chiou, P.W.-S., Chen, K.-J., Kuo, K.-S., Hsu, J.-C. and Yu, B., Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93
- Chiou, P.W.-S., Chen, K.-J., Kuo, K.-S., Hsu, J.-C. and Yu, B., Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215
- Chiou, P.W.-S., Yu, B., Wu, S.-S. and Chen, K.-J., Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339
- Chisanga, G., see Blümmel, M., 69 (1997) 131
- Chopra, R.C., see Ghosh, M.K., 60 (1996) 43
- Christaki, E., Babidis, V., Florou-Paneri, P., Kufidis, D. and Spais, A.B., Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287
- Christensen, D.A., see McKinnon, J.J., 56 (1995) 243
- Christensen, D.A., see Mustafa, A.F., 64 (1997) 273
- Chriyaa, A., Moore, K.J. and Waller, S.S., Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
- Chriyaa, A., Moore, K.J. and Waller, S.S., Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
- Chujaemi, S., see Williams, B.A., 57 (1996) 183
- Chwalibog, A., see Cilliers, S.C., 71 (1998) 371
- Chwalibog, A., see Cilliers, S.C., 72 (1998) 283
- Cid, J.M., see Madrid, J., 63 (1996) 89
- Cid, J.M., see Madrid, J., 65 (1997) 129
- Cilliers, J.W., Vermaak, L.M., Jaarsma, J.J. and Oosthuysen, D., Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45
- Cilliers, S.C., Hayes, J.P., Chwalibog, A., Sales, J. and Du Preez, J.J., Determination of energy,

- protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283
- Cilliers, S.C., Hayes, J.P., Sales, J., Chwalibog, A. and Du Preez, J.J., The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 371
- Classen, H.L., Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21
- Classen, H.L., see Newkirk, R.W., 72 (1998) 315
- Clowes, E.J., see Baidoo, S.K., 62 (1996) 111
- Coblentz, W.K., Fritz, J.O., Bolsen, K.K., King, C.W. and Cochran, R.C., The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53
- Cobos, M.A., see Martínez-Avalos, A.M.M., 70 (1998) 257
- Cobos, P.M.A., see Miranda, R.L.A., 63 (1996) 289
- Cochran, R.C., see Coblentz, W.K., 72 (1998) 53
- Cohen, R.D.H., see McKinnon, J.J., 56 (1995) 243
- Coic, J.P., see Fauduet, H., 56 (1995) 99
- Coleman, S.W., see Dabo, S.M., 67 (1997) 299
- Colin, M., see Peeters, J.E., 51 (1995) 123
- Combs, D.K., see Casler, M.D., 61 (1996) 57
- Comizzoli, P., Peiniau, J., Dutertre, C., Planquette, P. and Aumaitre, A., Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215
- Cone, J.W., see Groot, J.C.J., 64 (1996) 77
- Cone, J.W., van Gelder, A.H. and Driehuis, F., Description of gas production profiles with a three-phasic model, 66 (1997) 31
- Cone, J.W., van Gelder, A.H., Visscher, G.J.W. and Oudshoorn, L., Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113
- Coombes, N.E., see Nandra, K.S., 70 (1998) 281
- Coon, C.N., see Leske, K.L., 54 (1995) 275
- Coon, C.N., see Leske, K.L., 61 (1996) 377
- Cooper, K.M., see Gordon, F.J., 70 (1998) 339
- Corah, L., Trace mineral requirements of grazing cattle, 59 (1996) 61
- Cordesse, R., see Zimmer, N., 61 (1996) 259
- Corley III, R.N., Wold, J.E., Carithers, S.N., Bahaa, A.O. and Murphy, M.R., Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295
- Corley, R.N., Woldeghebriel, A. and Murphy, M.R., Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183
- Cortova, Z., see Lindberg, J.E., 56 (1995) 11
- Cottyn, B.G., see de Boever, J.L., 51 (1995) 243
- Cottyn, B.G., see De Boever, J.L., 60 (1996) 103
- Cottyn, B.G., see De Boever, J.L., 66 (1997) 211
- Cottyn, B.G., see De Boever, J.L., 75 (1998) 93
- Cottyn, B.G., see Fiems, L.O., 71 (1998) 79
- Cottyn, B.G., see Givens, D.I., 54 (1995) 55
- Cousins, R.J., see Sandoval, M., 66 (1997) 223
- Cowan, W.D., Korsbak, A., Hastrup, T. and Rasmussen, P.B., Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
- Cozzi, G., Berzaghi, P., Gottardo, F., Gabai, G. and Andrighetto, I., Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43
- Cozzi, G., see Andrighetto, I., 54 (1995) 287
- Crawshaw, R., see Rooke, J.A., 64 (1997) 243
- Crooker, B.A., see Yoon, I.K., 60 (1996) 13
- Cubiló, D., see Angulo, E., 72 (1998) 71
- Cummins, K.A., see Chiba, L.I., 53 (1995) 1
- Cummins, K.A., see Chiba, L.I., 57 (1996) 15
- Cyril, H.W., see Ravindran, V., 57 (1996) 335

D

- Dabo, S.M., Taliaferro, C.M. and Coleman, S.W., Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299
- Dado, R.G. and Beek, S.D., In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151
- Dakowski, P., Weisbjerg, M.R. and Hvelplund, T., The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213
- Dale, N., Variation in feed ingredient quality: oilseed meals, 59 (1996) 129
- Dalibard, P. and Paillard, E., Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189
- Dalzell, S.A. and Shelton, H.M., Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 153
- Dandanell Daveby, Y., Razdan, A. and Åman, P., Effect of particle size and enzyme supplementation of diets based on dehulled peas on the

- nutritive value for broiler chickens, 74 (1998) 229
- Dapoza, C., see Martín-Orúe, S.M., 63 (1996) 341
- Darroch, C.S., Aherne, F.X., Helm, J., Sauer, W.C. and Jaikaran, S., Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hullless barley in growing swine, 61 (1996) 173
- Darroch, C.S., see Nam, D.S., 56 (1995) 265
- Dass, R.S., see Toppo, S., 64 (1997) 101
- Dass, R.S., see Verma, A.K., 59 (1996) 255
- Dass, R.S., see Verma, A.K., 73 (1998) 339
- Davis, J.J., see Puchala, R., 55 (1995) 253
- Dawson, L. and Mayne, C.S., The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
- Dawson, L.E.R. and Mayne, C.S., The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
- Dawson, L.E.R. and Mayne, C.S., The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
- Dawson, L.E.R. and Steen, R.W.J., The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61
- de Blas, C., see García, J., 54 (1995) 33
- de Blas, J.C., see Carabaño, R., 65 (1997) 249
- de Blas, J.C., Taboada, E., Nicodemus, N., Campos, R., Piquer, J. and Méndez, J., Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151
- De Boever, J., see Kosmala, I., 59 (1996) 245
- De Boever, J.L., Cottyn, B.G., De Brabander, D.L., Vanacker, J.M. and Boucqué, Ch.V., Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103
- De Boever, J.L., Cottyn, B.G., De Brabander, D.L., Vanacker, J.M. and Boucqué, Ch.V., Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211
- de Boever, J.L., Cottyn, B.G., Vanacker, J.M. and Boucqué, C., The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
- De Boever, J.L., Iantcheva, N., Cottyn, B.G., De Campeneere, S., Fiems, L.O. and Boucqué, Ch.V., Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93
- de Boever, J.L., see de Smet, A.M., 51 (1995) 297
- De Brabander, D.L., see De Boever, J.L., 60 (1996) 103
- De Brabander, D.L., see De Boever, J.L., 66 (1997) 211
- de Brabander, D.L., see de Smet, A.M., 51 (1995) 297
- De Campeneere, S., see De Boever, J.L., 75 (1998) 93
- De Campeneere, S., see Fiems, L.O., 71 (1998) 79
- de Castro, F.B., Paiva, T.C.B. and Arcaro, Jr., I., Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
- De Groote, G. and Huyghebaert, G., The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329
- de Lange, C.F.M., see Fan, M.Z., 52 (1995) 189
- de Lange, C.F.M., see Patience, J.F., 58 (1996) 19
- de Monredon, F.L.D., see Nathier-Dufour, N., 51 (1995) 255
- de Paepe, M., see Eeckhout, W., 52 (1995) 29
- de Queiroz, A.C., see Vieira, R.A.M., 66 (1997) 197
- de Queiroz, A.C., see Vieira, R.A.M., 67 (1997) 153
- De Schrijver, R., see Vande Ginste, J., 72 (1998) 303
- de Smet, A.M., de Boever, J.L., de Brabander, D.L., Vanacker, J.M. and Boucqué, C.V., Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297
- de Vaux, A., see Julliard, V., 70 (1998) 161
- de Vega, A., see Castrillo, C., 51 (1995) 73
- de Wit, J., see Schiere, J.B., 51 (1995) 45
- de Wit, W., see van der Klis, J.D., 51 (1995) 15
- Deaville, E.R. and Givens, D.I., Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41
- Deaville, E.R., see Givens, D.I., 66 (1997) 247
- Debersaques, F.M.A.J., see Groot, J.C.J., 64 (1996) 77
- Degen, A., see Makkar, H.P.S., 55 (1995) 67
- Degen, A., see Makkar, H.P.S., 61 (1996) 381
- Delaby, L., see Delagarde, R., 66 (1997) 165
- Delagarde, R., Peyraud, J.L. and Delaby, L., The effect of nitrogen fertilization level and protein

- supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
- Demarquilly, C., see Aufrère, J., 62 (1996) 77
- Demarquilly, C., see Ballet, N., 67 (1997) 69
- Demeyer, D., see Nollet, L., 71 (1998) 49
- Demeyer, D., see Piattoni, F., 73 (1998) 353
- Demeyer, D.I., see Mbanzamihigo, L., 62 (1996) 215
- Demeyer, D.I., see Mbanzamihigo, L., 67 (1997) 339
- Dent, J.B., see Herrero, M., 60 (1996) 51
- Dent, J.B., see Herrero, M., 69 (1997) 281
- DePeters, E.J., Fadel, J.G. and Arosemena, A., Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127
- DePeters, E.J., see Arosemena, A., 54 (1995) 103
- DePeters, E.J., see Arosemena, A., 66 (1997) 305
- Deshck, A., Abo-Shehada, M., Allonby, E., Givens, D.I. and Hill, R., Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29
- Devaux, M.-F., see Nathier-Dufour, N., 51 (1995) 255
- Dewey, P.J.S., see Givens, D.I., 54 (1995) 55
- Dewhurst, R.J., Hepper, D. and Webster, A.J.F., Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211
- DeYoung, D., see Al-Dehneh, A., 68 (1997) 327
- Dhanoa, M.S., see Sileshi, Z., 61 (1996) 73
- Diéguez, F.J., see Ly, J., 72 (1998) 397
- Dias-da-Silva, A.A., see Fonseca, A.J.M., 72 (1998) 205
- Dibner, J.J., Atwell, C.A., Kitchell, M.L., Shermer, W.D. and Ivey, F.J., Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1
- Dixon, R.M., see Paduano, D.C., 53 (1995) 55
- Djouvinov, D., Pavlov, D., Ilchev, A. and Enev, E., Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
- Djouvinov, D.S., Nakashima, Y., Todorov, N. and Pavlov, D., In situ degradation of feed purines, 71 (1998) 67
- D'Mello, J.P.F. and Macdonald, A.M.C., Mycotoxins, 69 (1997) 155
- Domingo, J.A., see Paduano, D.C., 53 (1995) 55
- Dominguez, P.L., see Ly, J., 70 (1998) 265
- Donawa, A.A., see Lallo, C.H.O., 67 (1997) 213
- Donkoh, A., see Atuahene, C.C., 72 (1998) 133
- Doré, J., see Faichney, G.J., 64 (1997) 193
- Doreau, M., see Ottou, J.F., 58 (1996) 187
- Dorléans, M., see Archimède, H., 54 (1995) 327, 341
- Dorleans, M., Mandran, N. and Sauvant, D., Study of the use of a protease with the van Soest procedure, 61 (1996) 129
- Driehuis, F., see Cone, J.W., 66 (1997) 31
- Dryhurst, N. and Wood, C.D., The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131
- Du Preez, J.J., see Cilliers, S.C., 71 (1998) 371
- Du Preez, J.J., see Cilliers, S.C., 72 (1998) 283
- Dunsdon, A.J., see Stewart, J.L., 75 (1998) 111
- Dunshea, F.R., see Prawirodigdo, S., 67 (1997) 205
- Dutertre, C., see Comizzoli, P., 64 (1997) 215
- Dzowela, B.H., Hove, L., Maasdorp, B.V. and Mafongoya, P.L., Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
- Dzowela, B.H., Hove, L., Topps, J.H. and Mafongoya, P.L., Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207
- Dzowela, B.H., see Berardo, N., 69 (1997) 201
- Dzowela, B.H., see Nherera, F.V., 74 (1998) 15

E

- Edwards, S.A., see Brouns, F., 54 (1995) 301
- Eeckhout, W., de Paepe, M., Warnants, N. and Bekaert, H., An estimation of the minimal P requirements for growing-finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29
- Eggum, B.O., see Børsting, C.F., 53 (1995) 317
- Eggum, B.O., see Bach Knudsen, K.E., 52 (1995) 205
- Eggum, B.O., see Beames, R.M., 62 (1996) 189
- Eggum, B.O., see Canibe, N., 64 (1997) 311
- Eggum, B.O., see Jensen, S.K., 53 (1995) 17
- Eggum, B.O., see Jensen, S.K., 54 (1995) 9
- Eggum, B.O., see Liu, Y., 52 (1995) 257
- Eggum, B.O., see Pettersson, Å., 62 (1996) 203

- Eggum, B.O., see Steenfeldt, S., 54 (1995) 249
 Eggum, B.O., see Stritzler, N.P., 70 (1998) 11
 Elices, R., see Arija, I., 70 (1998) 137
 Elise Aakre, S., see Paus, J., 73 (1998) 195
 Elizalde, J.C., Santini, F.J. and Pasinato, A.M., The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors.II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245
 Ellersieck, M.R., see Brown, I.E., 52 (1995) 299
 Ellis, W.C., see Ramirez Piñeres, M.A., 64 (1997) 113
 Ellis, W.C., see Ramirez Piñeres, M.A., 65 (1997) 139
 Emanuelson, M., see Gonda, H.L., 64 (1996) 27
 Emile, J.C., see Tovar-Gómez, M.R., 68 (1997) 77
 Endres, M.I., see Mansfield, H.R., 55 (1995) 47
 Enev, E., see Djouvinov, D., 68 (1997) 287
 English, P.R., see Brouns, F., 54 (1995) 301
 Engstroma, D.F., see Goonewardene, L.A., 74 (1998) 135
 Enjalbert, F., see Bayourthe, C., 72 (1998) 121
 Erasmus, L.J., see Schroeder, G.E., 58 (1996) 249
 Eriksson, K.-E.L., see Akin, D.E., 63 (1996) 305
 Escobar, A., see Bello, M.G.D., 69 (1997) 91
 Estell, R.E., see Anderson, D.M., 70 (1998) 315
 Esteve-Garcia, E., see Almirall, M., 54 (1995) 149
 Esteve-Garcia, E., see Angulo, E., 53 (1995) 233
 Esteve-Garcia, E., see Angulo, E., 63 (1996) 25
 Etheridge, R.D., Pesti, G.M. and Foster, E.H., A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21
 Evers, D.J. and Carroll, D.J., Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241
 Evers, D.J. and Carroll, D.J., Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233
- F**
- Faddy, M.J., see Kennedy, P.M., 66 (1997) 111
 Fadel, J.G., see Arosemena, A., 54 (1995) 103
 Fadel, J.G., see Arosemena, A., 66 (1997) 305
 Fadel, J.G., see DePeters, E.J., 67 (1997) 127
 Fagbenro, O.A. and Jauncey, K., Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11
 Faichney, G.J., Poncet, C., Lassalas, B., Jouany, J.P., Millet, L., Doré, J. and Brownlee, A.G., Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193
 Fall-Toure, S. and Michalet-Doreau, B., Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65
 Fan, M.Z., Sauer, W.C. and de Lange, C.F.M., Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189
 Fang, R.J., see Tan, Z.L., 53 (1995) 337
 Fanimó, A.O. and Fashina-Bombata, H.A., The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191
 Farag, M.D.El-D.H., The nutritive value for chicks of full-fat soybeans irradiated at up to 60 kGy (Cairo, Egypt) 73 (1998) 319
 Farnworth, E.R., Modler, H.W. and Mackie, D.A., Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153
 Farrell, D.J., see Prawirodigdo, S., 67 (1997) 205
 Fashina-Bombata, H.A., see Fanimó, A.O., 71 (1998) 191
 Fauduet, H., Coic, J.P., Lessire, M., Quinsac, A., Ribaillier, D. and Rollin, P., Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99
 Faverdin, P., see Peyraud, J.L., 64 (1997) 155
 Fawcett, R.H., see Herrero, M., 60 (1996) 51
 Fawcett, R.H., see Herrero, M., 69 (1997) 281
 Fellner, V., see Brown, I.E., 52 (1995) 299
 Fenton, T.F., see Walshaw, J., 71 (1998) 311
 Ferguson, J.D., Diet, production and reproduction in dairy cows, 59 (1996) 173
 Ferguson, J.D., see Chalupa, W., 58 (1996) 1
 Ferguson, T.U., see Garcia, G.W., 60 (1996) 29
 Fernández, C., Gallego, L. and Lopez-Bote, C.J., Effect of betaine on fat content in growing lambs, 73 (1998) 329
 Fernández, E., see Tortuero, F., 53 (1995) 255

- Fernández, J.A. and Batterham, E.S., The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
- Fernández, J.A., see Boisen, S., 51 (1995) 29
- Fernández, J.A., see Boisen, S., 68 (1997) 277
- Fernández-Carmona, J., Cervera, C. and Blas, E., Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
- Fernández-Carmona, J., Cervera, C., Sabater, C. and Blas, E., Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289
- Ferrara, R., see Miranda, R.L.A., 63 (1996) 289
- Ferrer, A., see Gandi, J., 68 (1997) 195
- Fialho, E.T., Barbosa, H.P. and Albino, L.F.T., Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239
- Fiems, L.O., Cottyn, B.G., De Campeneere, S. and Boucqué, C., Effect of dietary protein level on performance of early-weaned double-musced calves, 71 (1998) 79
- Fiems, L.O., see De Boever, J.L., 75 (1998) 93
- Firman, J.D., see Williams, J.E., 70 (1998) 123
- Fisher, L.J., see Makoni, N.F., 53 (1995) 221
- Fisher, L.J., see Tait, R.M., 62 (1996) 69
- Flachowsky, G., Ochrimenko, W.I., Schneider, M. and Richter, G.H., Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117
- Flachowsky, G., Schöne, F., Schaarmann, G., Lübke, F. and Böhme, H., Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91
- Flores, M.P., see Castañón, J.I.R., 68 (1997) 361
- Flores, M.P., see Pieltain, M.C., 62 (1996) 271
- Flores, M.P., see Pieltain, M.C., 73 (1998) 187
- Florou-Paneri, P., see Christaki, E., 65 (1997) 287
- Foidl, N., see Aderibigbe, A.O., 67 (1997) 223
- Foltýn, J., see Komprda, T., 67 (1997) 141
- Fondevila, M., see Castrillo, C., 51 (1995) 73
- Fondevila, M., see González Ronquillo, M., 72 (1998) 19
- Fonseca, A.J.M., Dias-da-Silva, A.A. and Ørskov, E.R., In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
- Fontenot, J.P., see Bakshi, M.P.S., 74 (1998) 337
- Fontenot, J.P., see Chaudhry, S.M., 57 (1996) 165
- Fontenot, J.P., see Chaudhry, S.M., 74 (1998) 155
- Fontenot, J.P., see Rogers, M., 65 (1997) 113
- Fonty, G., see Julliand, V., 70 (1998) 161
- Formal, M., see Toullec, R., 73 (1998) 115
- Forster Jr., L.A., see Patil, A.R., 55 (1995) 87
- Foster, E.H., see Etheridge, R.D., 73 (1998) 21
- Foulkes, G.R., see Wilman, D., 63 (1996) 99, 111
- Fraga, M.J., see Carabaño, R., 65 (1997) 249
- Fraga, M.J., see Villamide, M.J., 70 (1998) 211
- Franci, O., Antongiovanni, M., Acciaioli, A., Bruni, R. and Martini, A., Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279
- Fransen, H.M.P., see van der Poel, A.F.B., 66 (1997) 289
- František, J., see Komprda, T., 67 (1997) 141
- Fraser, H., see Rooke, J.A., 70 (1998) 175
- Fredeen, A.H., Considerations in the nutritional modification of milk composition, 59 (1996) 185
- Fredrickson, E.L., see Anderson, D.M., 70 (1998) 315
- Frejnagel, S., see Zdunczyk, Z., 72 (1998) 143
- Friot, D., see Touré, S.F., 74 (1998) 63
- Fris Jensen, J., see Steenfeldt, S., 75 (1998) 27, 45
- Fritz, J.O., see Coblenz, W.K., 72 (1998) 53
- Fron, M., Madeira, H., Richards, C. and Morrison, M., The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235
- Frye, T.M., see Scherf, H., 59 (1996) 115
- Fuente, J.M., Pérez de Ayala, P. and Villamide, M.J., Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45
- Fujita, H., see Takahashi, J., 74 (1998) 273
- Furuse, M., see Komaki, H., 70 (1998) 363

G

- Gabai, G., see Cozzi, G., 64 (1996) 43
- Gabert, V.M. and Sauer, W.C., The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
- Gachui, C.K., see Mbuthia, E.W., 67 (1997) 291
- Galbraith, H., Chigwada, W., Scaife, J.R. and Humphries, W.R., The effect of dietary molybdenum supplementation on tissue copper con-

- centrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83
- Galbraith, H., see Rouzbehan, Y., 59 (1996) 279
- Galbraith, H., see Rouzbehan, Y., 62 (1996) 151
- Gallego, L., see Fernández, C., 73 (1998) 329
- Galligan, D.T., see Chalupa, W., 58 (1996) 1
- Galloway Sr., D.L., see Patil, A.R., 55 (1995) 87
- Galloway Sr., D.L., see Rossi, J.E., 62 (1996) 163
- Galloway, Sr., D.L., see Goetsch, A.L., 66 (1997) 271
- Galloway, Sr., D.L., see Rossi, J.E., 71 (1998) 145
- Gamble, B.E., see Chiba, L.I., 53 (1995) 195
- Gamble, B.E., see Chiba, L.I., 57 (1996) 15
- Gamble, G.R., see Akin, D.E., 63 (1996) 305
- Gandi, J., Holtzapfel, M.T., Ferrer, A., Byers, F.M., Turner, N.D., Nagwani, M. and Chang, S., Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195
- García B., C., see Roa V., M.L., 64 (1997) 327
- García, A., see Ly, J., 72 (1998) 397
- García, F., see Chilibraste, P., 68 (1997) 259
- García-Bojalil, C.M., see Martínez-Avalos, A.M.M., 70 (1998) 257
- García-Ciudad, A., Ruano-Ramos, A., Vázquez de Aldana, B.R. and García-Criado, B., Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257
- García-Criado, B., see García-Ciudad, A., 66 (1997) 257
- García, J., Pérez-Alba, L., Alvarez, C., Rocha, R., Ramos, M. and de Blas, C., Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33
- Garcia, G.W., Ferguson, T.U., Neckles, F.A. and Archibald, K.A.E., The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
- Garcia, R.L., see Akin, D.E., 53 (1995) 29
- Garcia-Bojalil, C., see Ramos, J.A., 70 (1998) 249
- Garnsworthy, P.C., see Moss, A.R., 55 (1995) 9
- Garrido, A., see Guzmán, J.L., 57 (1996) 149
- Gates, R.N., see Mandevu, P., 73 (1998) 263, 281
- Gay, C.C., see Krytenburg, D.S., 75 (1998) 75
- Gay, J.M., see Krytenburg, D.S., 75 (1998) 75
- Gdala, J., Jansman, A.J.M., Buraczewska, L., Huisman, J. and van Leeuwen, P., The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
- Gdala, J., Jansman, A.J.M., van Leeuwen, P., Huisman, J. and Verstegen, M.W.A., Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
- Gdala, J., Johansen, H.N., Bach Knudsen, K.E., Knap, I.H., Wagner, P. and Jørgensen, O.B., The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
- Gdala, J., see Buraczewska, L., 58 (1996) 201
- Gerdemann, M.M., see Kreuzer, M., 73 (1998) 1
- Getachew, G., Blümmel, M., Makkar, H.P.S. and Becker, K., In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261
- Ghosh, M.K., Chhabra, A., Atreja, P.P. and Chopra, R.C., Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43
- Gidenne, T. and Jehl, N., Replacement of starch by digestible fibre in the feed for the growing rabbit. I. Consequences for digestibility and rate of passage, 61 (1996) 183
- Gidenne, T., Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 255
- Gidenne, T., see Jehl, N., 61 (1996) 193
- Giger-Reverdin, S., Bezault, N., Sauvant, D. and Bertin, G., Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149
- Giger-Reverdin, S., Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295
- Gilboa, N., see Aharoni, Y., 71 (1998) 251
- Gill, R.J., see Ravindran, V., 63 (1996) 323
- Givens, D.I., Cottyn, B.G., Dewey, P.J.S. and Steg, A., A comparison of the neutral detergent-cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
- Givens, D.I., Deaville, E.R. and Moss, A.R., The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247
- Givens, D.I., see Adesogan, A.T., 74 (1998) 259
- Givens, D.I., see Deaville, E.R., 72 (1998) 41
- Givens, D.I., see Deshck, A., 73 (1998) 29
- Givens, D.I., see Huntington, J.A., 64 (1997) 227
- Givens, D.I., see Huntington, J.A., 68 (1997) 115, 131

- Givens, D.I., see Moss, A.R., 55 (1995) 9
- Givens, D.I., see Moss, A.R., 68 (1997) 11
- Givens, D.I., see Wilman, D., 63 (1996) 99, 111
- Gizzi, G., Zanchi, R. and Sciaraffia, F., Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291
- Glenn, E.P., see Swingle, R.S., 63 (1996) 137
- Goetsch, A.L., Patil, A.R., Wang, Z.S., Park, K.K., Galloway, Sr., D.L., Rossi, J.E. and Kouakou, B., Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271
- Goetsch, A.L., see Park, K.K., 54 (1995) 159
- Goetsch, A.L., see Patil, A.R., 55 (1995) 87
- Goetsch, A.L., see Rossi, J.E., 62 (1996) 163
- Goetsch, A.L., see Rossi, J.E., 71 (1998) 145
- Gómez-Cabrera, A., see Guzmán, J.L., 57 (1996) 149
- Gonda, H.L., Emanuelson, M. and Murphy, M., The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27
- González M., S., see Roa V., M.L., 64 (1997) 327
- González Ronquillo, M., Fondevila, M., Barrios Urdaneta, A. and Newman, Y., In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19
- González, J., Rodríguez, C.A., Andrés, S.G. and Alvir, M.R., Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71
- González, J., see Pereira, J.C., 74 (1998) 107
- González, J.S., see López, S., 73 (1998) 99
- González, M.S.S., see Miranda, R.L.A., 63 (1996) 289
- González, S., see Martínez-Avalos, A.M.M., 70 (1998) 257
- Gonzalez, J., see Perez, J.F., 62 (1996) 251
- Goonewardene, L.A., Spicer, H.M., Engstroma, D.F., ZoBell, D.R. and Yaremcio, B.J., A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135
- Gordon, F.J., Cooper, K.M., Park, R.S. and Steen, R.W.J., The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339
- Gordon, F.J., see Park, R.S., 68 (1997) 235
- Gordon, F.J., see Park, R.S., 72 (1998) 155
- Gordon, F.J., see Pippard, C.J., 57 (1996) 87
- Gordon, F.J., see Porter, M.G., 56 (1995) 217
- Gorska-Matusiak, Z., see Antoniewicz, A.M., 54 (1995) 203
- Gorton, P., see Short, F.J., 59 (1996) 215
- Goto, M. and Yokoe, Y., Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239
- Gottardo, F., see Cozzi, G., 64 (1996) 43
- Grande, D., see Nahed, J., 68 (1997) 213
- Grande, D., see Nahed, J., 73 (1998) 59
- Graviou, D., see Aufrère, J., 62 (1996) 77
- Greenhalgh, J.F.D., see Taiwo, A.A., 56 (1995) 133
- Greenhalgh, J.F.D., see Tuah, A.K., 51 (1995) 269
- Grela, E.R. and Günter, K.D., Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325
- Grenet, E., see Migné, C., 58 (1996) 165
- Grimmelt, B., see Zaman, M.S., 51 (1995) 329
- Groot, J.C.J., Cone, J.W., Williams, B.A., Debersaques, F.M.A. and Lantinga, E.A., Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77
- Grubić, G., see Adamović, M., 71 (1998) 359
- Grundy, H.F., see Moss, A.R., 68 (1997) 11
- Gruppen, H., see Marsman, G.J.P., 56 (1995) 21
- Guada, J.A., see Castrillo, C., 51 (1995) 73
- Guada, J.A., see Perez, J.F., 62 (1996) 251
- Guenther, W., see Castell, A.G., 60 (1996) 209
- Guenther, W., see Igbasan, F.A., 61 (1996) 205
- Guenther, W., see Igbasan, F.A., 63 (1996) 9
- Guenther, W., see Simbaya, J., 61 (1996) 219
- Guenther, W., see Wang, G.J., 66 (1997) 47
- Guerrero, J.E., see Guzmán, J.L., 57 (1996) 149
- Gulati, S.K., Byers, E.B., Byers, Y.G., Ashes, J.R. and Scott, T.W., Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159
- Gulati, S.K., Scott, T.W. and Ashes, J.R., In-vitro assessment of fat supplements for ruminants, 64 (1997) 127
- Gulewicz, K., see Zdunczyk, Z., 72 (1998) 143
- Günter, K.D., see Grela, E.R., 52 (1995) 325
- Gupta, B.N., see Srinivas, B., 65 (1997) 275
- Gupta, H.K. and Atreja, P.P., Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

- Gupta, H.K. and Atreja, P.P., Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45
- Guzmán, J.L., Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Murray, I., Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149
- Guzzon, P., Stefanon, B., Mills, C.R. and Susmel, P., Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37
- Gwiazda, S., see Szymczyk, B., 56 (1995) 169
- Gwiazda, S., see Szymczyk, B., 63 (1996) 297

H

- Ha, J.K., see Bae, H.D., 65 (1997) 165
- Ha, S.D., Maciorowski, K.G., Kwon, Y.M., Jones, F.T. and Ricke, S.C., Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145
- Habib, G., Hassan, M.F. and Siddiqui, M.M., Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373
- Habib, G., Shah, S.B.A. and Inayat, K., Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263
- Haffner, J., see Schwarz, F.J., 54 (1995) 237
- Håkansson, J., see Thomke, S., 73 (1998) 207
- Hall, J.W., see Mir, P.S., 55 (1995) 275
- Hall, M.B., Pell, A.N. and Chase, L.E., Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23
- Hamilton, R.M.G. and Proudfoot, F.G., Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203
- Han, Z., see Wang, G.J., 66 (1997) 47
- Hancock, D.D., see Krytenburg, D.S., 75 (1998) 75
- Hanczakowski, P., see Szymczyk, B., 56 (1995) 169
- Hanczakowski, P., see Szymczyk, B., 63 (1996) 297
- Hanczakowski, P., Szymczyk, B. and Wawrzyński, M., Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339
- Hanjra, S.H., see Rasool, S., 57 (1996) 325
- Hanneken, H., see Kreuzer, M., 73 (1998) 1
- Hanson, J., see Kaitho, R.J., 65 (1997) 151
- Harazim, J., see Komprda, T., 61 (1996) 325
- Hardy, R.W., Alternate protein sources for salmon and trout diets, 59 (1996) 71
- Hart, S.P., see Puchala, R., 55 (1995) 253
- Hartman, B., see Andrighetto, I., 54 (1995) 287
- Hasnain, A., see Abbas, T., 54 (1995) 357
- Hassan, M.F., see Habib, G., 72 (1998) 373
- Hastrup, T., see Cowan, W.D., 60 (1996) 311
- Havstad, K.M., see Anderson, D.M., 70 (1998) 315
- Hayes, J.P., see Cilriers, S.C., 71 (1998) 371
- Hayes, J.P., see Cilriers, S.C., 72 (1998) 283
- He, L.H., see Tan, Z.L., 53 (1995) 337
- Heaney, R., see Rosa, E., 57 (1996) 111
- Hegde, B.P., see Venkatesh, M., 73 (1998) 271
- Heinrichs, A.J., Nutrition and management of replacement cattle, 59 (1996) 155
- Heinrichs, A.J., see Longenbach, J.I., 73 (1998) 85
- Helander, E.H., see Näsi, J.M., 56 (1995) 83
- Hellberg, S., see Weisbjerg, M.R., 62 (1996) 179
- Helm, J., see Darroch, C.S., 61 (1996) 173
- Helm, J.H., see Beames, R.M., 62 (1996) 189
- Hen, Y., see Ashbell, G., 52 (1995) 271
- Hen, Y., see Weinberg, Z.G., 55 (1995) 287
- Henry, P.R., Littell, R.C. and Ammerman, C.B., Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237
- Henry, P.R., see Luo, X.G., 57 (1996) 281
- Henry, P.R., see Sandoval, M., 66 (1997) 223
- Hepper, D., see Dewhurst, R.J., 51 (1995) 211
- Hernández, A., Hernández, T. and Martínez, C., Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169
- Hernández, E., see Ramos, A.J., 62 (1996) 263
- Hernández, E., see Ramos, A.J., 65 (1997) 197
- Hernández, F., see Madrid, J., 63 (1996) 89
- Hernández, F., see Madrid, J., 65 (1997) 129
- Hernández, T., see Hernández, A., 72 (1998) 169
- Hernandez, T.M., see Licitra, G., 57 (1996) 347
- Herrero, M., Jessop, N.S., Fawcett, R.H., Murray, I. and Dent, J.B., Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
- Herrero, M., Murray, I., Fawcett, R.H. and Dent, J.B., Prediction of the in vitro gas production and

- chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51
- Hervieu, J., see Archimède, H., 54 (1995) 327
- Hervieu, J., see Archimède, H., 58 (1996) 267
- Hew, L.I., Ravindran, V., Mollah, Y. and Bryden, W.L., Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83
- Hidiroglou, N., see McDowell, L.R., 60 (1996) 273
- Hill, G.M., see Mandevu, P., 73 (1998) 263, 281
- Hill, G.M., see McDowell, L.R., 60 (1996) 273
- Hill, R., see Deshck, A., 73 (1998) 29
- Hillman, K., Williams, A.G. and Lloyd, D., Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237
- Hindle, V.A., Steg, A., van Vuuren, A.M. and Vroons-de Bruin, J., Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103
- Hinds, M., see Andrighetto, I., 54 (1995) 287
- Hintz, R.W., see Amen, G.A., 53 (1995) 305
- Hirabayashi, M., see Matsui, T., 60 (1996) 131
- Ho, Y.W., see Imai, S., 52 (1995) 345
- Ho, Y.W., see Jin, L.Z., 70 (1998) 197
- Holden, L.A., see Aldrich, J.M., 63 (1996) 257
- Holmes, J.H.G., see Paduano, D.C., 53 (1995) 55
- Holmes, J.H.G., see Wiryawan, K.G., 66 (1997) 297
- Holtzapfel, M.T., see Ashok, G., 53 (1995) 267
- Holtzapfel, M.T., see Gandi, J., 68 (1997) 195
- Holzer, Z., Aharoni, Y., Lubimov, V. and Brosh, A., The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133
- Homolka, P., see Komprda, T., 61 (1996) 325
- Homolka, P., see Kopečný, J., 71 (1998) 109
- Hong, C., see Li, D., 73 (1998) 173
- Hongerholt, D.D., see Yoon, I.K., 60 (1996) 13
- Hongerholt, D.D., Varga, G.A. and Muller, L.D., Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1
- Honig, H., see Singh, K., 61 (1996) 137
- Hood, R.L., see Ravindran, V., 63 (1996) 323
- Horgan, G., see Vipond, J.E., 54 (1995) 65
- Hossain, M.I., see Rahman, M.H., 65 (1997) 231
- Hossain, S.M. and Bertechini, A.G., Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 305
- Hossain, S.M. and Bertechini, A.G., Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 365
- Hossain, S.M., Barreto, S.L. and Silva, C.G., Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217
- Hossain, S.M., Barreto, S.L., Bertechini, A.G., Rios, A.M. and Silva, C.G., Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307
- Houdijk, J.G.M., Bosch, M.W., Verstegen, M.W.A. and Berenpas, H.J., Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35
- Hove, L., see Berardo, N., 69 (1997) 201
- Hove, L., see Dzwela, B.H., 55 (1995) 207
- Hove, L., see Dzwela, B.H., 69 (1997) 1
- Hovell, F.D.D., see Manyuchi, B., 63 (1996) 123
- Hovell, F.D.D., see Manyuchi, B., 69 (1997) 17
- Hovell, F.D.D., see Salawu, M.B., 69 (1997) 67, 219
- Howie, S.A., Calsamiglia, S. and Stern, M.D., Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1
- Hristov, A.N. and Sandev, S.G., Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
- Hristov, A.N., Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 353
- Hsieh, F., see Huang, S., 56 (1995) 1
- Hsieh, F., see Lin, S., 71 (1998) 283
- Hsieh, F.H., see Williams, J.E., 70 (1998) 123
- Hsu, H., see Walshaw, J., 71 (1998) 311
- Hsu, J.-C., Lin, C.Y. and Chiou, P.W.-S., Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289
- Hsu, J.-C., Lu, T.-W., Chiou, P.W.-S. and Yu, B., Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93
- Hsu, J.-C., see Chiou, P.W.-S., 54 (1995) 93
- Hsu, J.-C., see Chiou, P.W.-S., 55 (1995) 215
- Hsu, J.-C., see Yu, B., 70 (1998) 353

- Huang, S., Liang, M., Lardy, G., Huff, H.E., Kerley, M.S. and Hsieh, F., Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1
- Huber, J.T., see Al-Dehneh, A., 68 (1997) 327
- Huff, H.E., see Huang, S., 56 (1995) 1
- Huff, H.E., see Lin, S., 71 (1998) 283
- Huhtanen, P. and Kukkonen, U., Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
- Huhtanen, P., Jaakkola, S. and Kukkonen, U., Ruminant plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
- Huhtanen, P., see Rinne, M., 67 (1997) 1, 19
- Huisman, J., see Gdala, J., 62 (1996) 239
- Huisman, J., see Gdala, J., 67 (1997) 115
- Humphries, W.R., see Galbraith, H., 67 (1997) 83
- Hunt, C.W., Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37
- Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227
- Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115
- Huntington, J.A. and Givens, D.I., Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131
- Hussain, H.Y., see Imai, S., 52 (1995) 345
- Hussain, I. and Cheeke, P.R., Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
- Hussain, I. and Cheeke, P.R., Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195
- Hussain, I., Cheeke, P.R. and Johnson, D.E., Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammonia-tion and supplementation with by-pass protein, 57 (1996) 1
- Hussain, I., Ismail, A.M. and Cheeke, P.R., Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121
- Hutjens, M.F., Practical approaches to feeding the high producing cow, 59 (1996) 199
- Huyghebaert, G., see De Groote, G., 69 (1997) 329
- Huyghebaert, G., The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55
- Hvelplund, T., see Dakowski, P., 58 (1996) 213
- Hvelplund, T., see Kosmala, I., 59 (1996) 245
- Hvelplund, T., see Madsen, J., 69 (1997) 53
- Hvelplund, T., see Mupeta, B., 69 (1997) 271
- Hvelplund, T., see Weisbjerg, M.R., 62 (1996) 179
- ## I
- Iantcheva, N., see De Boever, J.L., 75 (1998) 93
- Ibrahim, M.N.M., Tamminga, S. and Zemmeling, G., Degradation of tropical roughages and concentrate feeds in the rumen, 54 (1995) 81
- Igbasan, F.A. and Guenter, W., The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205
- Igbasan, F.A. and Guenter, W., The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9
- Igbasan, F.A., see Castell, A.G., 60 (1996) 209
- Ikeda, M., see Takahashi, J., 74 (1998) 273
- Ikurior, S.A., Preservation of brewers years slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353
- Ikwuegbu, O.A., see Njwe, R.M., 51 (1995) 317
- Ilchev, A., see Djouvinov, D., 68 (1997) 287
- Imai, S., Abdullah, N., Ho, Y.W., Jalaludin, S., Hussain, H.Y., Onodera, R. and Kudo, H., Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
- Imbeah, M., Sauer, W.C. and Caine, W.R., Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41
- Inayat, K., see Habib, G., 55 (1995) 263

- Inbarr, J., see Jensen, M.S., 72 (1998) 329
 Ingalls, J.R., Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297
 Ingalls, J.R., see Undi, M., 63 (1996) 179
 Isabel, B., see Lopez-Bote, C.J., 72 (1998) 33
 Ismail, A.M., see Hussain, I., 62 (1996) 121
 Itabashi, H., see Matsumoto, M., 56 (1995) 37
 Ivey, F.J., see Dibner, J.J., 62 (1996) 1
 Ivey, H.W., see Chiba, L.I., 53 (1995) 1
 Ivey, H.W., see Chiba, L.I., 57 (1996) 15
 Iwaasa, A.D., Beauchemin, K.A., Buchanan-Smith, J.G. and Acharya, S.N., A shearing technique measuring resistance properties of plant stems, 57 (1996) 225
 Iwama, Y., see Matsui, T., 60 (1996) 131

J

- Jaakkola, S., see Huhtanen, P., 52 (1995) 159
 Jaakkola, S., see Rinne, M., 67 (1997) 1, 19
 Jaarsma, J.J., see Cilliers, J.W., 53 (1995) 45
 Jacob, J.P., Mitaru, B.N., Mbugua, P.N. and Blair, R., The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
 Jacob, J.P., Mitaru, B.N., Mbugua, P.N. and Blair, R., The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41
 Jacobsen, E.E., Skadhauge, B. and Jacobsen, S.-E., Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5
 Jacobsen, S.-E., see Jacobsen, E.E., 65 (1997) 5
 Jaikaran, S., see Darroch, C.S., 61 (1996) 173
 Jakober, K.D., see Bae, H.D., 65 (1997) 165
 Jakobsen, K., see Jensen, M.S., 72 (1998) 329
 Jalaludin, S., see Imai, S., 52 (1995) 345
 Jalaludin, S., see Jin, L.Z., 70 (1998) 197
 Jamil, A., see Rasool, S., 57 (1996) 325
 Jamil, A., see Rasool, S., 72 (1998) 347
 Jamot, J., see Migné, C., 58 (1996) 165
 Jansman, A.J.M., see Gdala, J., 62 (1996) 239
 Jansman, A.J.M., see Gdala, J., 67 (1997) 115
 Jauncey, K., see Fagbenro, O.A., 71 (1998) 11
 Jehl, N. and Gidenne, T., Replacement of starch by digestible fibre in feed for the growing rabbit.2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193
 Jehl, N., see Gidenne, T., 61 (1996) 183
 Jenny, B.F., see Ameny, G.A., 53 (1995) 305
 Jensen, B.B., see Stritzler, N.P., 70 (1998) 11, 225
 Jensen, M.S., Bach Knudsen, K.E., Inbarr, J. and Jakobsen, K., Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329
 Jensen, S.K., Liu, Y.-G. and Eggum, B.O., The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
 Jensen, S.K., Liu, Y.-G. and Eggum, B.O., The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
 Jensen, S.K., see Liu, Y., 52 (1995) 257
 Jeon, B.T., see Kim, C.W., 61 (1996) 343
 Jeon, B.T., see Kim, K.H., 61 (1996) 351
 Jessop, N.S., see Herrero, M., 69 (1997) 281
 Jiri, T., Miroslav, Š. and Tomáš, K., The influence of a nylon bag carrier on alfalfa crude protein degradability, 57 (1996) 129
 Jin, L.Z., Ho, Y.W., Abdullah, N., Ali, M.A. and Jalaludin, S., Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197
 Jingura, R.M., see Sibanda, S., 68 (1997) 295
 Johansen, H.N., see Gdala, J., 65 (1997) 15
 Johnson, C.O.L.E., see Aderibigbe, A.O., 67 (1997) 223
 Johnson, D.E., see Hussain, I., 57 (1996) 1
 Johnson, K.D., see Wheeler, R.A., 64 (1996) 1
 Johnson, Z.B. and Sellers, R.S., Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1
 Johnson, Z.B., see Park, K.K., 54 (1995) 163
 Johnson, Z.B., see Rossi, J.E., 62 (1996) 163
 Jones, A.W., see Nandra, K.S., 70 (1998) 281
 Jones, F.T., see Ha, S.D., 75 (1998) 145
 Jongbloed, R., see Liu, Y., 52 (1995) 257
 Joo, Y.-J., see Nam, K.-T., 72 (1998) 199
 Jørgensen, O.B., see Gdala, J., 65 (1997) 15
 Jouany, J.P., Mathieu, F., Senaud, J., Bohatier, J., Bertin, G. and Mercier, M., Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1
 Jouany, J.P., see Faichney, G.J., 64 (1997) 193
 Jouany, J.P., see Rogers, M., 65 (1997) 113
 Joubert, H.W., see Snyman, L.D., 57 (1996) 63

- Jovanović, R., see Adamović, M., 71 (1998) 359
 Julliand, V., Riondet, C., de Vaux, A., Alcaraz, G. and Fonty, G., Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161
 Juskiewicz, J., see Zdunczyk, Z., 72 (1998) 143

K

- Kaankuka, F.G., Balogun, T.F. and Tegbe, T.S.B., Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
 Kaitho, R.J., Umunna, N.N., Nsahla, I.V., Tamminga, S. and Van Bruchem, J., Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
 Kaitho, R.J., Umunna, N.N., Nsahla, I.V., Tamminga, S., van Bruchem, J. and Hanson, J., Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
 Kallah, M.S., Baba, M., Alawa, J.P., Muhammad, I.R. and Tanko, R.J., Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153
 Kamalamma, U., Krishnamoorthy, U. and Krishnappa, P., Effect of feeding yeast culture (Yeast¹⁰²⁶) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247
 Kamiya, N., see Komaki, H., 70 (1998) 363
 Kang, C.-W., see Nam, K.-T., 66 (1997) 149
 Kang, C.-W., see Nam, K.-T., 72 (1998) 199
 Kanski, J., see Antoniewicz, A.M., 54 (1995) 203
 Kappers, I.E., see Valk, H., 63 (1996) 63
 Karachi, M., Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305
 Karanfil, O., see Odenyo, A.A., 65 (1997) 99
 Karanfil, O., see Odenyo, A.A., 67 (1997) 169
 Karunanandaa, K. and Varga, G.A., Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
 Karunanandaa, K. and Varga, G.A., Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273
 Karunanandaa, K., Varga, G.A., Akin, D.E., Rigsby, L.L. and Royse, D.J., Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179
 Kass, M., see Stewart, J.L., 75 (1998) 111
 Kataria, P., see Wadhwa, M., 72 (1998) 11
 Kato, S., see Suzuki, Y., 54 (1995) 227
 Keane, M.G., see Moloney, A.P., 57 (1996) 97
 Kedar, O., see Arieli, A., 51 (1995) 287
 Keir El-Din, A.H., see Abu-Tarboush, H.M., 57 (1996) 39
 Kennedy, P.M., Toscas, P.J., Faddy, M.J. and Minson, D.J., Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111
 Kennelly, J.J., The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137
 Kennelly, J.J., Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161
 Kerley, M.S., see Huang, S., 56 (1995) 1
 Kerr, B., see Li, S., 59 (1996) 223
 Kershaw, S.J., see Lowe, J.A., 56 (1995) 187
 Kershaw, S.J., see Lowe, J.A., 61 (1996) 379
 Khazaal, K., see Tolera, A., 67 (1997) 181
 Kiela, P., see Puchala, R., 66 (1997) 75
 Kilpatrick, D.J., see Pippard, C.J., 57 (1996) 87
 Kilpatrick, D.J., see Porter, M.G., 56 (1995) 217
 Kim, C.W., Kwak, W.S., Ahn, H.S., Jeon, B.T. and Kim, K.H., Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343
 Kim, C.W., see Kim, K.H., 61 (1996) 351
 Kim, K.-H., see Nam, K.-T., 72 (1998) 199
 Kim, K.H., Jeon, B.T., Kim, Y.C., Kyung, B.H. and Kim, C.W., A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351
 Kim, K.H., see Kim, C.W., 61 (1996) 343

- Kim, Y.C., see Kim, K.H., 61 (1996) 351
- Kimambo, A.E., see Ndemanisho, E.E., 73 (1998) 365
- Kimball, B.A., see Akin, D.E., 53 (1995) 29
- Kimbi, E.F.C., see Ndemanisho, E.E., 73 (1998) 365
- Kimura, E., see Ohshima, M., 66 (1997) 129
- King, C.W., see Coblenz, W.K., 72 (1998) 53
- Kirchgessner, M., see Schwarz, F.J., 54 (1995) 237
- Kirchheim, U., see Schöne, F., 62 (1996) 97
- Kitchell, M.L., see Dibner, J.J., 62 (1996) 1
- Klobasa, F., see Mbuthia, E.W., 67 (1997) 291
- Klopfenstein, T., Need for escape protein by grazing cattle, 60 (1996) 191
- Klopfenstein, T., Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
- Knabe, D.A., Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331
- Knap, I.H., see Gdala, J., 65 (1997) 15
- Knaus, W., see Zollitsch, W., 66 (1997) 63
- Kneale, C.R., see Ravindran, V., 63 (1996) 323
- Kobayashi, T., see Matsumoto, M., 56 (1995) 37
- Kodaira, M., see Melcion, J., 73 (1998) 217
- Kohn, R.A. and Allen, M.S., Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1
- Kohn, R.A. and Allen, M.S., In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15
- Kojima, Y., see Matsui, H., 71 (1998) 209
- Kokko, E.G., see Bae, H.D., 65 (1997) 165
- Komaki, H., Yamashita, M., Niwa, Y., Tanaka, Y., Kamiya, N., Ando, Y. and Furuse, M., The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363
- Komprda, T., František, J., Štohandlová, M. and Foltýn, J., In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141
- Komprda, T., Homolka, P. and Harazim, J., Influence of chemical, enzymatic and phyto-genic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325
- Kopečný, J., see Tománková, O., 53 (1995) 71
- Kopečný, J., Tománková, O. and Homolka, P., Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109
- Kornegay, E.T., see Yi, Z., 61 (1996) 361
- Korsbak, A., see Cowan, W.D., 60 (1996) 311
- Kosmala, I., Antoniewicz, A., De Boever, J., Hvel-plund, T. and Kowalczyk, J., Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245
- Kostyukovsky, V. and Marounek, M., Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201
- Kouakou, B., see Goetsch, A.L., 66 (1997) 271
- Kouakou, B., see Park, K.K., 54 (1995) 159
- Kouakou, B., see Patil, A.R., 55 (1995) 87
- Kouakou, B., see Rossi, J.E., 62 (1996) 163
- Kovács, P.L., Südekum, K.- and Stangassinger, M., Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143
- Kovács, P.L., Südekum, K.-H. and Stangassinger, M., Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 327
- Kowalczyk, J., see Antoniewicz, A.M., 54 (1995) 203
- Kowalczyk, J., see Kosmala, I., 59 (1996) 245
- Kowalski, Z.M., Marszałek, A. and Mills, C.R., The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
- Kowalski, Z.M., Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289
- Krautmann, B.A., see Scherf, H., 59 (1996) 115
- Krehbiel, C.R., see Richards, C.J., 55 (1995) 35
- Kreuzer, M., Machmüller, A., Gerdemann, M.M., Hanneken, H. and Wittmann, M., Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1
- Kreuzer, M., see Machmüller, A., 71 (1998) 117
- Kriadees, M.S., see Attia, F.M., 65 (1997) 257
- Krishna, N., see Prakash, P., 63 (1996) 229
- Krishnamoorthy, U., see Kamalamma, U., 57 (1996) 247
- Krishnamoorthy, U., see Nataraja, M.B., 74 (1998) 169
- Krishnamoorthy, U., see Venkatesh, M., 73 (1998) 271
- Krishnamoorthy, U., Soller, H., Steingass, H. and Menke, K.H., Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal

- digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
- Krishnappa, P., see Kamalamma, U., 57 (1996) 247
- Krishnappa, P., see Nataraja, M.B., 74 (1998) 169
- Krytenburg, D.S., Hancock, D.D., Rice, D.H., Besser, T.E., Gay, C.C. and Gay, J.M., A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75
- Kudo, H., see Imai, S., 52 (1995) 345
- Kufidis, D., see Christaki, E., 65 (1997) 287
- Kukkonen, U., see Huhtanen, P., 52 (1995) 141, 159
- Kunelius, H.T., see Narasimhalu, P., 55 (1995) 77
- Kung Jr., L. and Rode, L.M., Amino acid metabolism in ruminants, 59 (1996) 167
- Kuo, K.-S., see Chiou, P.W.-S., 54 (1995) 93
- Kuo, K.-S., see Chiou, P.W.-S., 55 (1995) 215
- Kurdi, I.O., see Larbi, A., 72 (1998) 81
- Kwak, W.S., see Kim, C.W., 61 (1996) 343
- Kwakernaak, C., see van der Klis, J.D., 51 (1995) 15
- Kwon, Y.M., see Ha, S.D., 75 (1998) 145
- Kyung, B.H., see Kim, K.H., 61 (1996) 351

L

- Ladipo, D.O., see Larbi, A., 72 (1998) 81
- Lakpini, C.A.M., Balogun, B.I., Alawa, J.P., Onifade, O.S. and Otaru, S.M., Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197
- Lallo, C.H.O., Singh, R., Donawa, A.A. and Madoo, G., The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
- LaMorte, R.L., see Akin, D.E., 53 (1995) 29
- Lantinga, E.A., see Groot, J.C.J., 64 (1996) 77
- Larbi, A., see Agyemang, K., 72 (1998) 189
- Larbi, A., see Stewart, J.L., 75 (1998) 111
- Larbi, A., Smith, J.W., Kurdi, I.O., Adekunle, I.O., Raji, A.M. and Ladipo, D.O., Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81
- Lardy, G., see Huang, S., 56 (1995) 1
- Lassalas, B., see Faichney, G.J., 64 (1997) 193
- Laswai, G.H., Ocran, J.N., Lekule, F.P. and Sundstøl, F., Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45
- Lauria, F., see Licitra, G., 72 (1998) 1
- Laurinen, P., Valaja, J., Näsi, M. and Smeds, K., Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213
- Lawrence, T.L.J., Rowan, T.G., Preston, M.R. and Turtle, L.P., Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal digesta and faeces of growing pigs, 51 (1995) 183
- Lawrence, T.L.J., see Subuh, A.M.H., 52 (1995) 51
- Lawrence, T.L.J., see Subuh, A.M.H., 57 (1996) 257
- Layug, D.V., see Ohshima, M., 62 (1996) 141
- Le Liboux, S. and Peyraud, J.L., Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131
- León, A., Vargas, R.E., Michelangeli, C., Melcion, J. and Picard, M., Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231
- Leśniewska, V., see Puchała, R., 66 (1997) 75
- Lebzien, P. and Paul, C., Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225
- Lee, H.-A., see Nam, K.-T., 66 (1997) 149
- Lee, H.-A., see Nam, K.-T., 72 (1998) 199
- Leeson, S. and Atteh, J.O., Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239
- Leeson, S., see Ajakaiye, A., 65 (1997) 293
- Leeson, S., see Ali, M.A., 55 (1995) 227
- Leeson, S., see Nyachoti, C.M., 70 (1998) 295
- Leggett, F.L., see Bae, H.D., 65 (1997) 165
- Lekule, F.P., see Laswai, G.H., 65 (1997) 45
- León, A., see Melcion, J.-P., 73 (1998) 217
- Leske, K.L., Zhang, B. and Coon, C.N., The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275
- Leske, K.L., Zhang, B. and Coon, C.N., Erratum to The use of low alpha-galactoside protein products as a protein source in chicken diets

- [Animal Feed Science and Technology 54 (1995) 275], 61 (1996) 377
- Lessire, M., see Fauduet, H., 56 (1995) 99
- Lettner, F., see Zollitsch, W., 66 (1997) 63
- Lewis, M., see Vipond, J.E., 54 (1995) 65
- Li, D., Che, X., Wang, Y., Hong, C. and Thacker, P.A., Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173
- Li, S., Sauer, W.C., Mosenthin, R. and Kerr, B., Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
- Liang, M., see Huang, S., 56 (1995) 1
- Licitra, G., Carpino, S., Schadt, I., Avondo, M. and Barresi, S., Forage quality of native pastures in a Mediterranean area, 69 (1997) 315
- Licitra, G., Hernandez, T.M. and Van Soest, P.J., Standardization of procedures for nitrogen fractionation of ruminant feeds, 57 (1996) 347
- Licitra, G., Lauria, F., Carpino, S., Schadt, I., Sniffen, C.J. and Van Soest, P.J., Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1
- Lin, C.-Y., see Hsu, J.-C., 74 (1998) 289
- Lin, C.D. and Chen, T.C., Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217
- Lin, S., Hsieh, F. and Huff, H.E., Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283
- Lindberg, J.E. and Cortova, Z., The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
- Lindberg, J.E., see Pettersson, Å., 62 (1996) 203
- Lindberg, J.E., see Pettersson, Å., 66 (1997) 97
- Lindquist, K.J., see Yoon, I.K., 60 (1996) 13
- Lister, S.J., see Longland, A.C., 55 (1995) 161
- Littell, R.C., see Henry, P.R., 66 (1997) 237
- Littell, R.C., see Sandoval, M., 66 (1997) 223
- Little, D.A., see Njwe, R.M., 51 (1995) 317
- Liu, J.-X., Wu, Y.-M. and Xu, N.-Y., Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
- Liu, J.-X., Ye, J.-A. and Ye, H.-W., The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79
- Liu, Y., Smits, B., Steg, A., Jongbloed, R., Jensen, S.K. and Eggum, B.O., Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
- Liu, Y.-G., see Jensen, S.K., 53 (1995) 17
- Liu, Y.-G., see Jensen, S.K., 54 (1995) 9
- Lizardo, R., Peiniau, J. and Aumaitre, A., Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
- Lizardo, R., Peiniau, J. and Aumaitre, A., Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
- Lloyd, D., see Hillman, K., 52 (1995) 237
- Longenbach, J.I. and Heinrichs, A.J., A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85
- Longland, A.C., Theodorou, M.K., Sanderson, R., Lister, S.J., Powell, C.J. and Morris, P., Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161
- Lopez-Bote, C.J., see Fernández, C., 73 (1998) 329
- Lopez-Bote, C.J., Sanz Arias, R., Rey, A.I., Castaño, A., Isabel, B. and Thos, J., Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33
- Lopez-Bote, C.J., Sanz, M., Rey, A., Castaño, A. and Thos, J., Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
- López Ortiz, S., see Stewart, J.L., 75 (1998) 111
- López, S., Carro, M.D., González, J.S. and Ovejero, F.J., Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99
- Lowe, J.A. and Kershaw, S.J., Erratum to Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components [Animal Feed Science Technology 56 (1995) 187], 61 (1996) 379
- Lowe, J.A. and Kershaw, S.J., Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187
- Lu, T.-W., see Hsu, J.-C., 60 (1996) 93

- Lübbe, F., see Flachowsky, G., 64 (1997) 91
 Lubimov, V., see Holzer, Z., 64 (1997) 133
 Lüdke, H., see Schöne, F., 62 (1996) 97
 Luo, X.G., Henry, P.R., Ammerman, C.B. and Madison, J.B., Relative bioavailability of copper in a copper-lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281
 Ly, J., Diéguez, F.J., Martinez, R.M. and García, A., Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397
 Ly, J., Reyes, J.L., Macias, M., Martinez, V., Dominguez, P.L. and Ruiz, R., Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
 Lyon, C.E., see Ames, N., 54 (1995) 267

M

- Maasdorp, B., see Salawu, M.B., 69 (1997) 207
 Maasdorp, B.V. and Titterton, M., Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241
 Maasdorp, B.V., see Dzowela, B.H., 69 (1997) 1
 Maasdorp, B.V., see Masama, E., 69 (1997) 233
 Maasdorp, B.V., see Titterton, M., 69 (1997) 263
 Macdonald, A.M.C., see D'Mello, J.P.F., 69 (1997) 155
 Machlin, L.J., see Scherf, H., 59 (1996) 115
 Machmüller, A., Ossowski, D.A., Wanner, M. and Kreuzer, M., Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117
 Machmüller, A., see Kreuzer, M., 73 (1998) 1
 Macias, M., see Ly, J., 70 (1998) 265
 Maciorowski, K.G., see Ha, S.D., 75 (1998) 145
 Mackie, D.A., see Farnworth, E.R., 55 (1995) 153
 MacLeod, J.A., see Zaman, M.S., 51 (1995) 329
 Madeira, H., see Fron, M., 61 (1996) 235
 Madison, J.B., see Luo, X.G., 57 (1996) 281
 Madoo, G., see Lallo, C.H.O., 67 (1997) 213
 Madrid, J., Hernández, F., Pulgar, M.A. and Cid, J.M., Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89
 Madrid, J., Hernández, F., Pulgar, M.A. and Cid, J.M., In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129
 Madsen, J., Hvelplund, T. and Weisbjerg, M.R., Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
 Madsen, J., see Mupeta, B., 69 (1997) 271
 Maertens, L., see Peeters, J.E., 51 (1995) 123
 Maertens, L., see Piattoni, F., 73 (1998) 353
 Mafongoya, P.L., see Dzowela, B.H., 55 (1995) 207
 Mafongoya, P.L., see Dzowela, B.H., 69 (1997) 1
 Magni, G., see Andrighetto, I., 54 (1995) 287
 Mahmood, S., Smithard, R. and Sarwar, M., Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215
 Mäkelä, J., see Pölönen, I., 71 (1998) 197
 Makkar, H.P.S. and Becker, K., Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211
 Makkar, H.P.S., Blümmel, M. and Becker, K., In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245
 Makkar, H.P.S., Borowy, N.K., Becker, K. and Degen, A., Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
 Makkar, H.P.S., Borowy, N.K., Becker, K. and Degen, A., Corrigendum to Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies [Animal Feed Science and Technology 55 (1995) 67], 61 (1996) 381
 Makkar, H.P.S., see Aderibigbe, A.O., 67 (1997) 223
 Makkar, H.P.S., see Blümmel, M., 69 (1997) 131
 Makkar, H.P.S., see Getachew, G., 72 (1998) 261
 Makoni, N.F., von Keyserlingk, M.A.G., Shelford, J.A. and Fisher, L.J., Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
 Malafaia, P.A.M., see Vieira, R.A.M., 66 (1997) 197
 Malafaia, P.A.M., see Vieira, R.A.M., 67 (1997) 151
 Malossini, F., Bovolenta, S., Piasentier, E., Piras, C. and Martillotti, F., Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
 Mandebvu, P., West, J.W., Gates, R.N. and Hill, G.M., Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of

- diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281
- Mandebvu, P., West, J.W., Gates, R.N. and Hill, G.M., In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263
- Mandisodza, K.T., see Maswaure, S.M., 54 (1995) 193
- Mandran, N., see Dorleans, M., 61 (1996) 129
- Mansfield, H.R., Endres, M.I. and Stern, M.D., Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47
- Manyuchi, B., Deb Hovell, F.D., Ndlovu, L.R., Topps, J.H. and Tigere, A., Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
- Manyuchi, B., Deb Hovell, F.D., Ndlovu, L.R., Topps, J.H. and Tigere, A., The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
- Manyuchi, B., see Wood, C.D., 67 (1997) 265
- Manzanares, C., see Cañeque, V., 74 (1998) 241
- Marounek, M., see Kostyukovsky, V., 55 (1995) 201
- Marquardt, R.R., Brenes, A., Zhang, Z. and Boros, D., Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
- Marquardt, R.R., Effects of molds and their toxins on livestock performance: a western Canadian perspective, 58 (1996) 77
- Marquardt, R.R., see Wang, G.J., 66 (1997) 47
- Marsman, G.J.P., Gruppen, H., Van der Poel, A.F.B., Resink, J.W., Verstegen, M.W.A. and Voragen, A.G.J., The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
- Marszałek, A., see Kowalski, Z.M., 65 (1997) 265
- Martín-Orúe, S.M., Balcells, J., Zakraoui, F. and Castrillo, C., Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269
- Martín-Orúe, S.M., Dapoza, C., Balcells, J. and Castrillo, C., Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341
- Martínez, C., see Hernández, A., 72 (1998) 169
- Martínez-Avalos, A.M.M., Mendoza, G.D., Cobos, M.A., González, S., García-Bojalil, C.M. and Bárcena, R., Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
- Martillotti, F., see Malossini, F., 61 (1996) 155
- Martinez, R.M., see Ly, J., 72 (1998) 397
- Martinez, V., see Ly, J., 70 (1998) 265
- Martini, A., see Franci, O., 67 (1997) 279
- Marx, G.D., see Schroeder, J.W., 72 (1998) 111
- Masama, E., Topps, J.H., Ngongoni, N.T. and Maasdorp, B.V., Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
- Maswaure, S.M. and Mandisodza, K.T., An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193
- Mathers, A.I., see Rooke, J.A., 64 (1997) 243
- Mathieu, F., see Jouany, J.P., 75 (1998) 1
- Mathison, G.W., Effects of processing on the utilization of grain by cattle, 58 (1996) 113
- Mathison, G.W., see Walshaw, J., 71 (1998) 311
- Matizha, W., Ngongoni, N.T. and Topps, J.H., Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
- Matsui, H., Ushida, K., Miyazaki, K. and Kojima, Y., Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207
- Matsui, T., Hirabayashi, M., Iwama, Y., Nakajima, T., Yano, F. and Yano, H., Fermentation of soybean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131
- Matsumoto, M., Kobayashi, T., Itabashi, H. and Ørskov, E.R., Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37
- Matsuoka, S., see Takahashi, J., 74 (1998) 273
- Maudoux, B., see Beckers, Y., 61 (1996) 305
- Mayne, C.S., see Dawson, L., 56 (1995) 119
- Mayne, C.S., see Dawson, L.E.R., 63 (1996) 35
- Mayne, C.S., see Dawson, L.E.R., 66 (1997) 15
- Mayne, C.S., see Pippard, C.J., 57 (1996) 87
- Mayne, C.S., see Porter, M.G., 56 (1995) 217

- Mbanzamihigo, L., see Nollet, L., 71 (1998) 49
- Mbanzamihigo, L., see Piattoni, F., 73 (1998) 353
- Mbanzamihigo, L., van Nevel, C.J. and Demeyer, D.I., Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
- Mbanzamihigo, L., Vandycke, E. and Demeyer, D.I., Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
- Mbugua, P.N., see Jacob, J.P., 61 (1996) 27, 41
- Mbuthia, E.W., Klobasa, F., Gachuri, C.K. and Abate, A., Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291
- Mbwile, R.P. and Udén, P., Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
- Mbwile, R.P. and Udén, P., The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181
- McAllister, T.A. and Cheng, K.-J., Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29
- McAllister, T.A., see Bae, H.D., 65 (1997) 165
- McAllister, T.A., see Wang, Y., 74 (1998) 143
- McDowell, L.R., Feeding minerals to cattle on pasture, 60 (1996) 247
- McDowell, L.R., Williams, S.N., Hidioglou, N., Njeru, C.A., Hill, G.M., Ochoa, L. and Wilkinson, N.S., Vitamin E supplementation for the ruminant, 60 (1996) 273
- McElroy, A.R., see Ames, N., 54 (1995) 267
- McKay, I., see Salawu, M.B., 69 (1997) 219
- McKinnon, J.J., Olubobokun, J.A., Mustafa, A., Cohen, R.D.H. and Christensen, D.A., Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243
- McKinnon, J.J., see Mustafa, A.F., 64 (1997) 273
- McNiven, M.A. and Castell, A.G., Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
- McNiven, M.A., see Singh, C.K., 52 (1995) 63
- McNiven, M.A., see Zaman, M.S., 51 (1995) 329
- McRae, K.B., see Narasimhalu, P., 55 (1995) 77
- Meeske, R. and Basson, H.M., The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
- Mehra, U.R., see Toppo, S., 64 (1997) 101
- Mehra, U.R., see Verma, A.K., 59 (1996) 255
- Mehra, U.R., see Verma, A.K., 73 (1998) 339
- Meissner, H.H., Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
- Meissner, H.H., see Schroeder, G.E., 58 (1996) 249
- Mejborn, H., see Børsting, C.F., 53 (1995) 317
- Melcion, J.P., see León, A., 73 (1998) 231
- Melcion, J.P., see Carré, B., 71 (1998) 19
- Melcion, J.P., Kodaira, M., León, A., Michelangeli, C., Vargas, R.E. and Picard, M., Detoxification full-fat sunflower seed in broiler chick diets, 71 (1998) 341
- Méndez, J., see de Blas, J.C., 70 (1998) 151
- Mendoza M., G., see Roa V., M.L., 64 (1997) 327
- Mendoza M., G.D., see Ramos, J.A., 70 (1998) 249
- Mendoza, G.D., Britton, R.A. and Stock, R.A., Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315
- Mendoza, G.D., Britton, R.A. and Stock, R.A., Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329
- Mendoza, G.D., see Martínez-Avalos, A.M.M., 70 (1998) 257
- Mendoza, M.G.D., see Miranda, R.L.A., 63 (1996) 289
- Menke, K.H., see Krishnamoorthy, U., 52 (1995) 177
- Mercier, M., see Jouany, J.P., 74 (1998) 337
- Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 340
- Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: III. Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79
- Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
- Mero, R.N. and Udén, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

- Mero, R.N. and Uden, P., Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387
- Merwe, J.P.vd., see Brand, T.S., 57 (1996) 139
- Michalet-Doreau, B., see Touré, S.F., 74 (1998) 63
- Michalet-Doreau, B. and Nozière, P., Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41
- Michalet-Doreau, B., see Fall-Toure, S., 51 (1995) 65
- Michalet-Doreau, B., see Nozière, P., 57 (1996) 203
- Michalet-Doreau, B., see Philippeau, C., 68 (1997) 25
- Michalet-Doreau, B., see Tovar-Gómez, M.R., 68 (1997) 77
- Michelangeli, C., see León, A., 73 (1998) 231
- Michelangeli, C., see Melcion, J., C., Grenet, E. and Jamot, J., Microbial degradation of the apical internode of Col25 and W401 maize in the rumen, 58 (1996) 165
- Michelangeli, C., see Melcion, J.-P., 73 (1998) 217
- Milenković, I., see Adamović, M., 71 (1998) 359
- Miller, E.L., see Chaudhry, A.S., 60 (1996) 69
- Miller, H.M., see Wiryawan, K.G., 66 (1997) 297
- Millet, L., see Faichney, G.J., 64 (1997) 193
- Mills, C.R., see Guzzon, P., 67 (1997) 37
- Mills, C.R., see Kowalski, Z.M., 65 (1997) 265
- Mills, C.R., see Susmel, P., 53 (1995) 81
- Min, B.-S., see Nam, K.-T., 66 (1997) 149
- Minson, D.J., see Kennedy, P.M., 66 (1997) 111
- Mir, P.S., Mir, Z., Broersma, K., Bittman, S. and Hall, J.W., Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
- Mir, Z., see Mir, P.S., 55 (1995) 275
- Miranda, R.L.A., Mendoza, M.G.D., Bárcena-Gama, J.R., González, M.S.S., Ferrara, R., Ortega, C.M.E. and Cobos, P.M.A., Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
- Miron, J. and Ben-Ghedalia, D., Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311
- Miron, J. and Ben-Ghedalia, D., Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
- Miron, J., Solomon, R., Bruckental, I. and Ben-Ghedalia, D., Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75
- Mirosh, L.W., see Nahashon, S.N., 57 (1996) 25
- Mirosh, L.W., see Nahashon, S.N., 61 (1996) 17
- Miroslav, Š., see Jiří, T., 57 (1996) 129
- Mitaru, B.N., see Jacob, J.P., 61 (1996) 27, 41
- Miyazaki, K., see Matsui, H., 71 (1998) 207
- Miyazawa, M., see Nogueira, A.R.A., 74 (1998) 79
- Modler, H.W., see Farnworth, E.R., 55 (1995) 153
- Mohammed, F., see Venkatesh, M., 73 (1998) 271
- Mollah, Y., see Hew, L.I., 75 (1998) 83
- Moloney, A.P., Read, M.P. and Keane, M.G., Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97
- Moncoulon, R., see Bayourthe, C., 72 (1998) 121
- Moore, K.J., see Chriyaa, A., 65 (1997) 183
- Moore, K.J., see Chriyaa, A., 66 (1997) 85
- Moran Jr., E.T., Fat modification of animal products for human consumption, 58 (1996) 91
- Morgan, A., see Simbaya, J., 61 (1996) 219
- Morgan, J.B., see Smith, G.C., 59 (1996) 207
- Morris, P., see Longland, A.C., 55 (1995) 161
- Morrison III, W.H., see Akin, D.E., 53 (1995) 29
- Morrison III, W.H., see Akin, D.E., 63 (1996) 305
- Morrison, M., see Fron, M., 61 (1996) 235
- Mosenthin, R., see Li, S., 59 (1996) 223
- Moshtaghi-Nia, S.A., see Undi, M., 63 (1996) 179
- Moslehuddin, R., see Rahman, M.H., 65 (1997) 231
- Moss, A.R., Givens, D.I. and Garnsworthy, P.C., The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
- Moss, A.R., Givens, D.I., Grundy, H.F. and Wheeler, K.P.A., The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
- Moss, A.R., see Givens, D.I., 66 (1997) 247
- Moss, A.R., see Rooke, J.A., 64 (1997) 243
- Motta-Ferreira, W., see Carabaño, R., 65 (1997) 249
- Mounier, A., see Reis de Souza, T., 52 (1995) 77
- Mtenga, L.A., see Ndemanisho, E.E., 73 (1998) 365
- Mtengeti, E.J., see Ndemanisho, E.E., 73 (1998) 365
- Mtimuni, J., see Blümmel, M., 69 (1997) 131
- Muhammad, I.R., see Kallah, M.S., 68 (1997) 153
- Mulholland, J.G., see Nandra, K.S., 70 (1998) 281
- Muller, L.D., see Aldrich, J.M., 63 (1996) 257
- Muller, L.D., see Hongerholt, D.D., 74 (1998) 1

- Müllertz, A., see Steinfeldt, S., 75 (1998) 27, 45
 Munoz, S., see Schmidely, P., 63 (1996) 163
 Mupangwa, J.F., Ngongoni, N.T., Topps, J.H. and Ndlovu, P., Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167
 Mupeta, B., Weisbjerg, M.R., Hvelplund, T. and Madsen, J., Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271
 Murphy, M., see Gonda, H.L., 64 (1996) 27
 Murphy, M.R., see Corley III, R.N., 72 (1998) 295
 Murphy, M.R., see Corley, R.N., 68 (1997) 183
 Murray, I., see Bruno-Soares, A.M., 75 (1998) 15
 Murray, I., see Guzmán, J.L., 57 (1996) 149
 Murray, I., see Herrero, M., 60 (1996) 51
 Murray, I., see Herrero, M., 69 (1997) 281
 Murray, L.W., see Anderson, D.M., 70 (1998) 315
 Murty, D.S., see Agyemang, K., 72 (1998) 189
 Mustafa, A., see McKinnon, J.J., 56 (1995) 243
 Mustafa, A.F., McKinnon, J.J., Thacker, P.A. and Christensen, D.A., Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

N

- Nachman, P., see Anderson, D.M., 70 (1998) 315
 Nagwani, M., see Gandi, J., 68 (1997) 195
 Nahashon, S.N., Nakaue, H.S. and Mirosh, L.W., Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25
 Nahashon, S.N., Nakaue, H.S. and Mirosh, L.W., Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
 Nahed, J., Sánchez, A., Grande, D. and Pérez-Gil, F., Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59
 Nahed, J., Villafuerte, L., Grande, D., Pérez-Gil, F., Alemán, T. and Carmona, J., Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213
 Nakajima, T., see Matsui, T., 60 (1996) 131
 Nakashima, Y., see Djouvinov, D.S., 71 (1998) 67
 Nakaue, H.S., see Nahashon, S.N., 57 (1996) 25
 Nakaue, H.S., see Nahashon, S.N., 61 (1996) 17
 Nalepka, M., see Antoniewicz, A.M., 54 (1995) 203
 Nam, D.S., Aherne, F.X. and Darroch, C.S., Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265
 Nam, K.-T., Lee, H.-A., Joo, Y.-J., Kim, K.-H. and Kang, C.-W., Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199
 Nam, K.-T., Lee, H.-A., Min, B.-S. and Kang, C.-W., Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149
 Nandra, K.S., Mulholland, J.G., Jones, A.W., Scott, G.B. and Coombes, N.E., Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281
 Narasimhalu, P., McRae, K.B. and Kunelius, H.T., Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
 Naseer, Z., see Al-Rokayan, S.A., 75 (1998) 65
 Naseer, Z., see Chaudhry, S.M., 57 (1996) 165
 Naseer, Z., see Chaudhry, S.M., 74 (1998) 155
 Näsi, J.M., Helander, E.H. and Partanen, K.H., Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
 Näsi, M., see Buraczewska, L., 58 (1996) 201
 Näsi, M., see Laurinen, P., 74 (1998) 213
 Näsi, M., see Partanen, K., 52 (1995) 279
 Näsi, M., see Valaja, J., 57 (1996) 267
 Nastis, A.S., see Yiakoulaki, M.D., 67 (1997) 163
 Nataraja, M.B., Krishnamoorthy, U. and Krishnapa, P., Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169
 Nathier-Dufour, N., Angue, Y., Devaux, M.-F., Bertrand, D. and de Monredon, F.L.D., Influence of wheat meal variability upon compacting behaviour during pelleting, 51 (1995) 255
 Ndemanisho, E.E., Mtenga, L.A., Kimbi, E.F.C., Kimambo, A.E. and Mtengeti, E.J., Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement

- to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365
- Ndlovu, L.R. and Nherera, F.V., Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121
- Ndlovu, L.R., see Manyuchi, B., 63 (1996) 123
- Ndlovu, L.R., see Manyuchi, B., 69 (1997) 17
- Ndlovu, L.R., see Nherera, F.V., 74 (1998) 15
- Ndlovu, P., see Baloyi, J.J., 69 (1997) 179
- Ndlovu, P., see Mupangwa, J.F., 69 (1997) 167
- Neckles, F.A., see Garcia, G.W., 60 (1996) 29
- Nefzaoui, A., see Ben Salem, H., 68 (1997) 101
- Neil, M., see Thomke, S., 73 (1998) 207
- Newbold, C.J., see Chikunya, S., 63 (1996) 333
- Newbold, C.J., see Wang, Y., 74 (1998) 143
- Newkirk, R.W. and Classen, H.L., In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315
- Newman, C.W., see Svihus, B., 64 (1997) 257
- Newman, R.K., see Svihus, B., 64 (1997) 257
- Newman, Y., see González Ronquillo, M., 72 (1998) 19
- Ngongoni, N.T., see Baloyi, J.J., 69 (1997) 179
- Ngongoni, N.T., see Masama, E., 69 (1997) 233
- Ngongoni, N.T., see Matizha, W., 69 (1997) 187
- Ngongoni, N.T., see Mupangwa, J.F., 69 (1997) 167
- Nguekouo Foyette, C., see Tegua, A., 66 (1997) 283
- Nherera, F.V., Ndlovu, L.R. and H. Dzwela, B., Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15
- Nherera, F.V., see Ndlovu, L.R., 69 (1997) 121
- Ni, D.B., see Shen, H.S., 73 (1998) 243
- Ni, D.B., see Shen, H.S., 74 (1998) 193
- Nicodemus, N., see de Blas, J.C., 70 (1998) 151
- Niwa, Y., see Komaki, H., 70 (1998) 363
- Njeru, C.A., see McDowell, L.R., 60 (1996) 273
- Njie, M. and Reed, J.D., Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313
- Njwe, R.M., Ikwuegbu, O.A., Tarawali, G. and Little, D.A., Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317
- Njwe, R.M., see Tegua, A., 66 (1997) 283
- Noble, R.C., see Vipond, J.E., 54 (1995) 65
- Nockels, C.F., Antioxidants improve cattle immunity following stress, 62 (1996) 59
- Nogueira, A.R.A., Souza, G.B., Batista, L.A.R., Arruda, M.A.Z. and Miyazawa, M., Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79
- Nollet, L., Mbanzamihigo, L., Demeyer, D. and Verstraete, W., Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49
- Nollet, L., see Piattoni, F., 73 (1998) 353
- Nordrum, S., see Paus, J., 73 (1998) 195
- Nozière, P. and Michalet-Doreau, B., Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
- Nozière, P., see Michalet-Doreau, B., 70 (1998) 41
- Nsahlai, I.V. and Umunna, N.N., Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275
- Nsahlai, I.V., see Kaitho, R.J., 65 (1997) 151
- Nsahlai, I.V., see Kaitho, R.J., 72 (1998) 355
- Nsahlai, V.I., see Bonsi, M.L.K., 64 (1996) 11
- Nyachoti, C.M., Atkinson, J.L. and Leeson, S., Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295
- Obese, F.Y., see Tuah, A.K., 51 (1995) 269
- Obitsu, T., see Zhao, Y., 59 (1996) 265
- Ochoa, L., see McDowell, L.R., 60 (1996) 273
- Ochrimenko, W.I., see Flachowsky, G., 60 (1996) 117
- Ocran, J.N., see Laswai, G.H., 65 (1997) 45
- Odenyo, A.A., Osuji, P.O. and Karanfil, O., Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169
- Odenyo, A.A., Osuji, P.O., Karanfil, O. and Adinew, K., Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
- Odenyo, A.A., see Osuji, P.O., 69 (1997) 27
- Odoardi, M., see Berardo, N., 69 (1997) 201
- Officer, D.I., Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

- Ohshima, M., Kimura, E. and Yokota, H.-o., A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129
- Ohshima, M., Layug, D.V., Yokota, H.-o. and Ostrowski-Meissner, H.T., Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141
- Okai, D.B., see Tuah, A.K., 51 (1995) 269
- Okano, K., see Suzuki, Y., 54 (1995) 227
- Oksbjerg, N., see Poulsen, H.D., 53 (1995) 297
- Olckers, R.C., see Brand, T.S., 53 (1995) 345
- Ologun, A.G., see Aning, K.G., 71 (1998) 185
- Olsson, S., see Weisbjerg, M.R., 62 (1996) 179
- Olubobokun, J.A., see McKinnon, J.J., 56 (1995) 243
- Onifade, A., see Aning, K.G., 71 (1998) 185
- Onifade, A.A. and Babatunde, G.M., Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91
- Onifade, A.A. and Babatunde, G.M., Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337
- Onifade, O.S., see Lakpini, C.A.M., 67 (1997) 197
- Onodera, R., see Imai, S., 52 (1995) 345
- Onwudike, O.C., Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
- Oosthuysen, D., see Cilliers, J.W., 53 (1995) 45
- Opara, C.C., see Udedibie, A.B.I., 71 (1998) 157
- Orsenigo, R., see Peeters, J.E., 51 (1995) 123
- Ørskov, E.R., see Fonseca, A.J.M., 72 (1998) 205
- Ørskov, E.R., see Matsumoto, M., 56 (1995) 37
- Ørskov, E.R., see Tolera, A., 67 (1997) 181
- Ørskov, E.R., see Tuah, A.K., 51 (1995) 269
- Ortega C.M.E., see Roa V., M.L., 64 (1997) 327
- Ortega, C.M.E., see Miranda, R.L.A., 63 (1996) 289
- Ortiz, L.T., see Rodríguez, M.L., 71 (1998) 341
- Ossowski, D.A., see Machmüller, A., 71 (1998) 117
- Ostrowski-Meissner, H.T., see Ohshima, M., 62 (1996) 141
- Osuji, P.O. and Odenyo, A.A., The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27
- Osuji, P.O., see Bonsi, M.L.K., 52 (1995) 101
- Osuji, P.O., see Bonsi, M.L.K., 64 (1996) 11
- Osuji, P.O., see Odenyo, A.A., 65 (1997) 99
- Osuji, P.O., see Odenyo, A.A., 67 (1997) 169
- Otaru, S.M., see Lakpini, C.A.M., 67 (1997) 197
- Ottou, J.F. and Doreau, M., Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
- Oudshoorn, L., see Cone, J.W., 61 (1996) 113
- Ouellet, D.R., Seoane, J.R., Veira, D.M. and Proulx, J.G., Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
- Ovejero, F.J., see López, S., 73 (1998) 99
- Overhulse, K.A., see Ashok, G., 53 (1995) 267
- Owen, E., see Adesogan, A.T., 74 (1998) 259
- Owen, E., see Adogla-Bessa, T., 55 (1995) 335, 349
- Owen, E., see Sileshi, Z., 61 (1996) 73
- Owen, E., see Zaman, M.S., 51 (1995) 165

P

- Paduano, D.C., Dixon, R.M., Domingo, J.A. and Holmes, J.H.G., Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
- Paillard, E., see Dalibard, P., 53 (1995) 189
- Paiva, T.C.B., see de Castro, F.B., 52 (1995) 93
- Palmquist, D.L., Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231
- Papadoyannis, I.N., see Yiakoulaki, M.D., 67 (1997) 163
- Pardio, V.T., see Waliszewski, K.N., 67 (1997) 253
- Park, C.S., see Schroeder, J.W., 72 (1998) 111
- Park, K.K., Goetsch, A.L., Patil, A.R., Kouakou, B. and Johnson, Z.B., Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
- Park, K.K., see Goetsch, A.L., 66 (1997) 271
- Park, K.K., see Patil, A.R., 55 (1995) 87
- Park, K.K., see Rossi, J.E., 62 (1996) 163
- Park, R.S., Agnew, R.E., Gordon, F.J. and Steen, R.W.J., The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155
- Park, R.S., Gordon, F.J., Agnew, R.E., Barnes, R.J. and Steen, R.W.J., The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235
- Park, R.S., see Gordon, F.J., 70 (1998) 339

- Parsons, C.M., Digestible amino acids for poultry and swine, 59 (1996) 147
- Partanen, K. and Näsi, M., Nutritive value for pigs of a formic acid preserved blood–mucosa product, 52 (1995) 279
- Partanen, K.H., see Näsi, J.M., 56 (1995) 83
- Pasinato, A.M., see Elizalde, J.C., 63 (1996) 245
- Paterson, J.A., see Bowman, J.G.P., 55 (1995) 105
- Paterson, R.M., see Bruno-Soares, A.M., 75 (1998) 15
- Paterson, R.T., see Roothaert, R.L., 69 (1997) 39
- Pathak, N.N., see Singh, P., 72 (1998) 183
- Patience, J.F. and de Lange, C.F.M., Swine nutrition in the 21st century, 58 (1996) 19
- Patience, J.F., Meeting the energy and protein requirements of the high producing sow, 58 (1996) 49
- Patience, J.F., Precision in swine feeding programs: An integrated approach, 59 (1996) 137
- Patil, A.R., Goetsch, A.L., Kouakou, B., Galloway Sr., D.L., Forster Jr., L.A. and Park, K.K., Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
- Patil, A.R., see Goetsch, A.L., 66 (1997) 271
- Patil, A.R., see Park, K.K., 54 (1995) 159
- Patil, A.R., see Rossi, J.E., 62 (1996) 163
- Paul, C., see Lebzien, P., 68 (1997) 225
- Paul, D., see Wadhwa, M., 72 (1998) 11
- Paus, J., Nordrum, S., Elise Aakre, S. and Schanche, J., A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195
- Pavlov, D., see Djouvinov, D., 68 (1997) 287
- Pavlov, D., see Djouvinov, D.S., 71 (1998) 67
- Pedersen, J.F., see Richards, C.J., 55 (1995) 35
- Pedroso, A.F., see Silva, A.G., 68 (1997) 247
- Peeters, J.E., Maertens, L., Orsenigo, R. and Colin, M., Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123
- Peiniau, J., see Comizzoli, P., 64 (1997) 215
- Peiniau, J., see Lizardo, R., 56 (1995) 67
- Peiniau, J., see Lizardo, R., 66 (1997) 1
- Peiniau, J., see Reis de Souza, T., 52 (1995) 77
- Pell, A.N., see Hall, M.B., 70 (1998) 23
- Pereira, J.C., Carro, M.D., González, J., Alvir, M.R. and Rodríguez, C.A., Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107
- Pereira, J.C., see Vieira, R.A.M., 66 (1997) 197
- Pereira, J.C., see Vieira, R.A.M., 67 (1997) 151
- Pérez-Alba, L., see García, J., 54 (1995) 33
- Pérez-Gil, F., see Nahed, J., 73 (1998) 59
- Pérez-Gil, F., see Nahed, J., 68 (1997) 213
- Perez, J.F., Rodriguez, C.A., Gonzalez, J., Balcells, J. and Guada, J.A., Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
- Perez, J.M., see Aufrère, J., 62 (1996) 77
- Pessarakli, M., see Al-Dehneh, A., 68 (1997) 327
- Pesti, G.M., see Etheridge, R.D., 73 (1998) 21
- Petit, H.V., see Plaisance, R., 68 (1997) 139
- Pettersson, Å. and Lindberg, J.E., Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
- Pettersson, Å., Lindberg, J.E., Thomke, S. and Eggum, B.O., Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
- Pettersson, D., see Castañón, J.I.R., 68 (1997) 361
- Pettersson, H., see Thomke, S., 73 (1998) 207
- Peyraud, J.L. and Astigarraga, L., Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
- Peyraud, J.L., Astigarraga, L. and Faverdin, P., Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155
- Peyraud, J.L., see Delagarde, R., 66 (1997) 165
- Peyraud, J.L., see Le Liboux, S., 73 (1998) 131
- Phang, O.C., see Vadiveloo, J., 61 (1996) 247
- Philippeau, C. and Michalet-Doreau, B., Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25
- Piasentier, E., see Malossini, F., 61 (1996) 155
- Piattoni, F., Mbanzamihiho, L., Demeyer, D., Nollet, L. and Maertens, L., Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353
- Picard, M., see León, A., 73 (1998) 231
- Picard, M., see Melcion, J.-P., 73 (1998) 217
- Pieltain, M.C., Castañón, A.A.R., Flores, M.P. and Castañón, J.I.R., Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271
- Pieltain, M.C., Castañón, J.I.R., Ventura, M.R. and Flores, M.P., Nutritive value of banana (*Musa*

- acuminata* L.) fruits for ruminants, 73 (1998) 187
- Pinter Jr., P.J., see Akin, D.E., 53 (1995) 29
- Pippard, C.J., Porter, M.G., Steen, R.W.J., Gordon, F.J., Mayne, C.S., Poots, R.E., Unsworth, E.F. and Kilpatrick, D.J., A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87
- Pippard, C.J., see Porter, M.G., 56 (1995) 217
- Piquer, J., see de Blas, J.C., 70 (1998) 151
- Piras, C., see Malossini, F., 61 (1996) 155
- Plaami, S., see Valaja, J., 72 (1998) 221
- Plaisance, R., Petit, H.V., Seoane, J.R. and Rioux, R., The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
- Planquette, P., see Comizzoli, P., 64 (1997) 215
- Plavnik, I. and Sklan, D., Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247
- Plumb, V.E., see Wood, C.D., 56 (1995) 195
- Pölönen, I., Toivonen, V. and Mäkelä, J., Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197
- Poncet, C., see Archimède, H., 54 (1995) 327, 341
- Poncet, C., see Archimède, H., 58 (1996) 267
- Poncet, C., see Faichney, G.J., 64 (1997) 193
- Poots, R.E., see Pippard, C.J., 57 (1996) 87
- Poots, R.E., see Porter, M.G., 56 (1995) 217
- Porter, M.G. and Barton, D., A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67
- Porter, M.G., see Pippard, C.J., 57 (1996) 87
- Porter, M.G., Steen, R.W.J., Kilpatrick, D.J., Gordon, F.J., Mayne, C.S., Poots, R.E., Unsworth, E.F. and Pippard, C.J., Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217
- Poulsen, H.D. and Oksbjerg, N., Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
- Powell, C.J., see Longland, A.C., 55 (1995) 161
- Powles, J., see Wiseman, J., 71 (1998) 1
- Prakash, P., Reddy, D.V., Ramachandra Reddy, R. and Krishna, N., The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229
- Prasad, R.D.D., Reddy, M.R. and Reddy, G.V.N., Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347
- Prawirodigdo, S., Batterham, E.S., Andersen, L.M., Dunshea, F.R. and Farrell, D.J., Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205
- Premaratne, S., see Stewart, J.L., 75 (1998) 111
- Preston, M.R., see Lawrence, T.L.J., 51 (1995) 183
- Protić, R., see Adamović, M., 71 (1998) 359
- Proudfoot, F.G., see Hamilton, R.M.G., 51 (1995) 203
- Proulx, J.G., see Ouellet, D.R., 68 (1997) 307
- Przybecki, T., see Urbaniak, M., 54 (1995) 121
- Puchała, R., Sahlu, T., Davis, J.J. and Hart, S.P., Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253
- Puchała, R., Zabielski, R., Leśniewska, V., Kiela, P. and Barej, W., Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75
- Puchal, F., see Blanch, A., 61 (1996) 335
- Puchal, F., see Serrano, X., 70 (1998) 275
- Puchala, R., see von Keyserlingk, M.A.G., 57 (1996) 291
- Pulgar, M.A., see Madrid, J., 63 (1996) 89
- Pulgar, M.A., see Madrid, J., 65 (1997) 129

Q

- Qin, G., ter Elst, E.R., Bosch, M.W. and van der Poel, A.F.B., Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
- Quinsac, A., see Fauduet, H., 56 (1995) 99

R

- Rahal, A., Singh, A. and Singh, M., Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

- Rahman, M.H., Hossain, M.I. and Moslehuddin, R., Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231
- Rai, S.N., see Sirohi, S.K., 74 (1998) 57
- Raji, A.M., see Larbi, A., 72 (1998) 81
- Rajion, M.A., see Abdullah, A.S., 69 (1997) 79
- Raju, A.A., Rose, C. and Rao, N.M., Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139
- Ramirez Piñeres, M.A., Ellis, W.C., Wu, G. and Ricke, S.C., Effects of protease inhibitors on degradation of H₃[¹⁴C]-casein by ruminal microorganisms, 64 (1997) 113
- Ramirez Piñeres, M.A., Ellis, W.C., Wu, G. and Ricke, S.C., Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139
- Ramos, A.J. and Hernández, E., In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263
- Ramos, A.J. and Hernández, E., Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197
- Ramos, J.A., Mendoza M., G.D., Aranda I., E., Garcia-Bojalil, C., Barcena G., R. and Alanis R., J., Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249
- Ramos, M., see García, J., 54 (1995) 33
- Rantamäki, P., see Siljander-Rasi, H., 60 (1996) 1
- Rao, N.M., see Raju, A.A., 66 (1997) 139
- Rasmussen, P.B., see Cowan, W.D., 60 (1996) 311
- Rasool, S., Hanjra, S.H. and Jamil, A., Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325
- Rasool, S., Sial, M.A., Ahsan-ul-Haq, A. and Jamil, A., Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347
- Ravindran, V., Hood, R.L., Gill, R.J., Kneale, C.R. and Bryden, W.L., Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323
- Ravindran, V., see Hew, L.I., 75 (1998) 83
- Ravindran, V., Sivakanesan, R. and Cyril, H.W., Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335
- Razdan, A., see Dandanell Daveby, Y., 74 (1998) 229
- Read, M.P., see Moloney, A.P., 57 (1996) 97
- Rebolé, A., see Alzueta, C., 52 (1995) 249
- Recinos-Diaz, G., see Walshaw, J., 71 (1998) 311
- Rebolé, A., see Rodríguez, M.L., 71 (1998) 341
- Reddy, D.V., Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
- Reddy, D.V., see Prakash, P., 63 (1996) 229
- Reddy, D.V., The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305
- Reddy, G.V.N., see Prasad, R.D.D., 73 (1998) 347
- Reddy, M.R., see Prasad, R.D.D., 73 (1998) 347
- Ramachandra Reddy, R., see Prakash, P., 63 (1996) 229
- Reed, J.D., see Njie, M., 52 (1995) 313
- Reed, J.D., see Wiegand, R.O., 54 (1995) 175
- Reed, J.D., see Woodward, A., 56 (1995) 207
- Reis de Souza, T., Peiniau, J., Mounier, A. and Aumaitre, A., Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77
- Resink, J.W., see Marsman, G.J.P., 56 (1995) 21
- Resnik-Čepón, M., see Verbič, J., 54 (1995) 133
- Rey, A., see Lopez-Bote, C.J., 70 (1998) 1
- Rey, A.I., see Lopez-Bote, C.J., 72 (1998) 33
- Reyes, J.L., see Ly, J., 70 (1998) 265
- Rhule, S.W.A., Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167
- Ribaillier, D., see Fauduet, H., 56 (1995) 99
- Richard, D., see Touré, S.F., 74 (1998) 63
- Richards, C., see Fron, M., 61 (1996) 235
- Richards, C.J., Pedersen, J.F., Britton, R.A., Stock, R.A. and Krehbiel, C.R., In vitro starch disappearance procedure modifications, 55 (1995) 35
- Richter, G.H., see Flachowsky, G., 60 (1996) 117
- Ricke, S.C., see Ha, S.D., 75 (1998) 145
- Ricke, S.C., see Ramirez Piñeres, M.A., 64 (1997) 113
- Ricke, S.C., see Ramirez Piñeres, M.A., 65 (1997) 139
- Rigsby, L.L., see Akin, D.E., 63 (1996) 305
- Rigsby, L.L., see Karunanandaa, K., 55 (1995) 179
- Rinne, M., Huhtanen, P. and Jaakkola, S., Grass maturity effects on cattle fed silage-based diets.2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19
- Rinne, M., Jaakkola, S. and Huhtanen, P., Grass maturity effects on cattle fed silage-based diets.1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

- Riondet, C., see Julliand, V., 70 (1998) 161
- Rios, A.M., see Hossain, S.M., 73 (1998) 307
- Rioux, R., see Plaisance, R., 68 (1997) 139
- Roa V., M.L., Bárcena-Gama, J.R., González M., S., Mendoza M., G., Ortega C., M.E. and García B., C., Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327
- Robinson, F.E. and Wilson, J.L., Reproductive failure in overweight male and female broiler breeders, 58 (1996) 143
- Robinson, P.H., Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
- Robinson, P.H., Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51
- Robinson, P.H., see Singh, C.K., 52 (1995) 63
- Rocha, R., see García, J., 54 (1995) 33
- Rode, L., see Chikunya, S., 63 (1996) 333
- Rode, L.M., see Kung Jr., L., 59 (1996) 167
- Rode, L.M., see Wang, Y., 74 (1998) 143
- Rodríguez, C.A., see González, J., 73 (1998) 71
- Rodríguez, C.A., see Pereira, J.C., 74 (1998) 107
- Rodríguez, C.A., see Perez, J.F., 62 (1996) 251
- Rodríguez, M.L., Ortiz, L.T., Treviño, J., Rebolé, A., Alzueta, C. and Centeno, C., Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341
- Rogers, M., Jouany, J.P., Thivend, P. and Fontenot, J.P., The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
- Roigé, M.B., Tapia, M.O. and Rubio, R., Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367
- Rollin, P., see Fauduet, H., 56 (1995) 99
- Romero, A., see Waliszewski, K.N., 67 (1997) 253
- Rooke, J., see Rouzbehan, Y., 62 (1996) 151
- Rooke, J.A., Moss, A.R., Mathers, A.I. and Crawshaw, R., Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
- Rooke, J.A., see Rouzbehan, Y., 59 (1996) 279
- Rooke, J.A., Slessor, M., Fraser, H. and Thomson, J.R., Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175
- Roothaert, R.L. and Paterson, R.T., Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39
- Rosa, E. and Heaney, R., Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111
- Rose, C., see Raju, A.A., 66 (1997) 139
- Rossi, J.E., Goetsch, A.L. and Galloway, Sr., D.L., Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
- Rossi, J.E., Goetsch, A.L., Patil, A.R., Kouakou, B., Park, K.K., Wang, Z.S., Galloway Sr., D.L. and Johnson, Z.B., Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
- Rossi, J.E., see Goetsch, A.L., 66 (1997) 271
- Rouzbehan, Y., Galbraith, H., Topps, J.H. and Rooke, J., Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151
- Rouzbehan, Y., Galbraith, H., Topps, J.H. and Rooke, J.A., The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
- Rouzeau, A., see Schmidely, P., 63 (1996) 163
- Rowan, T.G., see Lawrence, T.L.J., 51 (1995) 183
- Rowan, T.G., see Subuh, A.M.H., 52 (1995) 51
- Rowan, T.G., see Subuh, A.M.H., 57 (1996) 257
- Royse, D.J., see Karunanandaa, K., 55 (1995) 179
- Ruano-Ramos, A., see García-Ciudad, A., 66 (1997) 257
- Rubio, R., see Roigé, M.B., 72 (1998) 367
- Ruiz, R., see Ly, J., 70 (1998) 265

S

- Sabater, C., see Fernández-Carmona, J., 52 (1995) 289
- Sahlu, T., see Puchala, R., 55 (1995) 253
- Said, A.N., see Tolera, A., 75 (1998) 157
- Said, A.N., see Tuah, A.K., 51 (1995) 269
- Said, A.N., see Wiegand, R.O., 54 (1995) 175
- Salawu, M.B., Acamovic, T., Stewart, C.S. and Deb Hovell, F.D., Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67
- Salawu, M.B., Acamovic, T., Stewart, C.S. and Maasdorp, B., Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipelicolic acid

- and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207
- Salawu, M.B., Acamovic, T., Stewart, C.S., Deb Hovell, F.D. and McKay, I., Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219
- Sales, J., see Cilliers, S.C., 71 (1998) 371
- Sales, J., see Cilliers, S.C., 72 (1998) 283
- Salvador, F., see Wiseman, J., 71 (1998) 1
- Saminadin, G., see Aumont, G., 51 (1995) 1
- Sancha, J.L., see Cañeque, V., 74 (1998) 241
- Sánchez, A., see Nahed, J., 73 (1998) 59
- Sánchez, J.M., Soto, H. and Vargas, E., Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295
- Sanchez, W.K. and Beede, D.K., Is there an optimal cation-anion difference for lactation diets?, 59 (1996) 3
- Sanderson, R., see Longland, A.C., 55 (1995) 161
- Sandev, S.G., see Hristov, A.N., 72 (1998) 175
- Sandoval, M., Henry, P.R., Littell, R.C., Cousins, R.J. and Ammerman, C.B., Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
- Sanne, S., see Weisbjerg, M.R., 62 (1996) 179
- Santini, F.J., see Elizalde, J.C., 63 (1996) 245
- Sanz Arias, R., see Lopez-Bote, C.J., 72 (1998) 33
- Sanz, M., see Lopez-Bote, C.J., 70 (1998) 1
- Sapienza, D., see Andrighetto, I., 54 (1995) 287
- Sarwar, M., see Mahmood, S., 65 (1997) 215
- Sauer, W.C., see Caine, W.R., 71 (1998) 177
- Sauer, W.C., see Darroch, C.S., 61 (1996) 173
- Sauer, W.C., see Fan, M.Z., 52 (1995) 189
- Sauer, W.C., see Gabert, V.M., 53 (1995) 243
- Sauer, W.C., see Imbeah, M., 52 (1995) 41
- Sauer, W.C., see Li, S., 59 (1996) 223
- Sauvant, D., see Archimède, H., 54 (1995) 327, 341
- Sauvant, D., see Archimède, H., 58 (1996) 267
- Sauvant, D., see Chapoutot, P., 65 (1997) 59
- Sauvant, D., see Dorleans, M., 61 (1996) 129
- Sauvant, D., see Giger-Reverdin, S., 63 (1996) 149
- Sauvant, D., see Schmidely, P., 63 (1996) 163
- Savage, T.F., see Bradley, G.L., 51 (1995) 141
- Savage, T.F., see Bradley, G.L., 55 (1995) 1
- Scaife, J.R., see Galbraith, H., 67 (1997) 83
- Schöne, F., Kirchheim, U., Schumann, W. and Lüdke, H., Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
- Schöne, F., see Flachowsky, G., 64 (1997) 91
- Schaarmann, G., see Flachowsky, G., 64 (1997) 91
- Schadt, I., see Licitra, G., 69 (1997) 315
- Schadt, I., see Licitra, G., 72 (1998) 1
- Schanche, J.-S., see Paus, J., 73 (1998) 195
- Scherf, H., Machlin, L.J., Frye, T.M., Krautmann, B.A. and Williams, S.N., Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α -tocopherols, 59 (1996) 115
- Schiere, J.B. and de Wit, J., Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
- Schingoethe, D.J., Balancing the amino acid needs of the dairy cow, 60 (1996) 153
- Schingoethe, D.J., Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181
- Schmidely, P., Archimède, H., Bas, P., Rouzeau, A., Munoz, S. and Sauvant, D., Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163
- Schneider, D.K., see Casler, M.D., 61 (1996) 57
- Schneider, M., see Flachowsky, G., 60 (1996) 117
- Schroeder, G.E., Erasmus, L.J. and Meissner, H.H., Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249
- Schroeder, J.W., Marx, G.D. and Park, C.S., Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111
- Schulze, H., see Caine, W.R., 71 (1998) 177
- Schumann, W., see Schöne, F., 62 (1996) 97
- Schwab, C.G., Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
- Schwarz, F.J., Haffner, J. and Kirchgessner, M., Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237
- Sciaraffia, F., see Gizzi, G., 73 (1998) 291
- Scott, G.B., see Nandra, K.S., 70 (1998) 281
- Scott, T.A., Assessment of energy levels in feed-stuffs for poultry, 62 (1996) 15
- Scott, T.W., see Gulati, S.K., 64 (1997) 127
- Scott, T.W., see Gulati, S.K., 66 (1997) 159
- Sedgwick, G., see Walshaw, J., 71 (1998) 311
- Sell, J.L., Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229
- Sellers, R.S., see Johnson, Z.B., 68 (1997) 1

- Selmer-Olsen, I., see Svihus, B., 64 (1997) 257
- Senaud, J., see Jouany, J.P., 75 (1998) 1
- Seoane, J.R., see Ouellet, D.R., 68 (1997) 307
- Seoane, J.R., see Plaisance, R., 68 (1997) 139
- Serrano, X., Baucells, M.D., Barroeta, A.C. and Puchal, F., Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275
- Serrano, X., see Blanch, A., 61 (1996) 335
- Sethuraman, A., see Akin, D.E., 63 (1996) 305
- Shah, S.B.A., see Habib, G., 55 (1995) 263
- Shaver, R.D., see Batajoo, K.K., 71 (1998) 165
- Shelford, J.A., see Makoni, N.F., 53 (1995) 221
- Shelford, J.A., see von Keyserlingk, M.A.G., 57 (1996) 291
- Shelton, H.M., see Dalzell, S.A., 68 (1997) 353
- Shen, H.S, Ni, D.B. and Sundstøl, F., Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
- Shen, H.S, Sundstøl, F. and Ni, D.B., cStudies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193
- Shermer, W.D., see Dibner, J.J., 62 (1996) 1
- Shin, H.T., see Bae, H.D., 65 (1997) 165
- Short, F.J., Gorton, P., Wiseman, J. and Boorman, K.N., Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215
- Short, K.D., see Yoon, I.K., 60 (1996) 13
- Sial, M.A., see Rasool, S., 72 (1998) 347
- Sibanda, S., Jingura, R.M. and Topps, J.H., The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295
- Siddiqui, M.M., see Habib, G., 72 (1998) 373
- Silanikove, N., see Aharoni, Y., 71 (1998) 251
- Sileshi, Z., Owen, E., Dhanoa, M.S. and Theodorou, M.K., Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
- Siljander-Rasi, H., see Valaja, J., 51 (1995) 193
- Siljander-Rasi, H., see Valaja, J., 72 (1998) 221
- Siljander-Rasi, H., Valaja, J., Alaviuhkola, T., Rantamäki, P. and Tupasela, T., Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
- Silva, A.G., Wanderley, R.C., Pedroso, A.F. and Ashbell, G., Ruminant digestion kinetics of citrus peel, 68 (1997) 247
- Silva, C.G., see Hossain, S.M., 71 (1998) 217
- Silva, C.G., see Hossain, S.M., 73 (1998) 307
- Simbaya, J., Slominski, B.A., Guenter, W., Morgan, A. and Campbell, L.D., The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219
- Sinclair, F.L., see Thapa, B., 67 (1997) 97
- Sinclair, F.L., see Thapa, B., 68 (1997) 37
- Singh, A., see Rahal, A., 68 (1997) 165
- Singh, A., see Verma, A.K., 59 (1996) 255
- Singh, C.K., Robinson, P.H. and McNiven, M.A., Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
- Singh, K., Honig, H., Wermke, M. and Zimmer, E., Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137
- Singh, K.K., see Chaudhary, L.C., 56 (1995) 111
- Singh, M., see Rahal, A., 68 (1997) 165
- Singh, P., Verma, A.K., Pathak, N.N. and Biswas, J.C., Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183
- Singh, R., see Lallo, C.H.O., 67 (1997) 213
- Sirohi, S.K. and Rai, S.N., Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57
- Sivakanesan, R., see Ravindran, V., 57 (1996) 335
- Skadhauge, B., see Jacobsen, E.E., 65 (1997) 5
- Sklan, D., see Arieli, A., 51 (1995) 287
- Sklan, D., see Plavnik, I., 55 (1995) 247
- Slessor, M., see Rooke, J.A., 70 (1998) 175
- Slominski, B.A., see Simbaya, J., 61 (1996) 219
- Smeds, K., see Laurinen, P., 74 (1998) 213
- Smith, G.C., Morgan, J.B., Sofos, J.N. and Tatum, J.D., Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207
- Smith, J.W., see Larbi, A., 72 (1998) 81
- Smithard, R., see Mahmood, S., 65 (1997) 215
- Smits, B., see Liu, Y., 52 (1995) 257
- Sniffen, C.J., see Bernal-Santos, G., 63 (1996) 201
- Sniffen, C.J., see Chalupa, W., 58 (1996) 65
- Sniffen, C.J., see Licitra, G., 72 (1998) 1
- Sniffen, C.J., see Van Saun, R.J., 59 (1996) 13

- Snyman, L.D. and Joubert, H.W., Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
- Soebarinoto, J., see Williams, B.A., 57 (1996) 183
- Soevik, T., Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277
- Soevik, T., Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207
- Soevik, T., Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191
- Sofos, J.N., see Smith, G.C., 59 (1996) 207
- Soller, H., see Krishnamoorthy, U., 52 (1995) 177
- Solomon, R., see Miron, J., 57 (1996) 75
- Soto, H., see Sánchez, J.M., 71 (1998) 295
- Souza, G.B., see Nogueira, A.R.A., 74 (1998) 79
- Souza, O., see Cañeque, V., 74 (1998) 241
- Sowell, B.F., see Bowman, J.G.P., 55 (1995) 105
- Spais, A.B., see Christaki, E., 65 (1997) 287
- Spanghero, M., see Susmel, P., 53 (1995) 81
- Spears, J.W., Beef nutrition in the 21st century, 58 (1996) 29
- Spears, J.W., Organic trace minerals in ruminant nutrition, 58 (1996) 151
- Spicer, H.M., see Goonewardene, L.A., 74 (1998) 135
- Squires, V., see Swingle, R.S., 63 (1996) 137
- Sretenović, L., see Adamović, M., 71 (1998) 359
- Srinivas, B. and Gupta, B.N., Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea–molasses–mineral block licks supplement, 65 (1997) 275
- Srivastava, A., see Chaudhary, L.C., 51 (1995) 281
- Srivastava, A., see Chaudhary, L.C., 56 (1995) 111
- Stangassinger, M., see Kovács, P.L., 64 (1997) 143
- Stangassinger, M., see Kovács, P.L., 71 (1998) 327
- Steen, R.W.J., see Dawson, L.E.R., 67 (1997) 61
- Steen, R.W.J., see Gordon, F.J., 70 (1998) 339
- Steen, R.W.J., see Park, R.S., 68 (1997) 235
- Steen, R.W.J., see Park, R.S., 72 (1998) 155
- Steen, R.W.J., see Pippard, C.J., 57 (1996) 87
- Steen, R.W.J., see Porter, M.G., 56 (1995) 217
- Steenfeldt, S., Bach Knudsen, K.E., Børsting, C.F. and Eggum, B.O., The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
- Steenfeldt, S., Müllertz, A. and Fris Jensen, J., Enzyme supplementation of wheat-based diets for broilers. 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27
- Steenfeldt, S., Hammershøj, M., Müllertz, A. and Fris Jensen, J., Enzyme supplementation of wheat-based diets for broilers. 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45
- Steenfeldt, S., see Børsting, C.F., 53 (1995) 317
- Steenfeldt, S., see Bach Knudsen, K.E., 52 (1995) 205
- Stefanon, B., see Guzzon, P., 67 (1997) 37
- Stefanon, B., see Susmel, P., 53 (1995) 81
- Steg, A., see Givens, D.I., 54 (1995) 55
- Steg, A., see Hindle, V.A., 51 (1995) 103
- Steg, A., see Liu, Y., 52 (1995) 257
- Steingass, H., see Krishnamoorthy, U., 52 (1995) 177
- Stekar, J.M., see Verbič, J., 54 (1995) 133
- Stern, M.D., see Howie, S.A., 63 (1996) 1
- Stern, M.D., see Mansfield, H.R., 55 (1995) 47
- Stern, M.D., see Yoon, I.K., 60 (1996) 13
- Stewart, C.S., see Salawu, M.B., 69 (1997) 67, 207, 219
- Stewart, J.L., Dunsdon, A.J., Kass, M., López Ortiz, S., Larbi, A., Premaratne, S., Tangendjaja, B., Wina, E. and Vargas, J.E., Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111
- Stewart, J.L., see Wood, C.D., 75 (1998) 125
- Sticker, L.S., see Ameny, G.A., 53 (1995) 305
- Stock, R.A., see Mendoza, G.D., 54 (1995) 315
- Stock, R.A., see Mendoza, G.D., 74 (1998) 329
- Stock, R.A., see Richards, C.J., 55 (1995) 35
- Štohandlová, M., see Komprda, T., 67 (1997) 141
- Stoičević, L., see Adamović, M., 71 (1998) 359
- Stritzler, N.P., Jensen, B.B. and Wolstrup, J., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225
- Stritzler, N.P., Wolstrup, J., Eggum, B.O. and Jensen, B.B., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11
- Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
- Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in

- rapeseed meals of different glucosinolate content, 57 (1996) 257
- Südekum, K.-H., see Kovács, P.L., 64 (1997) 143
- Südekum, K.-H., see Kovács, P.L., 71 (1998) 327
- Suleiman, A., see Walshaw, J., 71 (1998) 311
- Summers, J.D., Canola meal and acid-base balance, 53 (1995) 109
- Sundstøl, F., see Laswai, G.H., 65 (1997) 45
- Sundstøl, F., see Shen, H.S., 73 (1998) 243
- Sundstøl, F., see Shen, H.S., 74 (1998) 193
- Sundstøl, F., see Tolera, A., 75 (1998) 157
- Susmel, P., see Guzzon, P., 67 (1997) 37
- Susmel, P., Spanghero, M., Mills, C.R. and Stefanon, B., Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81
- Suzuki, Y., Okano, K. and Kato, S., Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227
- Svihus, B., Newman, C.W., Newman, R.K. and Selmer-Olsen, I., Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
- Swift, M.L., see Beames, R.M., 62 (1996) 189
- Swift, M.L., see von Keyserlingk, M.A.G., 57 (1996) 291
- Swingle, R.S., Glenn, E.P. and Squires, V., Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137
- Syrjälä-Qvist, L., see Tesfa, A.T., 56 (1995) 143
- Szymczyk, B., Gwiazda, S. and Hanczakowski, P., Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169
- Szymczyk, B., Gwiazda, S. and Hanczakowski, P., The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297
- Szymczyk, B., see Hanczakowski, P., 52 (1995) 339
- Taiwo, A.A., Adebowale, E.A., Greenhalgh, J.F.D. and Akinsoyinu, A.O., Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133
- Takahashi, J., Ikeda, M., Matsuoka, S. and Fujita, H., Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273
- Taliaferro, C.M., see Dabo, S.M., 67 (1997) 299
- Tamminga, S., see Bruining, M., 73 (1998) 37
- Tamminga, S., see Caine, W.R., 71 (1998) 177
- Tamminga, S., see Ibrahim, M.N.M., 54 (1995) 81
- Tamminga, S., see Kaitho, R.J., 65 (1997) 151
- Tamminga, S., see Kaitho, R.J., 72 (1998) 355
- Tamminga, S., see Valk, H., 63 (1996) 63
- Tamminga, S., see Williams, B.A., 57 (1996) 183
- Tan, Z.L., Chen, H.P., He, L.H., Fang, R.J. and Xing, T.X., Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
- Tanaka, Y., see Komaki, H., 70 (1998) 363
- Tangendjaja, B., see Stewart, J.L., 75 (1998) 111
- Taniguchi, K., see Zhao, Y., 59 (1996) 265
- Tanko, R.J., see Kallah, M.S., 68 (1997) 153
- Tapia, M.O., see Roigé, M.B., 72 (1998) 367
- Tarawali, G., see Njwe, R.M., 51 (1995) 317
- Tatum, J.D., see Smith, G.C., 59 (1996) 207
- Teeter, R.G. and Belay, T., Broiler management during acute heat stress, 58 (1996) 127
- Teeter, R.G., Wiernusz, C.J. and Belay, T., Animal nutrition in the 21st century A poultry perspective, 58 (1996) 37
- Tegbe, T.S.B., see Kaankuka, F.G., 62 (1996) 229
- Teguia, A., Njwe, R.M. and Nguekouo Foyette, C., Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283
- Teguia, A., Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155
- ter Elst, E.R., see Qin, G., 57 (1996) 313
- Ternois, F., see Archimède, H., 58 (1996) 267
- Tesfa, A.T., Virkajärvi, P., Tuori, M. and Syrjälä-Qvist, L., Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
- Théwis, A., see Beckers, Y., 61 (1996) 305
- Thacker, P.A. and Baas, T.C., Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet

T

Taboada, E., see de Blas, J.C., 70 (1998) 151

Tait, R.M. and Fisher, L.J., Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

- on the performance of growing-finishing pigs, 63 (1996) 187
- Thacker, P.A., Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing-finishing pigs, 71 (1998) 89
- Thacker, P.A., see Li, D., 73 (1998) 173
- Thacker, P.A., see Mustafa, A.F., 64 (1997) 273
- Thapa, B., Walker, D.H. and Sinclair, F.L., Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97
- Thapa, B., Walker, D.H. and Sinclair, F.L., Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37
- Theodorou, M.K., see Longland, A.C., 55 (1995) 161
- Theodorou, M.K., see Sileshi, Z., 61 (1996) 73
- Theurer, C.B., see Al-Dehneh, A., 68 (1997) 327
- Thivend, P., see Rogers, M., 65 (1997) 113
- Thomas, M. and van der Poel, A.F.B., Physical quality of pelleted animal feed 1. Criteria for pellet quality, 61 (1996) 89
- Thomas, M., van Vliet, T. and van der Poel, A.F.B., Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
- Thomas, M., van Zuilichem, D.J. and van der Poel, A.F.B., Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173
- Thomke, S., Pettersson, H., Neil, M. and Håkansson, J., Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207
- Thomke, S., see Pettersson, Å., 62 (1996) 203
- Thomson, J.R., see Rooke, J.A., 70 (1998) 175
- Thonney, M.L., see Bernal-Santos, G., 63 (1996) 201
- Thos, J., see Lopez-Bote, C.J., 70 (1998) 1
- Thos, J., see Lopez-Bote, C.J., 72 (1998) 33
- Tigere, A., see Manyuchi, B., 63 (1996) 123
- Tigere, A., see Manyuchi, B., 69 (1997) 17
- Tisserand, J.L., see Ben Salem, H., 68 (1997) 101
- Titterton, M. and Maasdorp, B.V., Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
- Titterton, M., see Maasdorp, B.V., 69 (1997) 241
- Todorov, N., see Djouvinov, D.S., 71 (1998) 67
- Toivonen, V., see Pölönen, I., 71 (1998) 197
- Tolera, A., Khazaal, K. and Ørskov, E.R., Nutritive evaluation of some browse species, 67 (1997) 181
- Tolera, A., Sundstøl, F. and Said, A.N., The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157
- Tolman, G.H., Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159
- Tomáš, K., see Jíří, T., 57 (1996) 129
- Tománková, O. and Kopečný, J., Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71
- Tománková, O., see Kopečný, J., 71 (1998) 109
- Toppo, S., Verma, A.K., Dass, R.S. and Mehra, U.R., Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101
- Topps, J.H., Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
- Topps, J.H., see Baloyi, J.J., 69 (1997) 179
- Topps, J.H., see Dzwola, B.H., 55 (1995) 207
- Topps, J.H., see Manyuchi, B., 63 (1996) 123
- Topps, J.H., see Manyuchi, B., 69 (1997) 17
- Topps, J.H., see Masama, E., 69 (1997) 233
- Topps, J.H., see Matizha, W., 69 (1997) 187
- Topps, J.H., see Mupangwa, J.F., 69 (1997) 167
- Topps, J.H., see Rouzbehan, Y., 59 (1996) 279
- Topps, J.H., see Rouzbehan, Y., 62 (1996) 151
- Topps, J.H., see Sibanda, S., 68 (1997) 295
- Tortuero, F. and Fernández, E., Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255
- Toscas, P.J., see Kennedy, P.M., 66 (1997) 111
- Toullec, R. and Formal, M., Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115
- Touré, S.F., Michalet-Doreau, B., Traoré, E., Friot, D. and Richard, D., Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63
- Tovar-Gómez, M.R., Emile, J.C., Michalet-Doreau, B. and Barrière, Y., In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77
- Traoré, E., see Touré, S.F., 74 (1998) 63
- Treviño, J., see Alzueta, C., 52 (1995) 249
- Treviño, J., see Rodríguez, M.L., 71 (1998) 341
- Trocino, A., see Xiccato, G., 71 (1998) 229
- Tsirgogianni, D., see Belibasakis, N.G., 52 (1995) 227
- Tsirgogianni, D., see Belibasakis, N.G., 57 (1996) 175

- Tsirgogianni, D., see Belibasakis, N.G., 60 (1996) 87
 Tsirgogianni, D., see Belibasakis, N.G., 64 (1996) 53
 Tuah, A.K., Obese, F.Y., Ørskov, E.R., Okai, D.B., Adomako, D., Amaning, K.O., Said, A.N. and Greenhalgh, J.F.D., The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269
 Tuah, A.K., see Bonsi, M.L.K., 52 (1995) 101
 Tuah, A.K., see Bonsi, M.L.K., 64 (1996) 11
 Tuori, M., see Tesfa, A.T., 56 (1995) 143
 Tupasela, T., see Siljander-Rasi, H., 60 (1996) 1
 Turner, N.D., see Ashok, G., 53 (1995) 267
 Turner, N.D., see Gandhi, J., 68 (1997) 195
 Turtle, L.P., see Lawrence, T.L.J., 51 (1995) 183

U

- Udedibie, A.B.I. and Carlini, C.R., Questions and answers to edibility problem of the *Canavalia ensiformis* seeds - A review, 74 (1998) 95
 Udedibie, A.B.I. and Carlini, C.R., Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavalia* seeds, 74 (1998) 179
 Udedibie, A.B.I. and Opara, C.C., Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornea cordifolia*, 71 (1998) 157
 Udén, P., see Chai, W., 74 (1998) 281
 Udén, P., see Mbwire, R.P., 65 (1997) 87
 Udén, P., see Mbwire, R.P., 66 (1997) 181
 Udén, P., see Mero, R.N., 69 (1997) 341
 Udén, P., see Mero, R.N., 70 (1998) 79, 97, 111
 Uden, P., see Mero, R.N., 72 (1998) 387
 Ullrey, D.E. and Allen, M.E., Nutrition and feeding of ostriches, 59 (1996) 27
 Ummuna, V.N., see Wiegand, R.O., 54 (1995) 175
 Umunna, N.N., see Bonsi, M.L.K., 64 (1996) 11
 Umunna, N.N., see Kaitho, R.J., 65 (1997) 151
 Umunna, N.N., see Kaitho, R.J., 72 (1998) 355
 Umunna, N.N., see Nsahla, I.V., 61 (1996) 275
 Undi, M. and Wittenberg, K.M., Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291
 Undi, M., Moshtaghi-Nia, S.A., Wittenberg, K.M. and Ingalls, J.R., A comparative study on amino

acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

- Undi, M., see Wittenberg, K.M., 60 (1996) 301
 Unsworth, E.F., see Pippard, C.J., 57 (1996) 87
 Unsworth, E.F., see Porter, M.G., 56 (1995) 217
 Urbaniak, M. and Przybecki, T., Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121
 Ushida, K., see Matsui, H., 71 (1998) 207

V

- Vadiveloo, J. and Phang, O.C., Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
 Vadiveloo, J., Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
 Vadiveloo, J., Erratum to Factors contributing to varietal differences in the nutritive value of rice straw [Animal Feed Science and Technology 54 (1995) 45], 61 (1996) 375
 Valaja J., see Laurinen, P., 74 (1998) 213
 Valaja, J. and Näsi, M., Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267
 Valaja, J., Alaviuhkola, T. and Siljander-Rasi, H., Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193
 Valaja, J., Plaami, S. and Siljander-Rasi, H., Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
 Valaja, J., see Buraczewska, L., 58 (1996) 201
 Valaja, J., see Siljander-Rasi, H., 60 (1996) 1
 Valk, H., Kappers, I.E. and Tamminga, S., In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
 van Bruchem, J., see Bruining, M., 73 (1998) 37
 van Bruchem, J., see Kaitho, R.J., 65 (1997) 151
 van Bruchem, J., see Kaitho, R.J., 72 (1998) 355
 van Bruchem, J., see Williams, B.A., 57 (1996) 183
 van der Klis, J.D., Kwakernaak, C. and de Wit, W., Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

- van der Merwe, J.P., see Brand, T.S., 53 (1995) 345
- van der Poel, A.F.B., Fransen, H.M.P. and Bosch, M.W., Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
- van der Poel, A.F.B., see Marsman, G.J.P., 56 (1995) 21
- van der Poel, A.F.B., see Qin, G., 57 (1996) 313
- van der Poel, A.F.B., see Thomas, M., 61 (1996) 89
- van der Poel, A.F.B., see Thomas, M., 64 (1997) 173
- van der Poel, A.F.B., see Thomas, M., 70 (1998) 59
- van Gelder, A.H., see Cone, J.W., 61 (1996) 113
- van Gelder, A.H., see Cone, J.W., 66 (1997) 31
- van Leeuwen, P., see Gdala, J., 62 (1996) 239
- van Leeuwen, P., see Gdala, J., 67 (1997) 115
- van Nevel, C.J., see Mbanzamihigo, L., 62 (1996) 215
- van Saun, R.J. and Sniffen, C.J., Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13
- van Soest, P.J., see Bernal-Santos, G., 63 (1996) 201
- van Soest, P.J., see Licitra, G., 57 (1996) 347
- van Soest, P.J., see Licitra, G., 72 (1998) 1
- van Vliet, T., see Thomas, M., 70 (1998) 59
- van Vuuren, A.M., see Hindle, V.A., 51 (1995) 103
- van Zuilichem, D.J., see Thomas, M., 64 (1997) 173
- Vanacker, J.M., see de Boever, J.L., 51 (1995) 243
- Vanacker, J.M., see De Boever, J.L., 60 (1996) 103
- Vanacker, J.M., see De Boever, J.L., 66 (1997) 211
- Vanacker, J.M., see de Smet, A.M., 51 (1995) 297
- Vande Ginste, J. and De Schrijver, R., Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303
- Vandycke, E., see Mbanzamihigo, L., 67 (1997) 339
- Vanhatalo, A., Aronen, I. and Varvikko, T., Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
- Varga, G.A., see Aldrich, J.M., 63 (1996) 257
- Varga, G.A., see Hongerholt, D.D., 74 (1998) 1
- Varga, G.A., see Karunanandaa, K., 55 (1995) 179
- Varga, G.A., see Karunanandaa, K., 61 (1996) 1
- Varga, G.A., see Karunanandaa, K., 63 (1996) 273
- Vargas, E., see Sánchez, J.M., 71 (1998) 295
- Vargas, J.E., see Stewart, J.L., 75 (1998) 111
- Vargas, J.E., see Wood, C.D., 75 (1998) 125
- Vargas, R.E., see León, A., 73 (1998) 231
- Vargas, R.E., see Melcion, J.-P., 73 (1998) 217
- Varvikko, T., see Vanhatalo, A., 55 (1995) 139
- Veira, D.M., see Ouellet, D.R., 68 (1997) 307
- Velasco, S., see Cañeque, V., 74 (1998) 239
- Vázquez de Aldana, B.R., see García-Ciudad, A., 66 (1997) 257
- Velasco, S., see Caneque, V. 74 (1998) 241
- Venkatesh, M., Krishnamoorthy, U., Mohammed, F. and Hegde, B.P., Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271
- Ventura, M.R., see Pieltain, M.C., 73 (1998) 187
- Verbič, J., Stekar, J.M. and Resnik-Čepón, M., Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133
- Verma, A.K., Mehra, U.R. and Dass, R.S., Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339
- Verma, A.K., Mehra, U.R., Dass, R.S. and Singh, A., Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255
- Verma, A.K., see Singh, P., 72 (1998) 183
- Verma, A.K., see Toppo, S., 64 (1997) 101
- Vermaak, L.M., see Cilliers, J.W., 53 (1995) 45
- Verstegen, M.W.A., see Caine, W.R., 71 (1998) 177
- Verstegen, M.W.A., see Gdala, J., 62 (1996) 239
- Verstegen, M.W.A., see Houdijk, J.G.M., 71 (1998) 35
- Verstegen, M.W.A., see Marsman, G.J.P., 56 (1995) 21
- Verstraete, W., see Nollet, L., 71 (1998) 49
- Vieira, R.A.M., Pereira, J.C., Malafaia, P.A.M. and de Queiroz, A.C., Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
- Vieira, R.A.M., Pereira, J.C., Malafaia, P.A.M. and de Queiroz, A.C., The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151
- Villafuerte, L., see Nahed, J., 68 (1997) 213
- Villamide, M.J. and Fraga, M.J., Prediction of the digestible crude protein and protein digestibility

- of feed ingredients for rabbits from chemical analysis, 70 (1998) 211
- Villamide, M.J., Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211
- Villamide, M.J., see Fuente, J.M., 56 (1995) 45
- Vipond, J.E., Lewis, M., Horgan, G. and Noble, R.C., Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
- Virkajärvi, P., see Tesfa, A.T., 56 (1995) 143
- Visscher, G.J.W., see Cone, J.W., 61 (1996) 113
- Viveros, A., see Arija, I., 70 (1998) 137
- von Keyserlingk, M.A.G., see Makoni, N.F., 53 (1995) 221
- von Keyserlingk, M.A.G., Swift, M.L., Puchala, R. and Shelford, J.A., Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291
- Voragen, A.G.J., see Marsman, G.J.P., 56 (1995) 21
- Vroons-de Bruin, J., see Hindle, V.A., 51 (1995) 103
- Vukic Vranjes, M. and Wenk, C., The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21
- W**
- Wadhwa, M., Paul, D., Kataria, P. and Bakshi, M.P.S., Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11
- Wagner, P., see Gdala, J., 65 (1997) 15
- Waliszewski, K.N., Romero, A. and Pardio, V.T., Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253
- Walker, D.H., see Thapa, B., 67 (1997) 97
- Walker, D.H., see Thapa, B., 68 (1997) 37
- Wall, G.W., see Akin, D.E., 53 (1995) 29
- Wallace, R.J., see Chikunya, S., 63 (1996) 333
- Waller, S.S., see Chriyaa, A., 65 (1997) 183
- Waller, S.S., see Chriyaa, A., 66 (1997) 85
- Walshaw, J., Mathison, G.W., Fenton, T.F., Sedgwick, G., Hsu, H., Recinos-Diaz, G. and Suleiman, A., Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 311
- Wanderley, R., see Al-Dehneh, A., 68 (1997) 327
- Wanderley, R.C., see Silva, A.G., 68 (1997) 247
- Wang, G.J., Marquardt, R.R., Guenter, W., Zhang, Z. and Han, Z., Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47
- Wang, Y., McAllister, T.A., Newbold, C.J., Rode, L.M., Cheeke, P.R. and Cheng, K.-J., Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143
- Wang, Y., see Li, D., 73 (1998) 173
- Wang, Z.S., see Goetsch, A.L., 66 (1997) 271
- Wang, Z.S., see Rossi, J.E., 62 (1996) 163
- Wanner, M., see Machmüller, A., 71 (1998) 117
- Warnants, N., see Eeckhout, W., 52 (1995) 29
- Wawrzyński, M., see Hanczakowski, P., 52 (1995) 339
- Webster, A.J.F., see Dewhurst, R.J., 51 (1995) 211
- Weinberg, Z.G., Ashbell, G., Hen, Y. and Azrieli, A., The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
- Weinberg, Z.G., see Ashbell, G., 52 (1995) 271
- Weisbjerg, M.R., Hvelplund, T., Hellberg, S., Olsson, S. and Sanne, S., Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
- Weisbjerg, M.R., see Dakowski, P., 58 (1996) 213
- Weisbjerg, M.R., see Madsen, J., 69 (1997) 53
- Weisbjerg, M.R., see Mupeta, B., 69 (1997) 271
- Wen-Shyg Chiou, P., Chen, C.R., Chen, K.J. and Yu, B., Wet brewers' grains or bean curd pomace as partial replacement of soybean meal for lactating cows, 74 (1998) 123
- Wen-shyg Chiou, P., Chen, K.-L. and Yu, B., Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161
- Chiou, P.W.-S., see Hsu, J., 74 (1998) 289
- Wen-shyg Chiou, P., Chen, K.-L. and Yu, B., Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49
- Wenk, C., see Vukic Vranjes, M., 54 (1995) 21
- Wermke, M., see Singh, K., 61 (1996) 137

- West, J.W., see Mandebvu, P., 73 (1998) 263, 281
- Wheeler, K.P.A., see Moss, A.R., 68 (1997) 11
- Wheeler, R.A., Chaney, W.R., Johnson, K.D. and Butler, L.G., *Leucaena* forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1
- White, J.S., Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1
- Whitehead, C.C., Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91
- Whitehead, C.C., The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205
- Whittemore, C.T., An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
- Widiez, J.L., see Carré, B., 71 (1998) 19
- Wiegand, R.O., Reed, J.D., Said, A.N. and Ummuna, V.N., Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175
- Wiernusz, C.J., see Teeter, R.G., 58 (1996) 37
- Wilkinson, N.S., see McDowell, L.R., 60 (1996) 273
- Williams, A.G., see Hillman, K., 52 (1995) 237
- Williams, B.A., Chuzaemi, S., Soebarinoto, J., van Bruchem, J., Boer, H. and Tamminga, S., A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
- Williams, B.A., see Groot, J.C.J., 64 (1996) 77
- Williams, J.E., Belyea, R.L., Hsieh, F.H. and Firman, J.D., Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123
- Williams, P.E.V., Animal production and European pollution problems, 53 (1995) 135
- Williams, P.E.V., Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173
- Williams, S.N., see McDowell, L.R., 60 (1996) 273
- Williams, S.N., see Scherf, H., 59 (1996) 115
- Wilman, D., Foulkes, G.R. and Givens, D.I., A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
- Wilman, D., Foulkes, G.R. and Givens, D.I., The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111
- Wilson, J.L., see Robinson, F.E., 58 (1996) 143
- Wina, E., see Stewart, J.L., 75 (1998) 111
- Windham, W.R., see Akin, D.E., 53 (1995) 29
- Wiryanan, K.G., Miller, H.M. and Holmes, J.H.G., Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297
- Wiseman, J., Powles, J. and Salvador, F., Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
- Wiseman, J., see Short, F.J., 59 (1996) 215
- Wittenberg, K.M., see Undi, M., 61 (1996) 291
- Wittenberg, K.M., see Undi, M., 63 (1996) 179
- Wittenberg, K.M., Undi, M. and Bossuyt, C., Establishing a feed value for moulded hay, 60 (1996) 301
- Wittmann, M., see Kreuzer, M., 73 (1998) 1
- Wold, J.E., see Corley III, R.N., 72 (1998) 295
- Woldeghebriel, A., see Corley, R.N., 68 (1997) 183
- Wolstrup, J., see Stritzler, N.P., 70 (1998) 11, 225
- Wood, C.D. and Manyuchi, B., Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265
- Wood, C.D. and Plumb, V.E., Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen micro-organisms, 56 (1995) 195
- Wood, C.D., see Dryhurst, N., 71 (1998) 131
- Wood, C.D., Stewart, J.L. and Vargas, J.E., Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125
- Woodward, A. and Reed, J.D., Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
- Wright, J.B. and Brown, D.L., Identification of 18:3(n-3) linolenic acid, 18:3(n-6) linolenic acid and 18:2(n-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis, 69 (1997) 195
- Wu, G., see Ramirez Piñeres, M.A., 64 (1997) 113
- Wu, G., see Ramirez Piñeres, M.A., 65 (1997) 139
- Wu, S.-S., see Chiou, P.W.-S., 68 (1997) 339
- Wu, Y.-M., see Liu, J.-X., 52 (1995) 131

X

- Xandé, A., see Aumont, G., 51 (1995) 1
 Xiccato, G., Trocino, A. and Carazzolo, A.,
 Ensiling and nutritive value of kenaf (*Hibiscus
 cannabinus*), 71 (1998) 229
 Xing, T.X., see Tan, Z.L., 53 (1995) 337
 Xu, N.-Y., see Liu, J.-X., 52 (1995) 131

Y

- Yamashita, M., see Komaki, H., 70 (1998) 363
 Yanke, L.J., see Bae, H.D., 65 (1997) 165
 Yano, F., see Matsui, T., 60 (1996) 131
 Yano, H., see Matsui, T., 60 (1996) 131
 Yaremicio, B.J., see Goonewardene, L.A., 74 (1998)
 135
 Ye, H.-W., see Liu, J.-X., 65 (1997) 79
 Ye, J.-A., see Liu, J.-X., 65 (1997) 79
 Yi, Z. and Kornegay, E.T., Sites of phytase activity
 in the gastrointestinal tract of young pigs, 61
 (1996) 361
 Yiakoulaki, M.D., Papadoyannis, I.N. and Nastis,
 A.S., Determination of marker chromic oxide in
 faeces of grazing goats on Mediterranean shrub-
 lands by AAS, 67 (1997) 163
 Yokoe, Y., see Goto, M., 58 (1996) 239
 Yokota, H.-o., see Ohshima, M., 62 (1996) 141
 Yokota, H.-o., see Ohshima, M., 66 (1997) 129
 Yoon, I.K., Lindquist, K.J., Hongerholt, D.D., Stern,
 M.D., Crooker, B.A. and Short, K.D., Variation
 in menhaden fish meal characteristics and
 their effects on ruminal protein degradation
 as assessed by various techniques, 60 (1996)
 13
 Yu, B., Hsu, J.-C. and Chiou, P.W.S., Effects of β -
 glucanase supplementation of barley diets on
 growth performance of broilers, 70 (1998)
 353
 Yu, B., see Chiou, P.W.-S., 54 (1995) 93
 Yu, B., see Chiou, P.W.-S., 55 (1995) 215
 Yu, B., see Chiou, P.W.-S., 68 (1997) 339
 Yu, B., see Hsu, J.-C., 60 (1996) 93

- Yu, B., see Wen-shyg Chiou, P., 73 (1998) 161
 Yu, B., see Wen-Shyg Chiou, P., 74 (1998) 123
 Yu, B., see Wen-shyg Chiou, P., 67 (1997) 49
 Zabielski, R., see Puchala, R., 66 (1997) 75

Z

- Zakraoui, F., see Martín-Orúe, S.M., 71 (1998) 269
 Zaman, M.S. and Owen, E., The effect of calcium
 hydroxide and urea treatment of barley straw on
 chemical composition and digestibility in vitro,
 51 (1995) 165
 Zaman, M.S., McNiven, M.A., Grimmelt, B. and
 MacLeod, J.A., Effects of roasting of lupins
 (*Lupinus albus*) and high protein variety of
 soybeans (*AC Proteus*) on chemical composition
 and in situ dry matter and nitrogen disappear-
 ance in dairy cows, 51 (1995) 329
 Zanchi, R., see Gizzi, G., 73 (1998) 291
 Zdunczyk, Z., Juskiewicz, J., Frejnagel, S. and
 Gulewicz, K., Influence of alkaloids and oligo-
 saccharides from white lupin seeds on utilization
 of diets by rats and absorption of nutrients in the
 small intestine, 72 (1998) 143
 Zemelink, G., see Ibrahim, M.N.M., 54 (1995) 81
 Zhang, B., see Leske, K.L., 54 (1995) 275
 Zhang, B., see Leske, K.L., 61 (1996) 377
 Zhang, Z., see Marquardt, R.R., 60 (1996) 321
 Zhang, Z., see Wang, G.J., 66 (1997) 47
 Zhao, Y., Taniguchi, K. and Obitsu, T., Effects of
 different processing procedures for rice bran on
 dietary nutrient digestion in each segment of the
 digestive tract of steers, 59 (1996) 265
 Zimmer, E., see Singh, K., 61 (1996) 137
 Zimmer, N. and Cordesse, R., Digestibility and
 ruminal digestion of non-nitrogenous com-
 pounds in adult sheep and goats: Effects of
 chestnut tannins, 61 (1996) 259
 ZoBell, D.R., see Goonewardene, L.A., 74 (1998)
 135
 Zollitsch, W., Knaus, W., Aichinger, F. and Lettner,
 F., Effects of different dietary fat sources on
 performance and carcass characteristics of broi-
 lers, 66 (1997) 63



ELSEVIER

Animal Feed Science and Technology 75 (1998) 217–335

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Subject index

*Animal Feed Science and Technology, volumes 51–75,
1995–1998*

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

A

AAS

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Acacia angustissima

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Acacia cyanophylla Lindl.

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Acacia saligna

Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Acacia sp.

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Acceptability

Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

Acid oil

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Acid protease

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Acidotic effect

Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297

Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Adaptation

Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Additives

Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Adsorption

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Adsorption isotherms

In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Adult

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Aerobic deterioration

A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87

Aerobic stability

The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre

analysis of peas and wheat silages, 55 (1995) 287

Aflatoxins

Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Age

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Age of cutting

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Agricultural

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Air classification

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Alchornia cordifolia

Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornia cordifolia*, 71 (1998) 157

Alfalfa

Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175

Alfalfa hay

Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Alfalfa leaf extracts

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Alfalfa silage

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Alfalfa stems

A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Alkali treatment

The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Alkaline hydrogen peroxide

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Alkaline hydrogen peroxide treatment

The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Alkaloids

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Alpha-galactosides

The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

Alternate protein sources

Alternate protein sources for salmon and trout diets, 59 (1996) 71

Altitude

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Amaranthus hypochondriacus

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Amines

The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119

The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

Amino acid composition

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Amino acid digestibility

Digestible amino acids for poultry and swine, 59 (1996) 147

Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Amino acid pattern similarity

Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Amino acid supplementation

Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265

Amino acids

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243

Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121

Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201

Balancing the amino acid needs of the dairy cow, 60 (1996) 153

Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331

Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Ammonia

Animal production and European pollution problems, 53 (1995) 135

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133

Ammonia treatment—energetical and ecological aspects

Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

Ammonia treatment

Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Ammoniated rice straw

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Ammoniation

Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Amylopectin

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Anaerobic fungi

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Anaerobic storage

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Analysis

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191

Angora goats

Influence of mineral supplementation on 2,3-dihydropyridine toxicity in Angora goats, 55 (1995) 253

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Animal byproduct protein

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Animal drugs

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Animal growth

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Animal production

Animal production and European pollution problems, 53 (1995) 135

Animal protein

Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Animal waste

Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271

Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163

Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145

Anion-cation balance

Canola meal and acid-base balance, 53 (1995) 109

Anthesis

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Anti-nutritionals

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Antibiotics supplementation

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Antifungal compounds

Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217

Antigrowth factor

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Antinutritional factors

The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Effect of hot aqueous ethanol treatment on antinutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313

Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Antioxidants

Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1

Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α -tocopherols, 59 (1996) 115

Antioxidants improve cattle immunity following stress, 62 (1996) 59

Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Apparent digestibility

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Apparent metabolisable energy

Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Apparent metabolizable energy determination

Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15

Apparent metabolizable energy value

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Aquaculture feeds

Alternate protein sources for salmon and trout diets, 59 (1996) 71

Arabinoxylan

Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Arabinoxylans; Performance

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Arabinoxylans

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

ARC

Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Ardacin

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Artificial rumen

Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343

Aspergillus niger

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Aspergillus oryzae

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Associative effect

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Atriplex

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Attachment

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Autoclaving

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Availability

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Available energy

Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29

Available lysine

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Available phosphorus

Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Average daily gain

A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Avian herbivore

Nutrition and feeding of ostriches, 59 (1996) 27

Avoparcin

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Awassi lambs

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Azolla

The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

B

Bacteria

Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Bacterial production

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Bacterial protein

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Bag mobility

Studies on in situ degradation of feeds in the rumen:
1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Bagasse

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Balance trials

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Bale

Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Banana

Nutritive value of banana (*Musa acuminata* L.) fruits for ruminants, 73 (1998) 187

Barley

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45

The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hullless barley in growing swine, 61 (1996) 173

Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

Effects of β -glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353

Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329

A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Barley extrusion

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Barley rootlets

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Barley straw

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133

Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Basil

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

BDG

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Bean curd pomace

Wet brewers' grains or bean curd pomace as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Beef cattle

Need for escape protein by grazing cattle, 60 (1996) 191

Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201

Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Beef

Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231

Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141

Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305

The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119

Bees

Black gram as a pollen substitute for honey bees, 54 (1995) 367

Beet pulp

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Benzoic acid

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Bermudagrass

In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263

Betaine supplementation

Effect of betaine on fat content in growing lambs, 73 (1998) 329

Bicarbonate

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Big bale grass silage

The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279

Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

Bio-assay method

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Bioavailability

Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Biodegradation

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Biohydrogenation

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Biological additives

Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255

Biological value

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Biomass production

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

Biomass

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Biopotency

Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α -tocopherols, 59 (1996) 115

Biosolids

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Black gram

Black gram as a pollen substitute for honey bees, 54 (1995) 367

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Blood components

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Blood parameters

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Blood-mucosa products

Nutritive value for pigs of a formic acid preserved blood-mucosa product, 52 (1995) 279

Borage meal

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Botanical composition

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Brachystegia spiciformis

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Brewer's dried grain

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Brewer's wet grains

Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175

Brewers' grains

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Broiler

Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Effects of β -glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353

Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Broiler breeder

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Broiler chicken

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Broiler chicks

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Broiler litter

- Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
- Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
- Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
- Ruminal digestion kinetics of citrus peel, 68 (1997) 247
- Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155
- Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
- Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Broiler performance

- Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Broilers

- Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Bromegrass

- Development and application of a selection criterion for particle size breakdown of smooth bromegrass leaves, 61 (1996) 57

Bromelain

- Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71

Bromoethansulfonic acid

- Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Brown-midrib

- In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Browse

- Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
- Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
- Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

- Nutritive evaluation of some browse species, 67 (1997) 181

- Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

- Identification of 18:3(n-3) linolenic acid, 18:3(n-6) linolenic acid and 18:2(n-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis, 69 (1997) 195

- Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

- Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Browse plants

- Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

- Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Browse Plus

- Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

- Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Bubalus bubalis

- Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Buffaloes

- Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281
- Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345

Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195

Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255

The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229

The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Buffered propionic acid

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Builder's sand

Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Bulls

Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

By products

Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103

Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163

Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145

In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165

Wet brewers' grains or bean curd pomace as partial replacement of soybean meal for lactating cows, 74 (1998) 123

By-product feedstuffs

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

By-products—distillery waste

Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

C

Ca salts of fatty acids

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Ca soaps of rapeseed fatty acids

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Ca-level

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Caecal fermentation

Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Caecum

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Cajanus cajan

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Calcium

An estimation of the minimal P requirements for growing-finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Calcium hydroxide treatment

The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165

Calcium oxide

In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Calcium source

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Calf

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid con-

centration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Calliandra calothyrsus

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipercolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Calves

Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Canavalia

Questions and answers to edibility problem of the *Canavalia ensiformis* seeds - A review, 74 (1998) 95

Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavaliaseeds*, 74 (1998) 179

Canavalia ensiformis (or jackbean)

Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Canavanine

Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Canola

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Canola meal

Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

The effects of protease and carbohydrase supplementation on the nutritive value of canola meal

for poultry: In vitro and in vivo studies, 61 (1996) 219

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Canola oil

The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111

Canola Seed

Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing-finishing pigs, 71 (1998) 89

Canola meal and acid-base balance, 53 (1995) 109

Carbohydrates

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341

Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Carbon dioxide concentration

Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Carcass characteristics

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Carcass composition

Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Carcass traits

Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Carotenoids

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Casein

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Cassia

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Catalytic level

Evaluation of rice straw - poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229

Catfish

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Cation-anion balance

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Cation-anion difference

Is there an optimal cation-anion difference for lactation diets?, 59 (1996) 3

Cattle

- Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91
- Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231
- The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243
- Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
- Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51
- Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93
- Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141
- Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159
- Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227
- Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345
- Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81
- Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117
- Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
- Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93
- Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47
- Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
- Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
- Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139
- The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
- Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143
- Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1
- Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195
- Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87
- Feeding minerals to cattle on pasture, 60 (1996) 247
- Vitamin E supplementation for the ruminant, 60 (1996) 273
- Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
- Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
- Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Cattle-beef silage

Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Cattle—calf

Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39

Cattle dairy

Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63

Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175

Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Cattle feeding

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Cattle—general

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213

Cattle—growing

Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

Cattle immunity

Antioxidants improve cattle immunity following stress, 62 (1996) 59

Cattle manure

Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257

Cecum

Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Cell rupture

The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Cell wall

Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165

Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scal roasting I. Technological conditions and analytical data, 73 (1998) 217

Cell wall constituents

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Cell wall degradation

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99

The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111

Cell wall methods

Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295

Cell-wall components

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Cellulase

The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Cellulolysis

Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267

Cellulose

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Cellulose breakdown

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Cellulose crystallinity

Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Cenchrus ciliaris

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Cereal

Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Cereal grain

Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87

Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Cereal-rich concentrate

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Chamaecytisus palmensis

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Chemical analyses

Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Chemical components

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Chemical composition

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103

Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49

Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and

chemical measurements in straw and straw fractions, 73 (1998) 243

Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Chemical constituents

The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Chemical preservation

Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

Chemical quality

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Chemical structure

Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179

Chemometrics

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Chicks

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Chicken-broiler

Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247

Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45

Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155

Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239

The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283

Chicken – general

Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335

The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219

Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Chicken intestines

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Chickens

Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249

The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Chicks feeding

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Chinese milk vetch silage

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Chlorella

The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Chloroplast

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Cholesterol

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Chondrocyte

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Chromic oxide

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Chromium

Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117

Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Chyme components

Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Ciliate protozoa

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Citric acid

Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Citrus pulp

Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87

Clinoptilolite

Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297

Cloning

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Clotting

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Clover

Influence of chemical, enzymatic and phytogetic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

Coating

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Cobalt

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Cockerel

Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Cocoa pod husk

The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Colibacillosis

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Collared peccary

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Colocasia corm meal

Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335

Colostomy

Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Consumer demand

Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Continuous culture

Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Cooking

Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavaliaseeds*, 74 (1998) 179

Cooling

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Copper

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butenes in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Relative bioavailability of copper in a copper-lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281

Trace mineral requirements of grazing cattle, 59 (1996) 61

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Corn

In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Corn grain

Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

Correlation

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Costa Rica

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Cotton fiber

Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231

Cottonseed

Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Cottonseed meal

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Cotton seed cake

Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

Cotton stalks

Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

Cows

Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III: The amount of supplemental energy, 70 (1998) 225

Cowpea

Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Crab

Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Cracking

Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavaliaseeds*, 74 (1998) 179

Crambe meal

Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257

Creatinine

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Creep feeding

Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Creole pigs

Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Crop growth stage

Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Crop residues

Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

Crop residues as animal feed

Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Crossbred cows

Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Crude enzymes

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Crude protein

Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Crude protein digestibility

Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Crustacean wastes

Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Cultivar

Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Curve fitting

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Cutting cycle

Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

1-cyano-2-hydroxy-3-butene

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butene in the ileal *Diceros bicornis*, 51 (1995) 183

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis, 69 (1997) 195

Cymbopogon-Themeda

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

D

Dairy

Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 97

Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143

Considerations in the nutritional modification of milk composition, 59 (1996) 185

Practical approaches to feeding the high producing cow, 59 (1996) 199

Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Dairy calves and heifers

Nutrition and management of replacement cattle, 59 (1996) 155

Dairy cattle

Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215

Is there an optimal cation-anion difference for lactation diets?, 59 (1996) 3

Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Dairy cattle production

Relationship between forage quality and dairy cattle production, 59 (1996) 51

Dairy cow feeding

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Dairy cows

Effect of feeding yeast culture (Yea-sacc¹⁰²⁶) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247

Diet, production and reproduction in dairy cows, 59 (1996) 173

Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Dairy goat

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Dairy ruminants

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Dairying

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Database software

A new feed description and numbering system designed for feed value database, 54 (1995) 1

Deamination

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Deep stacking

Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Deer

Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343

A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351

Degradability

Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Degradability in sacco

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Degradation

Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

In situ degradation of feed purines, 71 (1998) 67

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Degradation kinetics

Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287

Degradation rate

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Dehulling

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Dehydrated alfalfa

Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121

Dehydrated lucerne

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Delignification

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Deoxynivalenol

Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

Detachment procedures

Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

Detergent fibre

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein

of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Detergent

An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281

Determination

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Diarrhoea

An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

Diaryliodonium

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Diceros bicornis

Identification of 18:3 (*n*-3) linolenic acid, 18:3 (*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis, 69 (1997) 195

Diet

Considerations in the nutritional modification of milk composition, 59 (1996) 185

Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121

Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Diet composition

Precision in swine feeding programs: An integrated approach, 59 (1996) 137

Diet selection

Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265

Dietary enzyme

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Dietary factors

Dietary factors affecting entero–hepatic function of ruminants in the tropics, 69 (1997) 79

Dietary fat

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Dietary fibre

Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Dietary levels

Nutritive value of peas for nonruminant diets, 60 (1996) 209

Dietary markers—intestinal tract

Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

Dietary protein

Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Differential scanning calorimetry

Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309

Digesta kinetics

Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods

to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Digesta markers

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Digesta passage kinetics

Comparison of methods, markers, sampling sites and models for estimating digesta passage kinetics in cattle fed at two levels of intake, 52 (1995) 141

Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159

Digested xylan to digested cellulose ratio

Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Digestibility

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257

Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81

Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221

The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using

- rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
- The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317
- The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
- Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33
- A comparison of the neutral detergent-cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
- Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159
- The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9
- Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77
- Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349
- The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21
- Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
- Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83
- Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
- Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
- Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
- Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265
- Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223
- A review of ratite nutrition, 60 (1996) 241
- Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311
- Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73
- Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hullless barley in growing swine, 61 (1996) 173
- Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183
- Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
- Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
- Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
- Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
- Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
- Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137
- Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305
- The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
- Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
- Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287
- Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*,

- Tayassu tajacu*) raised in French Guyana, 64 (1997) 215
- The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
- Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45
- Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249
- Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
- The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181
- Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
- Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1
- Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69
- Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299
- Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311
- Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195
- Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
- The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139
- Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
- Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
- Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79
- Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111
- Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
- Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
- Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing-finishing pigs, 71 (1998) 89
- Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
- Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229
- Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309
- Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143
- In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
- Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
- A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85
- Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231
- Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15
- Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture

- content and treatment time on chemical composition and *in vitro* digestibility, 74 (1998) 57
- Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213
- Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241
- Prediction of the *in vivo* digestibility of whole crop wheat from *in vitro* digestibility, chemical composition, *in situ* rumen degradability, *in vitro* gas production and near infrared reflectance spectroscopy, 74 (1998) 259
- Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
- Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Digestibility—amino acids

- The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213

Digestibility—carbohydrates

- Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Digestibility—distillery waste

- Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Digestibility—fiber

- Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231

Digestibility—fibre

- Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Digestibility—forages

- Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Digestibility markers

- Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from

- the distal ileum and feces in growing pigs, 52 (1995) 41

Digestibility methodology

- Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

Digestibility parameters

- The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Digestibility prediction

- The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Digestibility proteins

- Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239

Digestibility-straw

- Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Digestible amino acids

- Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173

Digestible energy

- The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
- Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

Digestible lysine and methionine

- Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Digestion

- Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87
- Establishing a feed value for moulded hay, 60 (1996) 301
- Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

- The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245
- Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
- Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327
- The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
- The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
- Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19
- Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289
- Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
- Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115
- Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131
- Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315
- Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Digestion kinetics

- Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
- Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

- Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197
- Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127
- The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151
- In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263
- Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

Digestive enzymes

- Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67
- Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215
- Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
- Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329

Digestive interactions

- Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327
- Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
- Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

2,3-dihydroxypyridine

- Influence of mineral supplementation on 2,3-dihydroxypyridine toxicity in Angora goats, 55 (1995) 253

Direct-fed microbial

- Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Disappearance

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Distillers byproducts

The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Distillers grains

Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201

Distillery waste

Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193

DM degradability in sacco

Nutritive evaluation of some browse species, 67 (1997) 181

Double-muscling

Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79

Dried yeast

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Drug assays

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Dry

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Dry heat treatment

Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Dry matter

Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Dry matter and nitrogen degradability

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Dry matter degradability (DMD)

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Dry matter degradation

Investigation of dry matter degradation and acidotic effect of some feedstuffs by means of in sacco and in vitro incubations, 51 (1995) 297

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Dry matter digestibility

Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Dry matter disappearance

Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73

Dry matter intake

Practical approaches to feeding the high producing cow, 59 (1996) 199

Dry season

Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Drying

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

DT104

A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Duckweed

Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339

Dumas

A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Duodenal protein

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Duodenum

Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Durability

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

E

Economics

Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45

Edibility

Questions and answers to edibility problem of the *Canavalia ensiformis* seeds - A review, 74 (1998) 95

Edible regrowth

Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Effective degradability

Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced

by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Efficiency

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Egg production

The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141

Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Egg weight

Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Elasticity

Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Electrometric titration

Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217

Elephant-grass

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Emu

A review of ratite nutrition, 60 (1996) 241

Endogenous fatty acids

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Energetic supplement

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Energy

Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177

The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11

Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223

Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201

Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311

Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225

In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Energy and protein value

The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Energy digestibility

Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239

Energy efficiency

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Energy metabolism

Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45

Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Energy requirements

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Energy utilisation

Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Energy values

The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243

Triticale (*Tritico secale*) as substitute for maize in pig diets, 53 (1995) 345

Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Energy/protein requirements

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Ensilage

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Ensiling

Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Entero-hepatic function

Dietary factors affecting entero-hepatic function of ruminants in the tropics, 69 (1997) 79

Enterotoxaemia

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Environment

Considerations in the nutritional modification of milk composition, 59 (1996) 185

Environmental temperature

Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289

Enzymatic solubility

Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245

Enzymes

Animal production and European pollution problems, 53 (1995) 135

Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311

The effects of protease and carbohydrase supplementation on the nutritive value of canola meal for poultry: In vitro and in vivo studies, 61 (1996) 219

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase

supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Enzyme addition

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Enzyme preparations

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

The effect of pelleting an enzyme-supplemented barley-based broiler diet, 58 (1996) 283

Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

Enzyme supplementation

Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Enzyme treatment

The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205

The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249

Effect of dietary enzyme on the metabolizable energy of diets with increasing levels of barley fed to broilers at different ages, 56 (1995) 45

Equine

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Equipment

Emerging feed mill technology: keeping competitive, 53 (1995) 157

Escape protein

Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Essential fatty acids

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis, 69 (1997) 195

Ethanol treatment

Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Ethiopian highland sheep

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Ethoxyquin

Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

Eucalyptus

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on

intake and growth rate of dairy heifers, 52 (1995) 93

Ewe

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Excreta

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Exogenous enzymes

The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Expander conditioning

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Expander treatment

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Expanding

Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Expansion

Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247

Experimental design

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Experimental silos

Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Extent of digestion

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Extraction

Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Extruded feed

Water activity–moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Extrusion cooking

Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275

Extrusion

Nutritional effects of expansion and short time extrusion on feeds for broilers, 55 (1995) 247

Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1

The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239

Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283

Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Exudative moisture loss

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

F

Faecal dry matter content

Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Faecal pH

Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Faeces

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Fat application

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Fat content and secretion

Nutritive value of raw and extruded pea–rapeseed blends for ruminants, 65 (1997) 59

Fats

In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305

Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

The effect of a wheat–fat–interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Fat supplements

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

Fat thickness

Effect of betaine on fat content in growing lambs, 73 (1998) 329

Fatty acid composition

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Fatty acid digestibility

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Fatty acid pattern

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Fatty acids

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325

Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Utilization of different fats and oils by adult chickens as a source of energy, lipid and fatty acids, 61 (1996) 335

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Effect of betaine on fat content in growing lambs, 73 (1998) 329

Feather meal

Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Fecal analysis

Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Fecal nitrogen excretion

Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

Feed

Factors affecting uniformity of a mix, 53 (1995) 211

Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217

Influence of added microbial enzymes on energy and protein availability of selected feed ingredients, 60 (1996) 311

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Feed additives

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Feed attributes of sorghum stovers

Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Feed blocks

Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) from compressed complete feed blocks, 59 (1996) 255

Feed conversion

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Feed description system

A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feed efficiency

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Feed enzymes

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Feed evaluation

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Feed expansion

Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Feed form

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Feed formulation

Precision in swine feeding programs: An integrated approach, 59 (1996) 137

Feed ingredients

Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Feed intake

Effects of corn vs. corn plus wheat in forage-based diets containing broiler litter on feed intake, ruminal digesta characteristics and digestion in cattle, 55 (1995) 87

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Feed interactions

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

Feed microflora

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Feed Mixing

Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Feed mixtures

Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191

Feed numbers

A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feed particles

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Feed processing

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Feed production

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Feed purines

In situ degradation of feed purines, 71 (1998) 67

Feed quality

Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15

Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Feed raw material

Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Feed resource

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Feed texture

Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

Feed traits

A new feed description and numbering system designed for feed value database, 54 (1995) 1

Feedblocks

Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Feeding

Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65

Nutrition and feeding of ostriches, 59 (1996) 27

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33

Feeding level

Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97

Feeding value

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

Feeds

A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Feedstuffs

Why do we need a new NRC data base?, 53 (1995) 99

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103

Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Mycotoxins, 69 (1997) 155

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Feedstuffs from rapeseed processing

Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver ^{1,2}, 62 (1996) 97

Fermentability

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Fermentation

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1
Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239

Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Fermentation pattern

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Fermentation in vitro

Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Fermentation kinetics

Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113

Fermentation pattern

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Fermentation profile

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Fermented alfalfa juice

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Ferric chloride treatment

Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Ferrous sulphate

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45

Fertiliser nitrogen

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Fertilization

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Fertilizer

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Fetal nutrition

Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Fiber

Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29

Fiber degradability

Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Fibre

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289

Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233

The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

- Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67
- Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253
- Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
- Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93
- Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hulless barley in growing swine, 61 (1996) 173
- Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203
- Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61
- Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327
- Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
- In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245
- Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
- Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325
- An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281
- Fibre analysis**
- The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
- Fibre components**
- Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133
- Fibre degradation**
- Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
- Fibrobacter succinogenes**
- Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165
- Ficin**
- Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245
- Field drying**
- Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249
- Finishing**
- Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1
- Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167
- Finishing broilers**
- Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283
- First trimester**
- Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197
- Fish feeds**
- Alternate protein sources for salmon and trout diets, 59 (1996) 71
- Fish meal**
- Variation in menhaden fish meal characteristics and their effects on ruminal protein degradation as assessed by various techniques, 60 (1996) 13
- Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71
- Fish nutrition**
- Alternate protein sources for salmon and trout diets, 59 (1996) 71
- A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195
- Fish protein**
- Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digest-

ibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

Fish silage

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Flow injection

Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Fodder trees

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Fodder utilization

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Fodder-production potential

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Fodders

Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Food processing wastes

Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Food safety

Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Forage Brassica

Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Forage particle size

Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131

Forage quality

Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Relationship between forage quality and dairy cattle production, 59 (1996) 51

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Forages

Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1

Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Need for escape protein by grazing cattle, 60 (1996) 191

Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Forage sorghum

Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Formaldehyde treatment

Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

Formic acid

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Formic acid treatment

Nutritive value for pigs of a formic acid preserved blood-mucosa product, 52 (1995) 279

Fractionation

Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Fragmentation

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Free-choice

Feeding minerals to cattle on pasture, 60 (1996) 247

Free-range

Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33

Freezing

Studies on in situ degradation of feeds in the rumen 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351

Production and chemical composition of alfalfa protein concentrate obtained by freezing, 72 (1998) 169

Fresh forage

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Fresh whey

An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

Fructo-oligosaccharides

Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Fumaric acid

The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243

Functional properties

Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Fungal biomass

Establishing a feed value for moulded hay, 60 (1996) 301

Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Fungal contamination

Mycotoxins, 69 (1997) 155

Fungal sporangia

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Fungi

Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179

Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1

Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Fur animals

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

G

α -Galactosidase

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Gas measurement

Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Gas production

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen micro-organisms, 56 (1995) 195

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51

Prediction of in situ rumen dry matter disappearance of Ethiopian forages from an in vitro gas production technique using a pressure transducer, chemical analyses or in vitro digestibility, 61 (1996) 73

Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, picecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Gas production in vitro

Nutritive evaluation of some browse species, 67 (1997) 181

Gastrointestinal anatomy

Nutrition and feeding of ostriches, 59 (1996) 27

Gastrointestinal tract

Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361

General

Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 107

Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

General feed mixtures

Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Generation time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Genetics

The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141

Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263

Genotypes

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

Gliricidia sepium

Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153

Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

 β -glucan

Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

 β -Glucanase

Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223

Effects of β -glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353

Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329

 β -glucanase activity

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Glucosinolates

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butenes in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51

The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17

Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1

Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

- Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
- Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
- Skeletal muscle goitric concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Goats

- Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317
- Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327
- Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341
- Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207
- Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51
- Digestibility and ruminal digestion of non-nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259
- Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89
- Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163
- In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129
- Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
- Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163
- Nutritive value of banana (*Musa acuminata* L.) fruits for ruminants, 73 (1998) 187
- Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Goose

- Effects of different sources of dietary fibre on growth performance and apparent digestibility in geese, 60 (1996) 93

Grain

- Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Grain feeding

- Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Grain legumes

- Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Grain replacement

- The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Grains

- In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287
- Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
- In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165

Grass

- Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
- Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275
- The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
- In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63
- Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Grass hay

Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291

Grass maturity

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Grass silage

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to

predict chemical composition and digestibility parameters, 72 (1998) 155

Grassland

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Grazing

Need for escape protein by grazing cattle, 60 (1996) 191

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Grazing animals

Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Grazing behaviour

Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317

Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Green crop cereals

Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Green fractions of LPC

Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169

Greengram

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Grinding

- Feed manufacturing technology: current issues and challenges, 62 (1996) 49
- Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Gross energy

- The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1

Groundnut hay

- The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Groundnut meal

- Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

Growing

- Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butenes in the ileal digesta and faeces of growing pigs, 51 (1995) 183
- Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193
- Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41
- Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257
- Nutritive value for pigs of a formic acid preserved blood-mucosa product, 52 (1995) 279
- The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
- Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
- Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1

- Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167

- Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hullless barley in growing swine, 61 (1996) 173

Growing broilers

- Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornea cordifolia*, 71 (1998) 157

Growing bulls

- Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387

Growing calves

- The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Growing cattle

- The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Growing lambs

- The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279
- Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Growing pigs

- Growth performance of pigs given a choice of natural ingredient diets containing different levels of protein and amino acid(s), 56 (1995) 265
- The digestible energy value of canola oil for growing pigs as measured by level of inclusion, 62 (1996) 111
- Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Growing steers

- Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

growing-finishing

An estimation of the minimal P requirements for growing-finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29

Growth

Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67

Nutrition and management of replacement cattle, 59 (1996) 155

Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Effect of graded levels of ethoxyquin in alfalfa leaf extracts on carotenoid and cholesterol concentrations in chicks, 62 (1996) 141

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Growth performance and carcass composition of broilers fed supplemental chromium from chromium yeast, 71 (1998) 217

Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Growth parameters

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme

supplement on broiler performance, 54 (1995) 21

Growth performance

Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45

Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

Effects of β -glucanase supplementation of barley diets on growth performance of broilers, 70 (1998) 353

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Growth performance—rabbit

Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Growth promoters

Animal production and European pollution problems, 53 (1995) 135

Growth rate

Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Gut function

Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

H

Haemagglutinins

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Haematological status

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Halophytes

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Hardness

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Hay

Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Establishing a feed value for moulded hay, 60 (1996) 301

Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Hay preservation

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

HCl extraction

Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Health

Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117

Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Heat damage

The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Heat processing

Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Heat treatment

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Heat-moisture treatment

Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

Heifers

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Helianthus tuberosus

Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Hemagglutination

Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavaliaseeds*, 74 (1998) 179

Hemicellulase

The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

Hen day egg production

Effects of inclusion of microbial cultures in barley-based diets fed to laying hens, 53 (1995) 255

Hens

Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Herbage

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Herbicides

Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

High fibre diets

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

High grain diet

Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

High pressure homogenization

The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Highlands

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Hindgut digestion

The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Hindgut fermentation

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

HSCAS

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Hull content

The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Humid tropics

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Hybrids

Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Hydrated sodium calcium aluminosilicate

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Hydration

Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Hydrogen peroxide

In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Hydrolysis

In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

I**Ileal digesta**

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Ileal digestibility

The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11

Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch–ethanol production, 58 (1996) 201

Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Immunity

Supplemental chromium: its benefits to the bovine immune system, 53 (1995) 117

Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Immunoglobulins

Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

In ovo

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

In sacco

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

In sacco degradability

Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

In sacco degradation kinetics

Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

In sacco digestion

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

In situ

Studies on in situ degradation of feeds in the rumen:

1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Studies on in situ degradation of feeds in the rumen:

2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115

Studies on in situ degradation of feeds in the rumen

3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183

In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165

Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

In situ degradation

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

In situ technique

Ruminal digestion kinetics of citrus peel, 68 (1997) 247

In vitro

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

In vitro and in sacco digestibility

In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

In vitro assay

Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

In vitro cell wall digestibility

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota name-*

ko) cultivation with in vitro rumen fermentation, 54 (1995) 227

In vitro degradation

Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

In vitro digestibility

Nutritive value of banana (*Musa acuminata* L.) fruits for ruminants, 73 (1998) 187

In vitro dry matter digestibility

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

In vitro gas production

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

In vitro rumen nitrogen degradability

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

In vitro rumen protein degradability

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

In vitro system

Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

In vitro techniques

Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

In vivo

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

In vivo digestibility

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

In vivo dry matter digestibility

Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Incubation sequence

Studies on in situ degradation of feeds in the rumen:
1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Indigenous browse

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Indigenous knowledge

Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97

Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Ingredients

Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Inhibitors

Effects of protease inhibitors on degradation of $H_3[^{14}C]$ -casein by ruminal microorganisms, 64 (1997) 113

Inoculant

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239

Inoculate sources

In vitro starch disappearance procedure modifications, 55 (1995) 35

Inositol phosphates

Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Intake

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

Hay composition, and intake and digestibility in sheep of newly introduced cultivars of timothy, tall fescue, and reed canarygrass, 55 (1995) 77

Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119

Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

Establishing a feed value for moulded hay, 60 (1996) 301

- Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155
- Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291
- Effects of forage level in broiler litter-based diets on feed intake, digestibility and particulate passage rate in Holstein steers at different live weights, 62 (1996) 163
- The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
- Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
- The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11
- The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79
- Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
- The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
- The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181
- The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165
- The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61
- Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259
- Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
- The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
- Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53
- Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
- Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
- Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187
- Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
- Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111
- The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
- Intake and digestion by Holstein steers consuming different particle size fractions of broiler litter, 71 (1998) 145
- Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309
- In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
- Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
- Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
- Nutritive value of banana (*Musa acuminata* L.) fruits for ruminants, 73 (1998) 187
- Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15
- Intake level**
- Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Intake prediction

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Interaction

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Interannual variations

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Intercropping

Nutritional improvement of maize silage for dairy-ing: mixed-crop silages from sole and inter-cropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Intestinal digestibility

Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Intestinal digestibility of N

Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305

Intestinal digestion

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Intestinal viscosity

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Intramuscular fat

Effect of betaine on fat content in growing lambs, 73 (1998) 329

J

Jackbean (*Canavalia ensiformis*)

Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231

Jatropha curcas

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Jerusalem artichoke

Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

K

Karl Fischer titration

A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67

Kenaf

Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Kernel

The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279

Kidney

Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Kinetics

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Kinetics of fermentation

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Kjeldahl

A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Kudzu (*Pueraria lobata*)

Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183

L**L-cysteine**

Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Lablab

Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Laboratory scale

Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Lactate

The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Lactating cows

Balancing the amino acid needs of the dairy cow, 60 (1996) 153

Lactating dairy cows

Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87

Wet brewers' grains or bean curd pomace as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Lactation diet

Is there an optimal cation-anion difference for lactation diets?, 59 (1996) 3

Lactation performance

Effects of whole cottonseeds on milk yield, milk composition, and blood components of dairy cows in hot weather, 52 (1995) 227

Lactic acid

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

Lactic acid bacteria

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Lactic acid fermentation

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Lactobacilli

Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Evaluation of diet containing Lactobacilli on performance, Fecal Coliform, and Lactobacilli of young dairy calves, 57 (1996) 39

Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

Lactobacillus sp.

Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in

the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

Lactobacillus

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Lag phase

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Lamb performance

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Lambs

Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 121

The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239

Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257

Effect of betaine on fat content in growing lambs, 73 (1998) 329

Laser-induced fluorescence

Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Layer

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Layer performance

Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Laying hens

Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornea cordifolia*, 71 (1998) 157

Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Leaf meal

Responses of growing broilers and laying hens to the dietary inclusion of leaf meal from *Alchornea cordifolia*, 71 (1998) 157

Leaf protein

Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Leaves

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Genetic variation in the nutritive value of *Gliricidia sepium*. 2. Leaf chemical composition and fermentability by an in vitro gas production technique, 75 (1998) 125

Lecithin

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Lectin

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Lectin activity

Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Leg weakness

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Leghorn and broiler chickens

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Legume forage

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Legume grains

Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49

Legumes

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Questions and answers to edibility problem of the *Canavalia ensiformis* seeds — A review, 74 (1998) 95

Legume seeds

Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325

Legume straws

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Legume supplements

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387

Lentinus edodes

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Leucaena

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45

Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein

- supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365
- Leucaena leaf meal**
Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29
Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3-hydroxy-4(1H)-pyridone in growing rabbits, 74 (1998) 45
- Leucaena leucocephala**
Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153
- Leucaena meal**
Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
- Leucaena pallida**
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169
- Leucaena spp.**
Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305
- Level of intake**
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 73 (1998) 131
- Lignin**
Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29
Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299
Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319
- Lime**
Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195
- Lime treatment**
Optimisation of treatment conditions of wheat straw with lime. Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57
- Limiting amino acids**
Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
- Linseed**
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149
Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199
- Lipid composition**
Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65
- Lipid oxidation**
Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207
Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283
- Lipids**
Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1
- Liquid marker**
Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201
- Liquid potato feed**
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
- Liquid supplementation**
Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105
- Live weight gain**
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Strylosanthes*

guianensis and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355

Liver

Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Liver enzymes

Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Liver function

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Liveweight

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Liveweight gain

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Location

Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247

Low-molecular weight sugars

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Low-quality forage

Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159

Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105

Lucerne

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305

Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Influence of chemical, enzymatic and phytogenic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Lucerne hay

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Lucerne leaf meal

The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11

Lupins

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Lupin seed meal

The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing

- pigs as evaluated by different techniques, 53 (1995) 279
- Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239

Lupin seeds

- Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
- Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333
- Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55
- The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
- The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
- Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Lysine

- Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267
- Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81
- Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87
- Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1
- Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
- In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

M

Magadi soda

- Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Magnesium

- Effects of varying levels of magnesium and available phosphorus on performance of layers, 71 (1998) 363

Maillard reaction products

- Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201

Maillard reaction

- The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Maintenance

- Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Maize cobs

- The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Maize grain

- Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Maize silage

- Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305
- A comparison of the neutral detergent-cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55
- Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211
- The effect of a lactic acid bacterial inoculant on maize silage, 70 (1998) 239
- Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Maize stover

- Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus*

cajan, *Calliandra calothyrsus* and *Leucaena leucocephala*?bon feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Maize-legume silage

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and inter-cropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Maize

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81

Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155

Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and inter-cropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Malt distillers

Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 67

Management

Nutrition and management of replacement cattle, 59 (1996) 155

Manganese

Trace mineral requirements of grazing cattle, 59 (1996) 61

Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303

Manipulation of milk fatty acids

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Manoxol

Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281

Manure

Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Marine oil

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Mathematical models

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Maturity stage

Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63

Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Maturity

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Meal

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Mean retention time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Meat meal

Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Meat quality

Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Medicago sativa

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Mediterranean area

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Metabolic disorders

Practical approaches to feeding the high producing cow, 59 (1996) 199

Metabolic rate

Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Metabolisable energy

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369

Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231

Metabolisable protein

Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Metabolism

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Metabolizable energy

Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Methaemoglobin

Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Methane

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Methionine

Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81

Rumen-protected amino acids for dairy cattle: Progress towards determining lysine and methionine requirements, 59 (1996) 87

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339
Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Methionine sulfoxide

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Methodology

Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Methods

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99
An alternative oven method combined with different detergent strengths in the analysis of neutral detergent fibre, 74 (1998) 281

Mexico

Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Microbes

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Microbial activity

Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203
Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Microbial attachment

Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Microbial biomass

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Microbial contamination

Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Microbial ecology

Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47

Microbial enzymes

Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Microbial non-ammonia-nitrogen

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Microbial protein

Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

Microbial synthesis

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187
Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265

Microbial treatment

Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17

Microbial-N yield

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microbiology

The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Microflora

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Micronization

Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing-finishing pigs, 71 (1998) 89

Micronized feed

Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Microscopy

Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispota* and *Cyathus stercoreus*, 63 (1996) 305

Mid lactation

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Milk

Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143

Effects of wet brewers grains on milk yield, milk composition and blood components of dairy cows in hot weather, 57 (1996) 175

Effects of dried citrus pulp on milk yield, milk composition and blood components of dairy cows, 60 (1996) 87

The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Milk composition

Considerations in the nutritional modification of milk composition, 59 (1996) 185

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Milk fat

Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161

Milk fatty acids

Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Milk fever

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Milk flavour

Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Milk production

Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Effect of extruded lupin seeds as a protein source on lactational performance of dairy cows, 72 (1998) 121

Milk protein

Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Milk replacer

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Milk urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Milk yield

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Millet

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Mimosine biodegradation

Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Mimosine metabolism

Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3-hydroxy-4(1H)-pyridone in growing rabbits, 74 (1998) 45

Minerals general

Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Minerals

Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Why do we need a new NRC data base?, 53 (1995) 99

The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Feeding minerals to cattle on pasture, 60 (1996) 247

Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Mineral balance

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Mineral composition

Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Mineral content

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Mineral supplementation

Influence of mineral supplementation on 2,3-dihydropyridine toxicity in Angora goats, 55 (1995) 253

Mink

The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

Mite

Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Mixed crop silage

Nutritional improvement of maize silage for dairy-ing: mixed crop silages from sole and inter-cropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Mixed diet

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Mixed silages

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Mixing

Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Mixtures

Factors affecting uniformity of a mix, 53 (1995) 211

MMC

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Mobile bag

Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

Mobile bag technique

Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Mobile nylon bags

Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305

Modelling

Ruminal plant cell wall digestibility estimated from digestion and passage kinetics utilizing mathematical models, 52 (1995) 159

Comparison of in situ degradation kinetics of lucerne germplasm by ANOVA of non-linear models, 54 (1995) 287

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Models

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Modified soyprotein

Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

Moist heat treatment

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Moisture

Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Molassed sugar beet pulp

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

The response of sheep to big bale grass silage ensiled with, or supplemented separately with, molassed sugar beet feed, 59 (1996) 279

Response of growing steers to diets containing big bale silage and supplements of molassed sugar

beet pulp with and without white fish meal, 62 (1996) 151

Molasses

Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Mold

Intake, rumen fermentation characteristics, and feedstuff in situ digestion kinetics as influenced by fungal biomass in alfalfa hay fed to cattle, 61 (1996) 291

Mold inhibitors

Effect of treating with propionic acid, sodium bisulfite and sodium hydroxide on the biosynthesis of aflatoxin on groundnut cake, 60 (1996) 43

Molybdenum

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Monensin

Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Monosaccharide components

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Monosaccharides

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Montmorillonite

In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms, 62 (1996) 263

Moringa oleifera

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Morphological fractions

Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243

Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Morphological parts

Rumen degradation characteristics and fibre composition of various morphological parts of different maize hybrids and possible consequences for breeding, 54 (1995) 133

Mortality

Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Mould

Establishing a feed value for moulded hay, 60 (1996) 301

Moulding

Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Multiphasic model

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Multipurpose tree species

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Multipurpose trees

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Mung beans

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Mungo kernels

Substituting ground mango kernels (*Mangifera indica* L) for maize in broiler starter diets, 56 (1995) 155

Musa paradisiaca

Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Muscle area

Effect of betaine on fat content in growing lambs, 73 (1998) 329

Mushroom mycelium

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Mycotoxins

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Mycotoxins, 69 (1997) 155

N

¹⁵N

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

N

Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

N fertilisation

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

n-3 fatty acid

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and

lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

n-Alkane

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Naked oats

Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Natural diet

Nutrition and feeding of ostriches, 59 (1996) 27

Navy bean

Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

NDF

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Near-infrared analysis

Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51

Near infrared difference spectra

Regions of normalised near infrared reflectance difference spectra related to the rumen degradation of fresh grass, grass silage and maize silage, 72 (1998) 41

Near Infrared Reflectance Spectroscopy (NIRS)

The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle, 51 (1995) 243

Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

The use of near infrared reflectance spectroscopy (NIRS) on undried samples of grass silage to predict chemical composition and digestibility parameters, 72 (1998) 155

Near infrared spectroscopy

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Nepal

Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97

Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Net energy

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Neutral detergent fiber

Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses, 73 (1998) 263

Neutral detergent-cellulase method

A comparison of the neutral detergent-cellulase method with other laboratory methods for predicting the digestibility in vivo of maize silages from three European countries, 54 (1995) 55

Niacin

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Dietary influence on protein level in milk and milk yield in dairy cows, 60 (1996) 181

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

NIRS

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples, 70 (1998) 339

Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15

Nitrate toxicity

Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Nitrite

Prophylactic effect of L-cysteine to acute and subclinical nitrate toxicity of in sheep, 74 (1998) 273

Nitrogen

Amino acid metabolism in ruminants, 59 (1996) 167

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Nitrogen balance

Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Promising tropical grasses and legumes as feed resources in Central Tanzania: VI. Nitrogen balance in growing bulls consuming tropical herbaceous forage legumes, 72 (1998) 387

Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Nitrogen degradation

Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Nitrogen emission

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

Nitrogen excretion

Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Nitrogen fertilization

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Nitrogen fractions

Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351

Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Nitrogen metabolism

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

Nitrogen retention

Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297

Techniques for trapping ammonia generated from urea treatment of barley straw, 56 (1995) 133

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Nitrogen utilization

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Nitrogen

Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1

Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235

A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

NMR

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Non ruminants

Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173

Non-starch polysaccharide

Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145

Non-starch polysaccharides

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrate

drates and dietary protein in young pigs, 67 (1997) 115

Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

Nonstructural carbohydrate

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Northern Nigeria

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

NRC

Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Nutrient components

Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Nutrient composition

Why do we need a new NRC data base?, 53 (1995) 99

Nutrient content

Variation in the nutritional value of leaf and stem fractions of nineteen leucaena lines, 70 (1998) 305

Nutrient digestibility

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Nutrient disappearance

Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

Nutrient recovery

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Nutrient requirements

Nutrition and feeding of ostriches, 59 (1996) 27

Precision in swine feeding programs: An integrated approach, 59 (1996) 137

A review of ratite nutrition, 60 (1996) 241

Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Nutrient retention; Broilers

Cereal grain starch and exogenous enzymes in poultry diets, 62 (1996) 21

Nutrient retention

Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Supplemental value of dried yeast in a high-fibre diet for broiler chicks, 62 (1996) 91

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Nutrient uniformity

Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Nutrient utilisation

The influence of extruded vs. untreated barley in the feed, with and without dietary enzyme supplement on broiler performance, 54 (1995) 21

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Nutrient

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation

- and some blood constituents in the rat, 71 (1998) 185
- Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29
- Nutrition**
- Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139
- Nutrition and management of replacement cattle, 59 (1996) 155
- Considerations in the nutritional modification of milk composition, 59 (1996) 185
- Producing milk with 2.5% fat — the biology and health implications for dairy cows, 60 (1996) 161
- Optimizing the protein nutrition of growing-finisher pigs, 60 (1996) 331
- Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257
- An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
- Review of the effect of nitrogen fertilization on the chemical composition, intake, digestion and nutritive value of fresh herbage: consequences on animal nutrition and N balance, 72 (1998) 235
- Nutritional value**
- Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323
- The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363
- Nutritive value**
- Sources of variation in nutritive values of tropical forages from the Caribbean, 51 (1995) 1
- Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45
- Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339
- The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17
- Variation in the nutritional characteristics of wheat straw, 53 (1995) 337
- Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
- The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249
- Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295
- The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
- Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247
- Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343
- A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189
- The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9
- Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
- Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
- Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
- Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183
- Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103
- Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281
- Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
- Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229
- Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183
- The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319
- Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro

gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

The effect of stage of maturity on yield and quality of maize grain and stover, 75 (1998) 157

Nutritive value—colocasia corm meal

Nutritive value of raw and processed colocasia (*Colocasia esculenta*) corm meal for poultry, 57 (1996) 335

Nutritive value—raw

Genetic variation in morphological characteristics, chemical composition and in vitro digestibility of straw from different wheat cultivars, 55 (1995) 263

Nutritive value-broiler litter

Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165

nutritive value-straw-plant juice

Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammoniation and supplementation with by-pass protein, 57 (1996) 1

Nylon bag

Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203

Chemical composition and degradability of *Bra-chystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179

Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-

adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Nylon bag technique

Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211

In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287

Degradation of tropical roughages and concentrate feeds in the rumen, 54 (1995) 81

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341

Effects of deer or cattle inoculum on estimating nutritive value of deer forages using in situ bag technique in the artificial rumen, 61 (1996) 343

O

Oak leaves

A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351

Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Oat hay

Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Oats

Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Odour

Adding Jerusalem artichoke (*Helianthus tuberosus* L.) to weanling pig diets and the effect on manure composition and characteristics, 55 (1995) 153

Oestrogen

Plasma oestrogen and the regulation of egg weight in laying hens by dietary fats, 53 (1995) 91

Offspring performance

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Oil

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Oilseed meals

Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

Oilseeds

Digestibility of cotton lint fiber and whole oilseeds by ruminal microorganisms, 56 (1995) 231

The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Old World bluestem

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Oligonucleotide probe

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Oligosaccharides

Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Omasum

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Opaque-2

In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Orange peel

Ruminal digestion kinetics of citrus peel, 68 (1997) 247

Organic matter

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Organic matter digestibility (OMD)

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipercolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Organic matter digestibility prediction

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Oryza sativa

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Ostrich

Nutrition and feeding of ostriches, 59 (1996) 27
A review of ratite nutrition, 60 (1996) 241

Ostriches

The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369

Determination of energy, protein and amino acid requirements for maintenance and growth in ostriches, 72 (1998) 283

Oxidation

Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses, 73 (1998) 195

Oxidative stability

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Oxidised oil

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Ozonated cotton stalks

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

P

Palatability

Establishing a feed value for moulded hay, 60 (1996) 301

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Palm kernel

Rumen degradation and post-ruminal digestion of palm kernel by-products in dairy cows, 51 (1995) 103

Palm kernel meal

Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167

Palm oil slurry

The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191

Pancreas

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Pancreatin

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic

and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Paraquat

Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Partially fried chips

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Particle size

Ingredient particle size and feed texture: effects on the performance of broiler chickens, 51 (1995) 203

Development and application of a selection criterion for particle size breakdown of smooth brome grass leaves, 61 (1996) 57

Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Particles

Factors affecting uniformity of a mix, 53 (1995) 211

Partitioning factor

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African

roughages in relation to ruminant liveweight gain, 69 (1997) 131

Pashmina kids

Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Passage

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Pasta

Responses of growing turkeys to the dietary inclusion of inedible pasta and unextruded and extruded biosolids from milk processing, 70 (1998) 123

Pasture

Feeding minerals to cattle on pasture, 60 (1996) 247

Comparison of *n*-alkanes and chromium oxide methods for estimating herbage intake by grazing dairy cows, 61 (1996) 155

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1

Pasture evaluation

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

Pathogenic bacteria

Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207

Pathogens

Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Pea chips

The feeding value for broiler chickens of pea chips derived from milled peas (*Pisum sativum* L.) during air classification into starch fractions, 61 (1996) 205

Pea cultivar

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Peas

Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Nutritive value of peas for nonruminant diets, 60 (1996) 209

Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Pectin

Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Pectinase

The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287

PEG

Nutritive evaluation of some browse species, 67 (1997) 181

Pellet binders

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Pellet quality

Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233

Physical quality of pelleted animal feed 1. Criteria for pellet quality, 61 (1996) 89

Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Pelleting

Water activity-moisture content relationship as a predictive indicator for control of spoilage in commercial pet diet components, 56 (1995) 187

Physical quality of pelleted animal feed 1. Criteria for pellet quality, 61 (1996) 89

Feed manufacturing technology: current issues and challenges, 62 (1996) 49

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Pellets

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Pennisetum clandestinum

Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Pentosanase

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Peppermint

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Pepsin

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Peptostreptococcus productus

Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

PER

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats

and absorption of nutrients in the small intestine, 72 (1998) 143

Perennial peanut

Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Perennial ryegrass

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Performance

An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

A review of ratite nutrition, 60 (1996) 241

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Effect of dietary protein level on performance of early-weaned double-musced calves, 71 (1998) 79

The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191

Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71

A review of the importance and physiological role of curd formation in the abomasum of young calves, 73 (1998) 85

Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Peroxidation

Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Pet food

Effects of lipids and processing conditions on lipid oxidation of extruded dry pet food during storage, 71 (1998) 283

pH

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Phenolic acids

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Phenolic compounds

Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen micro-organisms, 56 (1995) 195

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Phenolics

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Nutritive evaluation of some browse species, 67 (1997) 181

Pholiota nameko

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota name-*

ko) cultivation with in vitro rumen fermentation, 54 (1995) 227

Phosphoric acid

Relative antifungal efficacies of phosphoric acid and other compounds on fungi isolated from poultry feed, 54 (1995) 217

Phosphorus balance

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201

Phosphorus

An estimation of the minimal P requirements for growing-finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29

Digestibility of dry matter, nitrogen and minerals in biosolids, 52 (1995) 299

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Physical characteristics

Prediction of nutrient composition and in vitro dry matter digestibility from physical characteristics of forages, 55 (1995) 275

Physical quality

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Physical structure

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Phytase

Availability for growing pigs of minerals and protein of a high phytate barley-rapeseed meal

diet treated with *Aspergillus niger* phytase or soaked with whey, 56 (1995) 83

Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361

In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Phytate

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Pig - starter

Effect of β -glucanase supplementation of cereal-based diets for starter pigs on the apparent digestibilities of dry matter, crude protein and energy, 59 (1996) 223

Pig—growing

Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Pig

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butenes in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193

An estimation of the minimal P requirements for growing-finishing pigs, as influenced by the Ca level of the diet, 52 (1995) 29

Comparison of the single dose and withdrawal method for measuring the rate of passage of two digestibility markers in digesta collected from the distal ileum and feces in growing pigs, 52 (1995) 41

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257

Nutritive value for pigs of a formic acid preserved blood-mucosa product, 52 (1995) 279

Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333

Effects of hydrolyzed feather meal as a source of extra dietary nitrogen on growth performance and carcass traits of finisher pigs, 53 (1995) 1

Triticale (*Triticum secale*) as substitute for maize in pig diets, 53 (1995) 345

Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

Chemical composition, digestible protein and energy values of some alternative feedstuffs for pigs in Brazil, 55 (1995) 239

Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67

Hydrolyzed feather meal as a source of amino acids for finisher pigs, 57 (1996) 15

Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1

Optimizing the protein nutrition of growing-finishing pigs, 60 (1996) 331

Growth rate and carcass characteristics of pigs fed on diets containing palm kernel cake, 61 (1996) 167

Effects of dietary level of barley hulls and fibre type on protein and energy digestibilities of Condor hullless barley in growing swine, 61 (1996) 173

Sites of phytase activity in the gastrointestinal tract of young pigs, 61 (1996) 361

- A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189
- Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229
- Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277
- Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221
- Effect of β -glucanase supplementation on pancreatic enzyme activity and nutrient digestibility in piglets fed diets based on hulled and hullless barley varieties, 72 (1998) 329
- Piglets**
- Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313
- Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239
- The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
- Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1
- Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175
- Pigs**
- Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173
- The effect of fumaric acid and sodium fumarate supplementation to diets for weanling pigs on amino acid digestibility and volatile fatty acid concentrations in ileal digesta, 53 (1995) 243
- The nutritive value of lupin-seed and dehulled lupin-seed meals as protein sources for growing pigs as evaluated by different techniques, 53 (1995) 279
- Effects of dietary inclusion of a zeolite (clinoptilolite) on performance and protein metabolism of young growing pigs, 53 (1995) 297
- The effect of increasing inclusion of lucerne leaf meal in a barley-based diet on the partition of digestion and on nutrient utilization in pigs, 56 (1995) 11
- Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97
- Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187
- Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91
- Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293
- Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
- Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45
- Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97
- Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289
- The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115
- The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213
- An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89
- Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265
- Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1
- Effect of different dietary concentrations of spray-dried porcine plasma and a modified soyprotein product on the growth performance of piglets weaned at 6 kg body weight, 72 (1998) 71
- Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1

Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 211

Pigs grower

Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Pigs weaner

Naked oats (*Avena nuda*) as a substitute for maize in diets for weanling and grower-finisher pigs, 57 (1996) 139

Pilot scale

Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Pipecolic acid

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Piromyces

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Pisum sativum

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Effect of particle size and enzyme supplementation of diets based on dehulled peas on the nutritive value for broiler chickens, 74 (1998) 229

Plane of nutrition

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Plant environment

Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37

Plant materials

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Plantain foliage meal

Digestion of a diet very high in fibre in Cuban Creole pigs, 72 (1998) 397

Plants

Laser-induced fluorescence (LIF) spectra of herbaceous and woody pre- and post-digested plant material, 70 (1998) 315

Plasma characteristics

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Plasma nutrients

Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Plasma urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Pollen substitute

Black gram as a pollen substitute for honey bees, 54 (1995) 367

Pollution

Animal production and European pollution problems, 53 (1995) 135

Polyethylene glycol (PEG)

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Polyphenolics

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Polysaccharides

The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Poultry

Digestible amino acids for non-ruminant animals: theory and recent challenges, 53 (1995) 173

In vitro stability of a β -glucanase preparation from *Trichoderma longibrachiatum* and its effect in a barley based diet fed to broiler chicks, 54 (1995) 149

Digestible amino acids for poultry and swine, 59 (1996) 147

Nutritive value of peas for nonruminant diets, 60 (1996) 209

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Poultry chicken

Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

Poultry droppings

Evaluation of rice straw - poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

Poultry feeding

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Poultry litter

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347

Assessment of the nutritive value for ruminants of poultry litter, 73 (1998) 29

Poultry mash

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Poultry meat

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Poultry offal

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Praseodymium

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Pre-ensiling physical constitution

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Prediction

Comparison between pigs and poultry in the prediction of the dietary energy value of fats, 71 (1998) 1

Characterization of forages by differential scanning calorimetry and prediction of their chemical composition and nutritive value, 71 (1998) 309

Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Prediction equations

Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Prediction of dry matter intake

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibil-

ity/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Prediction of liveweight gain

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Prepartum nutrition

Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13

Preruminant calf

Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Preservation

Preservation of brewers yeast slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Proanthocyanidins

Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Utilisation of *Leucaena diversifolia*, *Leucaena esculenta*, *Leucaena pallida* and *Calliandra calothyrsus* as nitrogen supplements for growing goats fed maize stover, 74 (1998) 15

Probiotic yeast

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Probiotic

Performance of Single Comb White Leghorn fed a diet supplemented with a live microbial during the growth and egg laying phases, 57 (1996) 25

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal micro-

flora and volatile fatty acids in broilers, 70 (1998) 197

Processing

Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337

Production

Diet, production and reproduction in dairy cows, 59 (1996) 173

Propionic acid

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Propylene glycol

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Protease

Study of the use of a protease with the van Soest procedure, 61 (1996) 129

Effects of protease inhibitors on degradation of H₃[¹⁴C]-casein by ruminal microorganisms, 64 (1997) 113

Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177

Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1

Protection

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Proteins

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Wet barley distillers solids as a protein source for growing pigs, 51 (1995) 193

- Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63
- Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177
- Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221
- The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9
- Studies on the application of an undegradable protein system to high yielding dairy cattle in Taiwan, 54 (1995) 93
- Studies on the protein degradabilities of feedstuffs in Taiwan, 55 (1995) 215
- The effect of temperature during processing of rape seed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213
- Nutritional management of the pregnant dairy cow to optimize health, lactation and reproductive performance, 59 (1996) 13
- Quality-related characteristics of forages as influenced by plant environment and agronomic factors, 59 (1996) 37
- The nutritive value and forage productivity of *Leucaena leucocephala*, 60 (1996) 29
- Need for escape protein by grazing cattle, 60 (1996) 191
- Distillers grains as an energy source and effect of drying on protein availability, 60 (1996) 201
- Optimizing the protein nutrition of growing-finisher pigs, 60 (1996) 331
- Nutrient retention and production parameters of Single Comb White Leghorn layers fed diets with varying crude protein levels and supplemented with direct-fed microbials, 61 (1996) 17
- The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27
- Effective rumen degradability and intestinal digestibility of individual amino acids in different concentrates determined in situ, 62 (1996) 179
- Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257
- Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
- Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311
- The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15
- Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
- The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265
- Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
- Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59
- In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165
- Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1
- Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides, 73 (1998) 1
- A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory, 73 (1998) 21
- Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231
- Effects of feeding dried grass pasture and a grain ration differing in rumen undegradable protein at two feeding frequencies on nutrient digestibility and microbial protein synthesis during continuous culture, 74 (1998) 1
- Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289
- Protein (poultry)**
- Evaluation of compulsory declaration of crude protein in feed mixtures for poultry, 70 (1998) 191
- Protein degradability**
- Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203
- Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175

Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique, 73 (1998) 71

Protein degradation

In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15

Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71

Variation in menhaden fish meal characteristics and their effects on ruminal protein degradation as assessed by various techniques, 60 (1996) 13

Protein denaturation

Effect of hot aqueous ethanol treatment on anti-nutritional factors, protein denaturation and functional properties in raw pea and pea protein isolate, 56 (1995) 159

Protein digestibility

Proanthocyanidins (condensed tannins) and the use of leaves from *Sesbania sesban* and *Sesbania goetzei* as protein supplements, 54 (1995) 175

Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Expansion and pelleting of starter, grower and finisher diets for pigs: effects on nitrogen retention, ileal and total tract digestibility of protein, phosphorus and calcium and in vitro protein quality, 72 (1998) 303

Protein digestion

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Protein level

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11

Effect of dietary protein level on performance of early-weaned double-muscle calves, 71 (1998) 79

Protein meals

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry drop-

pings-rice bran diet in buffaloes, 63 (1996) 229

Protein quality

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

Protein source

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Protein supplement

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Protein supplementation

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Protein utilization

The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

Digestibility and utilisation of diets composed of wet distillers' solids or soyabean meal and supplemented with liquid lysine product for growing pigs, 57 (1996) 267

Lupins (*L. luteus*, *L. albus*, *L. angustifolius*) as a protein source for young pigs, 62 (1996) 239

Protein value

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Protein—swine

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Protein-rich supplements

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Proteinous by-product

Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

proteins and amino acids

Prediction of the apparent ileal digestibility of protein and amino acids in feedstuffs and feed mixtures for pigs by in vitro analyses, 51 (1995) 29

Proteins general

Seasonal variation in protein, mineral and glucosinolate composition of Portuguese cabbages and kale, 57 (1996) 111

Proteins—degradation

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Use of enzymatic solubility with ficin (EC 3.4.22.3) to predict in situ feed protein degradability, 59 (1996) 245

Proteins—ruminants

Relationship between analysed and theoretical content of crude protein in standardized formulated feed mixtures for ruminants, 56 (1995) 277

Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

Proteolysis

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175

Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumen simulation technique (RUSITEC), 74 (1998) 143

Protozoa

Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237

Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345

Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Provenance

Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

Proximate analyses

The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Purine derivatives

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Microbial protein synthesis in growing-finishing bulls estimated from the urinary excretion of purine derivatives, 75 (1998) 93

Purines

Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251

Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

Q

Quail

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Quality

The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

Emerging feed mill technology: keeping competitive, 53 (1995) 157

Quality control

Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

Quebracho tannins

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Quercus semecarpifolia

Nutritive value of oak (*Quercus semecarpifolia*) leaves in pashmina kids, 72 (1998) 183

Quinoa germ

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Quinoa grain

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

R

Rabbit

Influence of dietary beet pulp on caecal VFA, experimental colibacillosis and iota-enterotoxaemia in rabbits, 51 (1995) 123

Use of the legume tree crops *Gliricidia sepium* and *Leucaena leucocephala* as green feeds for growing rabbits, 51 (1995) 153

Effect of diet composition on the production of rabbit breeding does housed in a traditional building and at 30°C, 52 (1995) 289

Prediction of the nutritive value of lucerne hay in diets for growing rabbits, 54 (1995) 33

Effect of fibre level reduction and gluco-oligosaccharide addition on the growth performance and caecal fermentation in the growing rabbit, 56 (1995) 253

Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51

Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Rabbits

Methods of energy evaluation of feed ingredients for rabbits and their accuracy, 57 (1996) 211

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Lower lipid oxidation in the muscle of rabbits fed diets containing oats, 70 (1998) 1

Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Prediction of the digestible crude protein and protein digestibility of feed ingredients for rabbits from chemical analysis, 70 (1998) 211

Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3 hydroxy 4(1H)-pyridone in growing rabbits, 74 (1998) 45

Radiation treatment

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Raffinose oligosaccharides

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Rapeseed

The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17

The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Rapeseed meal

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-butenes in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Toxic moieties in ruminal and duodenal digesta and in milk, and hepatic integrity in cattle given diets based on rapeseed meals of different glucosinolate contents either untreated or treated with heat or formaldehyde, 52 (1995) 51

The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17

Intestinal nitrogen digestibility of heat-moisture treated rapeseed meals as assessed by the mobile-bag method in cows, 55 (1995) 139

Extrusion processing of rapeseed meal for reducing glucosinolates, 56 (1995) 1

Rapeseed meal upgrading—pilot scale preparation of rapeseed meal materials with high or low glucosinolate contents, 56 (1995) 99

Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

The effect of temperature during processing of rapeseed meal on amino acid degradation in the rumen and digestion in the intestine, 58 (1996) 213

Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1

In vitro hydrolysis of phytate in canola meal with purified and crude sources of phytase, 72 (1998) 315

Rapeseed press cake

Apparent digestibility of high-fat rapeseed press cake in growing pigs and effects on feed intake, growth and weight of thyroid and liver, 62 (1996) 97

Rat

The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205

Crambe meal: digestibility in pigs and rats in comparison with rapeseed meal, 52 (1995) 257

Composition and nutritive value of sewage-grown duckweed (*Lemna minor* L.) for rats, 52 (1995) 339

The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17

Effect of treatment temperature on dietary quality of ammonia fiber explosion (AFEX) treated casein for rats, 53 (1995) 267

The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Nutritive value for rats of unextracted and defatted green fractions of leaf protein concentrate from red clover, 56 (1995) 169

A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hullless barley cultivars, 62 (1996) 189

Nutrient digestibility and protein quality of oats differing in chemical composition evaluated in rats and by an in vitro technique, 62 (1996) 203

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

The effect of processing of *Chlorella vulgaris*: K-5 on in vitro and in vivo digestibility in rats, 70 (1998) 363

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Rat intestinal absorption

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

Rate of passage

Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Raw full-fat soybean

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Reaction period

Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

Rearing calves

Effect of dietary protein level on performance of early-weaned double-muscled calves, 71 (1998) 79

Recycled urea

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Red Sokoto goats

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Redgram

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Reductive acetogenesis

Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits, 73 (1998) 353

Release of nutrients

Effect of particle size of corn grains on the release of nutrients and in sacco degradability, 72 (1998) 11

Reproduction

Diet, production and reproduction in dairy cows, 59 (1996) 173

Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Vitamin E supplementation for the ruminant, 60 (1996) 273

Requirements

Use of the digestible amino acid concept in formulating diets for poultry, 53 (1995) 189

Response surface analysis

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Review

Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295

Rhea

A review of ratite nutrition, 60 (1996) 241

Rhodes grass

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Rice bran

Evaluation of rice straw - poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Rice polishings

The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Rice

Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45

Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45

Rice straw

- Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131
- Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45
- Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure, 55 (1995) 179
- A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183
- Evaluation of rice straw - poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227
- Colonization of rice straw by white-rot fungi (*Cyathus stercoreus*): Effect on ruminal fermentation pattern, nitrogen metabolism, and fiber utilization during continuous culture, 61 (1996) 1
- The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229
- Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165
- The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305
- Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243
- Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347
- Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Roasting

- Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329
- Detoxification of the jackbean (*Canavalia ensiformis* L.) with pilot scale roasting I. Technological conditions and analytical data, 73 (1998) 217

- Detoxification of jackbean (*Canavalia ensiformis* L.) with pilot scale roasting. II: Nutritional value for poultry, 73 (1998) 231

Roosters

- The additivity of TME_n values of various ingredients in a complete diet for ostriches and adult roosters, 71 (1998) 369

Roughage to concentrate ratio

- The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Roughages

- In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205

Roxarsone

- Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and residue in eggs and excreta of laying hens, 73 (1998) 161

Rumen bacteria

- Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
- Use of ratio of digested xylan to digested cellulose (X/C) as an index of fiber digestion in plant cell-wall material by ruminal microorganisms, 71 (1998) 207

Rumen bypass

- Amino acid metabolism in ruminants, 59 (1996) 167

Rumen contents

- Effect of deep stacking and ensiling broiler litter on chemical composition and pathogenic organisms, 74 (1998) 155

Rumen degradability

- Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115
- Nitrogen fractions and in sacco dry matter and crude protein degradability of fresh and frozen alfalfa, 71 (1998) 351
- Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

Rumen degradability and intestinal digestibility of brewers' grains as affected by origin and heat treatment and of barley rootlets, 74 (1998) 107

Rumen degradation

Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern, 51 (1995) 65

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Rumen degradability of crude protein of dried grass and lucerne forage measured by in sacco incubation and predicted by near infrared spectroscopy, 54 (1995) 203

Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Microbial degradation of the apical internode of Co125 and W401 maize in the rumen, 58 (1996) 165

Nutritive value of postharvest bean by-products (*Phaseolus vulgaris* L.) for ruminants, 62 (1996) 271

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Chemical composition, rumen degradation, and gas production characteristics of some multi-purpose fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205

Rumen DM degradation

Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Rumen enzymology

Comparison of in sacco and in vitro techniques for estimating the rate and extent of rumen fermentation of a range of dietary ingredients, 51 (1995) 211

Enrichment of proteolytic activity relative to nitrogen in preparations from the rumen for in vitro studies, 52 (1995) 1

In vitro protein degradation of feeds using concentrated enzymes extracted from rumen contents, 52 (1995) 15

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

Maillard reaction products as a substrate in in vitro rumen fermentation, 55 (1995) 201

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Effects of the nature of roughage and concentrate and their proportion on ruminal characteristics of non lactating goats, consequences on digestive interactions, 58 (1996) 267

The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism, 61 (1996) 235

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

Rumen fermentation

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81

Comparison of microbial fermentation in the rumen of dairy cows and dual flow continuous culture, 55 (1995) 47

Effect of feeding yeast culture (Yea-sacc¹⁰²⁶) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247

Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

The effect of nitrogen source and concentration on in vitro gas production using rumen microorganisms, 71 (1998) 131

In vitro gas measuring techniques for assessment of nutritional quality of feeds: a review, 72 (1998) 261

Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Rumen fungi

Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109

Rumen in-vitro studies

Assessment of rumen in vitro incubation (gas production) technique and chemical analyses by detergent system to predict metabolisable energy content in mixed diets of lactating cows, 74 (1998) 169

Rumen incubation

Effect of ruminal exposure and subsequent microbial contamination on dry matter and protein degradability of various feedstuffs, 71 (1998) 99

Rumen inoculum studies

Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analyses and rumen inoculum studies in vitro, 52 (1995) 177

Rumen manipulation

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Rumen metabolism

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Rumen microbial ecology

Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo, 73 (1998) 291

Rumen microbiology

Performance of growing Murrah buffalo calves as affected by treatment with Manoxol and the presence of ciliate protozoa in the rumen, 51 (1995) 281

Postprandial variations in endogenous metabolic activities of ovine rumen ciliate protozoa, 52 (1995) 237

Comparative study on the rumen ciliate populations in small experimental herds of water buffalo and Kedah Kelantan cattle in Malaysia, 52 (1995) 345

Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Rumen microorganism

Effects of protease inhibitors on degradation of $H_3[^{14}C]$ -casein by ruminal microorganisms, 64 (1997) 113

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Quantification and chemical composition of mixed bacteria harvested from solid fractions of rumen digesta: effect of detachment procedure, 71 (1998) 269

Effects of paraquat on rumen microbial function in vitro, 72 (1998) 367

Rumen model

Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37

Rumen pH

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Rumen protected amino acids

Rumen protected amino acids for dairy cattle: what is the future?, 59 (1996) 81

Amino acid metabolism in ruminants, 59 (1996) 167

Rumen-degradable protein

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Rumen

Prediction of feed protein degradation in the rumen with bromelain, 53 (1995) 71

Effect of dehydrated alfalfa on ruminal characteristics and amino acids flow through lambs' duodenum, 54 (1995) 125

Validation of in sacco method: influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms, 57 (1996) 203

Microbial strategies in the ruminal digestion of cereal grains, 62 (1996) 29

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 65

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11

Validation of in situ nitrogen degradation measurements: comparative proteolytic activity of solid-adherent microorganisms isolated from rumen content and nylon bags containing various feeds, 70 (1998) 41

Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species, 70 (1998) 161

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225

Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

In situ degradation of feed purines, 71 (1998) 67

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta passage from the reticulo-rumen of steers, 71 (1998) 325

Effects of intake of a mixed diet and time postfeeding on amount and fibre composition of ruminal and faecal particles and on digesta

passage from the reticulo-rumen of steers, 71 (1998) 327

Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen, 73 (1998) 99

Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Ruminal availability

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Ruminal characteristics

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Ruminal degradability

Improvement of the *Streptomyces griseus* method for degradable protein in ruminant feeds, 72 (1998) 1

Nutritive value of banana (*Musa acuminata* L.) fruits for ruminants, 73 (1998) 187

Ruminal degradation kinetics

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Ruminal degradation

Relationship between forage quality and dairy cattle production, 59 (1996) 51

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Ruminal digestion

Effect of feed hydration on the dynamics of in situ ruminal digestion, 72 (1998) 295

Ruminal fermentation

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Ruminal fluid

In vitro starch disappearance procedure modifications, 55 (1995) 35

Ruminal hydrogenation

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Ruminal turnover

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Ruminal undegradable protein

Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241

Ruminant nutrition

The effect of nitrogen source and concentration on in vitro gas production using rumen microorganisms, 71 (1998) 131

Ruminant production

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Ruminant

Factors affecting the feeding quality of barley for ruminants, 62 (1996) 37

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Ruminants

The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake, 55 (1995) 9

Review of the main methods of cell wall estimation: interest and limits for ruminants, 55 (1995) 295

Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants, 56 (1995) 243

- Intestinal digestibility of rumen undegraded N of concentrates measured by the mobile nylon bag technique, 61 (1996) 305
- Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77
- The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
- A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179
- Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273
- The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
- The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247
- The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
- Dietary factors affecting entero-hepatic function of ruminants in the tropics, 69 (1997) 79
- Mycotoxins, 69 (1997) 155
- Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143
- Chemical composition, organic matter digestibility and gas production of nine legume grains, 70 (1998) 49
- Comparison of protein digestibility of rumen undegraded protein estimated by an enzymatic and mobile bag method: feeds for ruminants and anaerobic fungus, 71 (1998) 109
- Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251
- Use of near infrared reflectance spectroscopy (NIRS) for the prediction of the chemical composition and nutritional attributes of green crop cereals, 75 (1998) 15
- Genetic variation in the nutritive value of *Gliricidia sepium* 1. Acceptability, intake, digestibility and live weight gain in small ruminants, 75 (1998) 111

RUSITEC

- Potential of various fatty feeds to reduce methane release from rumen fermentation in vitro (Rusitec), 71 (1998) 117

- Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumen simulation technique (RUSITEC), 74 (1998) 143

Rye

- Mechanism of action and potential environmental benefits from the use of feed enzymes, 53 (1995) 145
- Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321
- Mode of degradation of non-starch polysaccharides by feed enzyme preparations, 68 (1997) 361

S

S. enterica

- A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Saccharomyces cerevisiae

- The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141
- The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1
- Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
- Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refaunated sheep, 75 (1998) 1

Salicornia meal

- Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Salicornia

- Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Salmonella

- A pilot survey of *Salmonella enterica* contamination of cattle feeds in the Pacific northwestern USA, 75 (1998) 75

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Salseed meal

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Salt

Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233

Sample preservation

Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Sampling

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Santoquin

Feeding of oxidized fats to broilers and swine: effects on enterocyte turnover, hepatocyte proliferation and the gut associated lymphoid tissue, 62 (1996) 1

Saponins

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Seal meal

Evaluation of a seal by-product meal as a feedstuff for dairy cows, 63 (1996) 51

Seasons

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the in vitro cumulative gas production technique, 57 (1996) 183

Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

In vitro gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and the season of growth, 72 (1998) 19

Chemical composition, rumen degradation, and gas production characteristics of some multipurpose

fodder trees and shrubs during wet and dry seasons in the humid tropics, 72 (1998) 81

Studies on untreated and urea-treated rice straw from three cultivation seasons 1. Physical and chemical measurements in straw and straw fractions, 73 (1998) 243

Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Secondary plant compounds

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Seed size

The influence of seed size and hull content on the composition and digestibility of rapeseeds in rats, 54 (1995) 9

Seeds

Questions and answers to edibility problem of the *Canavalia ensiformis* seeds - A review, 74 (1998) 95

Crack and cook A simple and quick process for elimination of concanavalin A (Con A) from *Canavaliaseeds*, 74 (1998) 179

Selection of sorghum cultivars

Evaluating variation in feed attributes of elite grain sorghum cultivars, 72 (1998) 189

Selective feeding

Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79

Selenium

Trace mineral requirements of grazing cattle, 59 (1996) 61

Vitamin E supplementation for the ruminant, 60 (1996) 273

Sepiolite

Effect of sepiolite on pellet durability in feeds differing in fat and fibre content, 53 (1995) 233

Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Sesame

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Sesbania sesban

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Sesbania

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Sesbania and lablab supplementation of oat hay basal diet fed to sheep with or without maize grain, 61 (1996) 275

Sesbania sp.

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Setaria anceps

Nutritional risk factors in *Setaria anceps* for milk fever incidence in dairy herds of the humid tropics, 71 (1998) 295

Sheanut cake

Value of sheanut cake as a dietary ingredient for broiler chickens, 72 (1998) 133

Shear forces

The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Shear strength

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Shearing force

A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Shearing technique

A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Sheep feeding

Evaluation of promissory tree species for sheep feeding in the highlands of Chiapas, Mexico, 73 (1998) 59

Sheep—lamb

Relative bioavailability of copper in a copper-lysine complex or copper sulfate for ruminants as affected by feeding regimen, 57 (1996) 281

Sheep

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

The performance of Djallonke sheep fed on diets containing various proportions of cocoa pod husk and 5% NaOH-treated maize cobs, 51 (1995) 269

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Effects of ammonia bicarbonate treatment on kinetics of fiber digestion, nutrient digestibility and nitrogen utilization of rice straw by sheep, 52 (1995) 131

Potential of crop residues and agricultural by-products for feeding sheep in a Gambian village, 52 (1995) 313

Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Degradability of frozen and ensiled alfalfa proteins by sheep and assessment of duodenal digesta protein, 53 (1995) 221

Malt distillers grains as a component of diets for ewes and lambs and its effects on carcass tissue lipid composition, 54 (1995) 65

Liquid supplementation for ruminants fed low-quality forage diets: a review, 55 (1995) 105

Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207

Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51

Nutritive value of deep stacked and ensiled broiler litter for sheep, 57 (1996) 165

The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

- Digestibility and ruminal digestion of non-nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259
- Lasting effects of monensin on rumen and caecal fermentation in sheep fed a high grain diet, 62 (1996) 215
- Contribution of dietary purine bases to duodenal digesta in sheep. In situ studies of purine degradability corrected for microbial contamination, 62 (1996) 251
- Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123
- Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333
- Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243
- The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113
- Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151
- Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183
- Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
- Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223
- Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237
- Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271
- Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287
- Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101
- The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17
- Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233
- Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97
- Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
- In sacco degradation characteristics as predictors of digestibility and voluntary intake of roughages by mature ewes, 72 (1998) 205
- Effect of feeding graded levels of *Leucaena leucocephala*, *Leucaena pallida*, *Sesbania sesban* and *Chamaecytisus palmensis* supplements to teff straw given to Ethiopian highland sheep, 72 (1998) 355
- Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63
- Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315
- Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337
- Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65
- Shell thickness**
- Effect of varying manganese and available phosphorus levels in the diet on egg production and eggshell quality of layers, 71 (1998) 303
- Shrimp**
- Preservation of crab or shrimp waste as silage for cattle, 59 (1996) 233
- Shrimp silage**
- Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241
- Shrimp waste**
- Ensiling salt-preserved shrimp waste with grass straw and molasses, 71 (1998) 241
- Shrublands**
- Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163
- Shrubs**
- Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

- Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85
- Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213
- Silage**
- Studies of quality parameters of variety ensiled broiler litter, 52 (1995) 271
- The effect of cellulase and hemicellulase plus pectinase on the aerobic stability and fibre analysis of peas and wheat silages, 55 (1995) 287
- The effects of either dietary additions or intraruminal infusion of amines and juice extracted from grass silage on the voluntary intake of steers offered grass silage, 56 (1995) 119
- Effect of maturity stage and method of preservation on the yield and quality of forage sorghum, 57 (1996) 63
- A comparison of oak browse (*Quercus* spp.) and silages of rye and maize with respect to voluntary intake, digestibility, nitrogen balance and rumination time in penned Korean sika deer, 61 (1996) 351
- The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
- The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111
- The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15
- Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307
- Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153
- Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241
- Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263
- Nutritional evaluation of cattle manure silage with molasses for ruminants, 70 (1998) 257
- Proteolysis and rumen degradability of protein in alfalfa preserved as silage, wilted silage or hay, 72 (1998) 175
- Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347
- Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles., 73 (1998) 37
- Silage additive**
- Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311
- A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129
- Silage dry matter**
- Electrometric titration as a method of predicting the chemical composition and corrected dry matter concentration of silage, 56 (1995) 217
- A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67
- Silage—animal waste**
- Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325
- Silage—corn**
- Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291
- Silage—general**
- A method for obtaining and storing uniform silage for feeding experiments, 57 (1996) 87
- Silage—grass**
- Degradability characteristics of dry matter and crude protein of forages in ruminants, 57 (1996) 291
- Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103
- Silage—sudax fodder**
- Effect of ensiling sudax fodder with broiler litter and *Candida* yeast on the changes in different fiber fractions, 57 (1996) 325
- Silage-ryegrass straw:corn juice**
- Evaluation of annual ryegrass straw:corn juice silage with cattle and water buffalo: digestibility

in cattle vs. buffalo, and growth performance and subsequent lactational performance of Holstein heifers, 57 (1996) 195

silage-straw:corn juice

Evaluation of grass straw:corn juice silage as a ruminant feedstuff: digestibility, straw ammonia-tion and supplementation with by-pass protein, 57 (1996) 1

Simulation model

Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259

Siratro

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Slaughterhouse offal

Different combinations of formic, propionic and benzoic acids in slaughter offal preservation for feeding to fur animals, 71 (1998) 197

Small intestinal AA availability

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Snail meal

The nutritive value of some indigenous Asian poultry feed ingredients, 55 (1995) 227

Sodium hydrogen treatment

The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Sodium hydroxide

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Solubility

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Soluble fiber

Characteristics of neutral detergent-soluble fiber fermentation by mixed ruminal microbes, 70 (1998) 23

Sorghum

Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Nutritional quality and digestibility of sorghum-broiler litter silages, 75 (1998) 65

Sorghum alnum

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Sorghum proportion

Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Sorghum rootlets

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Southern Mexico

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

sow

Influence of fibrous feed ingredients on voluntary intake of dry sows, 54 (1995) 301

Soy protein

The use of low alpha-galactoside protein products as a protein source in chicken diets, 54 (1995) 275

Soya bean

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239

Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313

Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229

Soya-bean meal

Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333

Effect of heat or formaldehyde treatment on the rumen degradability and intestinal tract apparent digestibility of protein in soya-bean meal and in rapeseed meals of different glucosinolate content, 57 (1996) 257

Replacing soya bean meal with heat-treated, low-glucosinolate rapeseed meal does not affect the performance of growing-finishing pigs, 60 (1996) 1

Fermentation of soya-bean meal with *Aspergillus usami* improves phosphorus availability in chicks, 60 (1996) 131

Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soya-bean meal, 70 (1998) 175

Soyabean oil

Determination of apparent and true dietary fatty acid digestibilities and metabolisable energy using ileal digesta and excreta from broiler chickens, 62 (1996) 131

Soybean meal

The effect of shear forces and addition of a mixture of a protease and a hemicellulase on chemical, physical and physiological parameters during extrusion of soybean meal, 56 (1995) 21

Variation in feed ingredient quality: oilseed meals, 59 (1996) 129

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177

Soybean trypsin inhibitors

Effect of protease treatment of soybean meal on content of total soluble matter and crude protein and level of soybean trypsin inhibitors, 71 (1998) 177

Soybean

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Species

Studies on in situ degradation of feeds in the rumen:
1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Spectrophotometry

Catalytic determination of cobalt by flow injection spectrophotometry application in animal faeces analysis using hydrochloric acid as extracting medium, 74 (1998) 79

Splanchnic fluxes

Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Spontaneous heating

The effects of moisture concentration and type on quality characteristics of alfalfa hay baled under two density regimes in a model system, 72 (1998) 53

SR

Effect of replacing dried brewer's grain with 'sorghum rootlets' on growth, nutrient utilisation and some blood constituents in the rat, 71 (1998) 185

Stack

Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Stalk quality

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Starch digestion

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids, 73 (1998) 151

Ruminal fermentation and in situ starch digestion with high moisture corn, dry rolled grain sorghum or a mixture of these grains, 74 (1998) 329

Starch-ethanol process

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201

Effect of microbial phytase on digestibility and utilisation of phosphorus and protein in pigs fed wet barley protein with fibre, 72 (1998) 221

Starch

In sacco disappearance of starch nitrogen and fat in processed grains, 51 (1995) 287

Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Influence of the nature of forage and concentrate on the digestive interactions measured in sacco and in vivo, 54 (1995) 341

In vitro starch disappearance procedure modifications, 55 (1995) 35

Influence of niacin on in vitro ruminal fermentation and microbial synthesis depending on dietary factors, 58 (1996) 187

Replacement of starch by digestible fibre in the feed for the growing rabbit. 1. Consequences for digestibility and rate of passage, 61 (1996) 183

Replacement of starch by digestible fibre in feed for the growing rabbit. 2. Consequences for microbial activity in the caecum and on incidence of digestive disorders, 61 (1996) 193

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Physical quality of pelleted animal feed 3. Contribution of feedstuff components, 70 (1998) 59

Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

In situ dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds, 71 (1998) 165

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Stargrass

Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

Starter diets

Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333

Status

Vitamin E supplementation for the ruminant, 60 (1996) 273

Steers

Effects of different processing procedures for rice bran on dietary nutrient digestion in each segment of the digestive tract of steers, 59 (1996) 265

Escape protein supplementation of growing steers grazing stargrass, 70 (1998) 249

A study on feeding ammoniated and processed barley to feedlot steers, 74 (1998) 135

Stem diameter

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Stem strength

Evaluation of stem strength of alfalfa (*Medicago sativa* L.) genotypes, 54 (1995) 267

Steroidal saponins

Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumen simulation technique (RUSITEC), 74 (1998) 143

Stocking density

Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher-managed and farmer-managed stylo fodder banks during the cropping season in Central Nigeria, 51 (1995) 317

Stomach digestion

Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327

Storage

Effects of various processes of fractionation, grinding and storage of peas on the digestibility of pea starch in chickens, 71 (1998) 19

Storage stability

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Straw degradation

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: The level of supplemental fishmeal, 70 (1998) 11

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets III: The amount of supplemental energy, 70 (1998) 225

Straw-cereal

Use of NIRS to estimate the improvement in digestibility after ammonia treatment of cereal straws, 57 (1996) 149

Straw

Feeding urea ammonia treated rice straw in the tropics. II. Assumptions on nutritive value and their validity for least cost ration formulation, 51 (1995) 45

The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165

Variation in the nutritional characteristics of wheat straw, 53 (1995) 337

Factors contributing to varietal differences in the nutritive value of rice straw, 54 (1995) 45

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Differences in the nutritive value of two rice straw varieties as influenced by season and location, 61 (1996) 247

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Struthio camelus

Nutrition and feeding of ostriches, 59 (1996) 27

Suaeda

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Subterranean clover

Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

Sudax fodder

Chemical changes during ensiling of sudax fodder with broiler litter, 72 (1998) 347

Sugar cane molasses

Ileal and total tract digestibility of leucaena meal (*Leucaena leucocephala* Lam. de Wit) in growing pigs, 70 (1998) 265

Sugar cane

Substitution of sugar cane with steam-treated eucalyptus (*Eucalyptus grandis*): effects on intake and growth rate of dairy heifers, 52 (1995) 93

Sugarbeet Pulp

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Sugarbeet

Fermentation pattern and changes in cell wall constituents of straw-forage silages, straws and partners during storage, 61 (1996) 137

Sugarcane molasses

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Sulphur

Canola meal and acid-base balance, 53 (1995) 109

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Sun-dried cassava peel

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Sunflower hulls

Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Sunflower meal

Effects of inclusion of full-fat sunflower kernels and hulls in diets for growing broiler chickens, 70 (1998) 137

Sunflower oilcake

Chemical and protein quality parameters of heat processed sunflower oilcake for dairy cattle, 58 (1996) 249

Sunflower seed

Studies on the nutritive value of full-fat sunflower seed in broiler chick diets, 71 (1998) 341

Sunflower

The feeding value of Kenyan sorghum, sunflower seed cake and sesame seed cake for broilers and layers, 61 (1996) 41

Supernatant

Effect of the addition of *Peptostreptococcus productus* ATCC 35244 on reductive acetogenesis in the ruminal ecosystem after inhibition of methanogenesis by cell-free supernatant of *Lactobacillus plantarum* 80, 71 (1998) 49

Supplement diet

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Supplement feeding

Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep, 51 (1995) 73

Ozonated cotton stalks as a silage additive: digestion of total and cell wall monosaccharide constituents of lucerne based dairy cows rations, 51 (1995) 91

Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231

Evaluation of raw and roasted lupin seeds as protein supplements for lactating cows, 52 (1995) 63

Lupin (*Lupinus angustifolius*), cowpea (*Vigna unguiculata*) and navy bean (*Phaseolus vulgaris*) seeds as supplements for sheep fed low quality roughage, 53 (1995) 55

Evaluation of the ruminal effects of supplemental fat in lucerne hay and maize silage rations using rumen evacuation and ruminal metabolite concentrations, 53 (1995) 305

Effects of supplementary concentrate composition on milk yield, milk composition and pasture utilization of rotationally grazed dairy cows, 56 (1995) 143

Effects of ardacin supplementation on rumen fermentation and protein degradability in steers, 57 (1996) 97

Supplement source

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Supplementation

Evaluation of rice straw – poultry droppings based rations supplemented with graded levels of rice bran in fistulated buffaloes, 58 (1996) 227

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of

cows fed fibre-rich diets III. The amount of supplemental energy, 70 (1998) 225

The effect of nitrogen source and concentration on in vitro gas production using rumen micro-organisms, 71 (1998) 131

Supplements

Supplementation of zero-grazed dairy cows with molassed sugar beet pulp, maize or a cereal-rich concentrate, 54 (1995) 237

Variability in individual animal's intake of minerals offered free-choice to grazing ruminants, 62 (1996) 69

Supply pattern

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Survival

Survivability of indigenous microflora and a *Salmonella typhimurium* marker strain in poultry mash treated with buffered propionic acid, 75 (1998) 145

Sweet lupin seed meal and fractions

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Sweet potato performance

Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Swine

Precision in swine feeding programs: An integrated approach, 59 (1996) 137

Digestible amino acids for poultry and swine, 59 (1996) 147

Nutritive value of peas for nonruminant diets, 60 (1996) 209

Near infrared reflectance spectroscopy to predict energy value of compound feeds for swine and ruminants, 62 (1996) 77

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Effect of micronization of full-fat canola seed on performance and carcass characteristics of growing-finishing pigs, 71 (1998) 89

T

Tagasaste

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Tallow

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Tannery fleshings

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Tannins

Some problems in fiber determination of a tannin-rich forage (*Acacia saligna* leaves) and their implications in in vivo studies, 55 (1995) 67

Non-starch polysaccharide composition and in vitro fermentability of tropical forage legumes varying in phenolic content, 55 (1995) 161

Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe, 55 (1995) 207

Effect of sorghum on performance, digestibility of dietary components and activities of pancreatic and intestinal enzymes in the weaned piglet, 56 (1995) 67

Intake and digestibility for sheep and goats consuming supplementary *Acacia brevispica* and *Sesbania sesban*, 56 (1995) 207

Feeding value of tree leaves (hybrid poplar and black locust) evaluated with sheep, goats and rabbits, 57 (1996) 51

The effect of substituting Kenyan Serena sorghum for maize in broiler starter diets with different dietary crude protein and methionine levels, 61 (1996) 27

Digestibility and ruminal digestion of non-nitrogenous compounds in adult sheep and goats: Effects of chestnut tannins, 61 (1996) 259

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, picecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Evaluation of Magadi soda-treated sorghum grain for young broilers, 70 (1998) 295

Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models, 71 (1998) 251

Tanzania

Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tapioca

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Tayassu peccari

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Tayassu tajacu

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

TBARS

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Techniques—in vitro

Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103

Techniques—near-infrared analysis

Prediction of the feeding value of grass silages by chemical parameters, in vitro digestibility and near-infrared reflectance spectroscopy, 60 (1996) 103

Techniques

Effects of roasting of lupins (*Lupinus albus*) and high protein variety of soybeans (*AC Proteus*) on chemical composition and in situ dry matter and nitrogen disappearance in dairy cows, 51 (1995) 329

Prediction of the in vitro gas production and chemical composition of kikuyu grass by near-infrared reflectance spectroscopy, 60 (1996) 51

Influence of rumen fluid and substrate concentration on fermentation kinetics measured with a fully automated time related gas production apparatus, 61 (1996) 113

Study of the use of a protease with the van Soest procedure, 61 (1996) 129

Influence of chemical, enzymatic and phytogetic ensiling preparations on digestibility, degradability and PDI and NEL content of lucerne and red clover, 61 (1996) 325

A comparison of methods for measuring the nutritive value for pigs of a range of hulled and hulless barley cultivars, 62 (1996) 189

Technology

Emerging feed mill technology: keeping competitive, 53 (1995) 157

Teff straw

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Temperature

Effects of ambient temperature and methionine supplementation of a low protein diet on the performance of laying hens, 74 (1998) 289

Thermal treatment

The effect of heat treatment on glucosinolates and nutritional value of rapeseed meal in rats, 53 (1995) 17

Thermal processing of whole soya beans: Studies on the inactivation of antinutritional factors and effects on ileal digestibility in piglets, 57 (1996) 313

Thioglucosidase

Effect of total intact glucosinolate intake from rapeseed meals with or without thioglucosidase (EC 3.2.3.1) or copper additions to the diet on the concentrations of 1-cyano-2-hydroxy-3-bu-

tene in the ileal digesta and faeces of growing pigs, 51 (1995) 183

Threonine digestibility

Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Threonine requirements

Performance response of lactating and growing rabbits to dietary threonine content, 70 (1998) 151

Thyroid gland: Liver

Skeletal muscle goitric concentration and organ weights in growing pigs fed diets containing rapeseed meal, 73 (1998) 207

Thyroid hormones

Influence of gradual adaptation of cattle to *Leucaena leucocephala* leaf meal on biodegradation of mimosine and 3-hydroxy-4(1H)-pyridone (3,4 DHP) in rumen, their levels in blood, fate and influence of absorbed DHP on thyroid hormones and liver enzymes, 74 (1998) 29

Influence of ferric chloride treated *Leucaena leucocephala* on metabolism of mimosine and 3-hydroxy-4(1H)-pyridone in growing rabbits, 74 (1998) 45

Tibial dyschondroplasia

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Tifton 85 bermudagrass

Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing tifton 85 bermudagrass and corn silage, 73 (1998) 281

Tilapia

Physical and nutritional properties of moist fermented fish silage pellets as a protein supplement for tilapia (*Oreochromis niloticus*), 71 (1998) 11

Time

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Tissue tocopherol

Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Tissue

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Titanium dioxide

Determination of titanium dioxide added as an inert marker in chicken digestibility studies, 59 (1996) 215

TME

Influence of builder's sand on the TME of linseed for poultry, 72 (1998) 199

Toasting

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Tobacco

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Tocopherols

Fatty acid composition and tocopherol content of some legume seeds, 52 (1995) 325

α -tocopherol

Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α -tocopherols, 59 (1996) 115

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33

Total tract digestibility

Digestibility and availability of protein and phosphorus in pigs fed wet barley protein and wet distillers solids from integrated starch-ethanol production, 58 (1996) 201

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

- Digestibility of dried and toasted peas in pigs. 2.
Ileal and total tract digestibilities of amino acids,
protein and other nutrients, 64 (1997) 311
Effect of microbial phytase on digestibility and
utilisation of phosphorus and protein in pigs fed
wet barley protein with fibre, 72 (1998) 221

Toxicity

- Toxicity, tissue accumulation and residue in egg and
excreta of copper in laying hens, 67 (1997) 49

Toxicology

- Effects of paraquat on rumen microbial function in
vitro, 72 (1998) 367

Trace minerals

- Trace mineral requirements of grazing cattle, 59
(1996) 61

- Antioxidants improve cattle immunity following
stress, 62 (1996) 59

trans-galacto-oligosaccharides

- Effects of dietary oligosaccharides on the growth
performance and faecal characteristics of young
growing pigs, 71 (1998) 35

Transitional diet

- Practical approaches to feeding the high producing
cow, 59 (1996) 199

Tree fodders

- Indigenous knowledge of the feeding value of tree
fodder, 67 (1997) 97

- Indigenous knowledge of the feeding value of tree
fodder, 68 (1997) 37

- Recent work on the establishment, production and
utilization of multipurpose trees as a feed
resource in Zimbabwe, 69 (1997) 1

- Utilisation of *Leucaena diversifolia*, *Leucaena*
esculenta, *Leucaena pallida* and *Calliandra*
calothyrsus as nitrogen supplements for growing
goats fed maize stover, 74 (1998) 15

Tree leaves

- Nutritional and anti-nutritional characters and ru-
men degradability of dry matter and nitrogen for
some multipurpose tree species with potential for
agroforestry in Zimbabwe, 55 (1995) 207

- Feeding value of tree leaves (hybrid poplar and
black locust) evaluated with sheep, goats and
rabbits, 57 (1996) 51

Tree legumes

- Effects of supplementation with foliage from the
tree legumes *Acacia angustissima*, *Cajanus*

- cajan*, *Calliandra calothyrsus* and *Leucaena*
leucocephala on feed intake, digestibility and
nitrogen metabolism of sheep given maize stover
ad libitum, 69 (1997) 233

Trees

- Fodder shrub and tree species in the Highlands of
southern Mexico, 68 (1997) 213

Trichomes

- Effect of silica on the colonization of rice straw by
ruminal bacteria, 65 (1997) 165

Triticale

- Triticale (*Tritico secale*) as substitute for maize in
pig diets, 53 (1995) 345

Tropical feedstuffs

- Energy and protein evaluation of tropical feedstuffs
for whole tract and ruminal digestion by
chemical analyses and rumen inoculum studies
in vitro, 52 (1995) 177

- Degradation of tropical roughages and concentrate
feeds in the rumen, 54 (1995) 81

- Prediction of the in vitro gas production and
chemical composition of kikuyu grass by near-
infrared reflectance spectroscopy, 60 (1996)
51

- Assessment of rumen in vitro incubation (gas
production) technique and chemical analyses
by detergent system to predict metabolisable
energy content in mixed diets of lactating cows,
74 (1998) 169

Tropical forages

- Application of non-linear models in the description
of in situ degradation profiles of the elephant
grass (*Pennisetum purpureum* Schum., Mineiro
variety), 66 (1997) 197

- Rumen manipulation for the improved utilization of
tropical forages, 69 (1997) 91

Tropical grasses

- Prediction of the in vitro gas production dynamics
of kikuyu grass (*Pennisetum clandestinum*) by
near-infrared reflectance spectroscopy using
spectrally-structured sample populations, 69
(1997) 281

- Promising tropical grasses and legumes as feed
resources in Central Tanzania III: Effect of
feeding level on digestibility and voluntary
intake of four grasses by sheep, 70 (1998) 79

Tropical legumes

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Promising tropical grasses and legumes as feed resources in Central Tanzania IV. Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97

Promising tropical grasses and legumes as feed resources in Central Tanzania V. Effect of supplementing *Cenchrus ciliaris* hay with leaves from four legumes on intake and digestibility by growing Mpwapwa bulls, 70 (1998) 111

Tropical regions

Occurrence of digestive interactions in tree forage-based diets for sheep, 74 (1998) 63

Tropical

Dietary factors affecting entero-hepatic function of ruminants in the tropics, 69 (1997) 79

Promising tropical grasses and legumes as feed resources in Central Tanzania II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tropics

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

True digestibility

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Trypsin inhibitors

Response of broiler chicks to dietary full-fat soybeans extruded at different temperatures prior to or after grinding, 57 (1996) 239

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Questions and answers to edibility problem of the *Canavalia ensiformis* seeds - A review, 74 (1998) 95

Turkey

The influences of pre-incubation storage duration and genotype on the hatchability of Medium

White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141

The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1

Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Turnover

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Turnover time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

U

Ultrastructure

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Undegraded dietary protein

Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation, 73 (1998) 271

Uniformity

Factors affecting uniformity of a mix, 53 (1995) 211

Unsaturated

The fatty acid composition of milk fat as influenced by feeding oilseeds, 60 (1996) 137

Urea

Composition and in vitro digestibility of fibrous substrates placed in deep-stacked broiler litter, 54 (1995) 159

Effect of protozoa and urea level on in vitro starch disappearance and amylolytic activity of ruminal microorganisms, 54 (1995) 315

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

Urea molasses mineral block

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Nutrient utilization by Murrah buffaloes (*Bubalus bubalis*) as influenced by varying levels of urea molasses mineral block on wheat straw based diets, 73 (1998) 339

Urea treatment

The effect of calcium hydroxide and urea treatment of barley straw on chemical composition and digestibility in vitro, 51 (1995) 165

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows, 73 (1998) 347

Studies on untreated and urea-treated rice straw from three cultivation seasons 2. Evaluation of straw quality through in vitro gas production and in sacco degradation measurements, 74 (1998) 193

Effect of moisture and temperature on the degradability of fiber and on nitrogen fractions in barley straw treated with urea, 74 (1998) 241

Urea-molasses-mineral block

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Urea-treated olive cake

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Urease activity

The nutritive value for chicks of full-fat soybeans irradiated at up to 60kGy, 73 (1998) 319

Urinary allantoin

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Urinary urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Utilization

Processing and nutritive evaluation of broiler litter as livestock feed, 74 (1998) 337

UV microspectrophotometry

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

V

van Soest procedure

Study of the use of a protease with the van Soest procedure, 61 (1996) 129

Variability

Extent of variability in nutrient composition within selected by-product feedstuffs, 54 (1995) 103

Assessment of energy levels in feedstuffs for poultry, 62 (1996) 15

Vegetative phases

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Veld herbage

Relationships between chemical components of veld herbage and animal growth, 53 (1995) 45

Vernonia

Effect of supplementing teff straw with different levels of leucaena or sesbania leaves on the degradabilities of teff straw, sesbania, leucaena, tagasaste and vernonia and on certain rumen and blood metabolites in Ethiopian Menz sheep, 52 (1995) 101

Vetch

Changes in nitrogen and carbohydrate fractions associated with the field drying of vetch (*Vicia sativa* L.), 52 (1995) 249

VFA

Effects of adherent *Lactobacillus* cultures on growth, weight of organs and intestinal microflora and volatile fatty acids in broilers, 70 (1998) 197

Vinasse

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Vitamin D

The role of vitamin D metabolites in the prevention of tibial dyschondroplasia, 53 (1995) 205

Effect of microbial phytase, vitamin D₃, and citric acid on growth performance and phosphorous, nitrogen and calcium digestibility in growing swine, 73 (1998) 173

Vitamin E

Vitamin E biopotency: Comparison of various 'natural-derived' and chemically synthesized α -tocopherols, 59 (1996) 115

Supplemental vitamin E in beef cattle diets to improve shelf-life of beef, 59 (1996) 207

Recent developments in vitamin E nutrition of turkeys, 60 (1996) 229

Vitamin E supplementation for the ruminant, 60 (1996) 273

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E, 73 (1998) 307

Vitamins

Importance of antioxidant vitamins in immunity and health in animals, 59 (1996) 103

Antioxidants improve cattle immunity following stress, 62 (1996) 59

Volatile fatty acids

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Voluntary intake

Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility and voluntary intake of four grasses by sheep, 70 (1998) 79

Promising tropical grasses and legumes as feed resources in Central Tanzania IV: Effect of feeding level on digestibility and voluntary intake of four herbaceous legumes by sheep, 70 (1998) 97

Ensiling and nutritive value of kenaf (*Hibiscus cannabinus*), 71 (1998) 229

Vomitoxin

Influence of deoxynivalenol on feed consumption by dairy cows, 60 (1996) 297

W**Warner-Bratzler blade**

A shearing technique measuring resistance properties of plant stems, 57 (1996) 225

Washing procedure

Studies on in situ degradation of feeds in the rumen:
2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115

Water retention

Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Waxy corn

Waxy corn as a replacement for dent corn for lactating dairy cows, 72 (1998) 111

Weaner goats

Substitution of dry *Leucaena leucocephala* (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats, 73 (1998) 365

Weaner pig

Preservation of brewers yeast slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353

An evaluation of the performance of weaner pigs fed diets incorporating fresh sweet liquid whey, 54 (1995) 193

The response of weaner pigs to diets containing palm oil slurry, 71 (1998) 191

weaner

Effect of addition of tallow and lecithin in the diet of weanling piglets on the apparent total tract and ileal digestibility of fat and fatty acids, 52 (1995) 77

Amino acid digestibility in soybean meal, extruded soybean and full-fat canola for early-weaned pigs, 52 (1995) 189

Replacement of soybean meal with lupinseed (*Lupinus albus*) in pig starter diets, 52 (1995) 333

Effects of duration of cooking of full-fat soya beans on proximate analysis, levels of antinutritional factors, and digestibility by weanling pigs, 62 (1996) 229

Weaning

Effects of extruded diet on the productive performance of weaning and post-weaned calves, 70 (1998) 275

Wet brewers' grains

Wet brewers' grains or bean curd pomace as partial replacement of soybean meal for lactating cows, 74 (1998) 123

Wheat by-products

Effects of different expander processing conditions on the nutritive value of barley and wheat by-products in pig diets, 74 (1998) 213

Wheat Endoxylanase

Effects of endoxylanase addition to wheat-based diets on physico-chemical chyme conditions and mineral absorption in broilers, 51 (1995) 15

Wheat grain

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Wheat meal

Influence of wheat meal variability upon compacting behaviour during pelleting, 51 (1995) 255

Wheat protein

Digestion of wheat protein in the preruminant calf ileal digestibility and blood concentrations of nutrients, 73 (1998) 115

Wheat straw

Variation in the nutritional characteristics of wheat straw, 53 (1995) 337

Genetic variation in morphological characteristics, chemical composition and in vitro digestibility

of straw from different wheat cultivars, 55 (1995) 263

The effect of sodium hydroxide and alkaline hydrogen peroxide on chemical composition of wheat straw and voluntary intake, growth and digesta kinetics in store lambs, 60 (1996) 69

Evaluation of straw treatment with ammonia sources on growing bulls, 60 (1996) 117

The biodegradation of wheat straw by *Pleurotus ostreatus* mushrooms and its use in cattle feeding, 71 (1998) 357

Degradation characteristics of straw from different wheat genotypes and their response to urea-ammoniation treatment, 72 (1998) 373

Optimisation of treatment conditions of wheat straw with lime Effect of concentration, moisture content and treatment time on chemical composition and in vitro digestibility, 74 (1998) 57

In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide, 74 (1998) 301

Nutrient composition, digestion and rumen fermentation in sheep of wheat straw treated with calcium oxide, sodium hydroxide and alkaline hydrogen peroxide, 74 (1998) 315

Wheat

The nutritive value of decorticated mill fractions of wheat. 1. Chemical composition of raw and enzyme treated fractions and balance experiments with rats, 52 (1995) 205

Effect of free-air CO₂ enrichment (FACE) on forage quality of wheat, 53 (1995) 29

The nutritive value of decorticated mill fractions of wheat. 3. Digestibility experiments with boiled and enzyme treated fractions fed to mink, 53 (1995) 317

The nutritive value of decorticated mill fractions of wheat. 2. Evaluation with raw and enzyme treated fractions using adult cockerels, 54 (1995) 249

Effect of multi-enzyme supplements on the growth performance of piglets during the pre- and post-weaning periods, 56 (1995) 55

Effect of changing the proportion, wheat: sorghum in dairy cow rations on carbohydrate digestibility and NAN flow to the intestine, 57 (1996) 75

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Enzyme supplementation of wheat-based diets for broilers 1. Effect on growth performance and intestinal viscosity, 75 (1998) 27

Enzyme supplementation of wheat-based diets for broilers 2. Effect on apparent metabolisable energy content and nutrient digestibility, 75 (1998) 45

Whey

Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios, 53 (1995) 81

Whit-rot fungi

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

White fish meal

Response of growing steers to diets containing big bale silage and supplements of molassed sugar beet pulp with and without white fish meal, 62 (1996) 151

White lupin

Influence of alkaloids and oligosaccharides from white lupin seeds on utilization of diets by rats and absorption of nutrients in the small intestine, 72 (1998) 143

White rot fungi

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispota* and *Cyathus stercoreus*, 63 (1996) 305

White-lipped peccary

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

White-rotted woody materials

Characteristics of white-rotted woody materials obtained from Shiitake mushroom (*Lentinus edodes*) and nameko mushroom (*Pholiota nameko*) cultivation with in vitro rumen fermentation, 54 (1995) 227

Whole barley

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Whole blood treatment

Investigations of the protection of soybean meal and amino acids from rumen degradation with whole blood treatment, 56 (1995) 37

Whole cottonseed

Whole cottonseed in dairy cattle feeding: a review, 72 (1998) 97

Whole crop

Prediction of the in vivo digestibility of whole crop wheat from in vitro digestibility, chemical composition, in situ rumen degradability, in vitro gas production and near infrared reflectance spectroscopy, 74 (1998) 259

Whole tract digestion

Digestive interactions in the ruminant: relationships between whole tract and stomach evaluation, 54 (1995) 327

Whole-crop wheat

Ensiling of whole-crop wheat with cellulase-hemicellulase based enzymes. 2. Effect of crop growth-stage and enzyme on silage intake, digestibility and live-weight gain by steers, 55 (1995) 349

Wild ungulates

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Wilted

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Winter oats

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Wool growth

Lamb production and feed intake in relation to degradability characteristics and metabolisable protein content of dried subterranean clover diets, 70 (1998) 281

X

X-ray diffraction

Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity, 58 (1996) 239

Xylanase

Use of enzymes to improve nutrient availability in poultry feedstuffs, 60 (1996) 321

Xylanases

Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens, 75 (1998) 83

Y**Yeast**

The influences of pre-incubation storage duration and genotype on the hatchability of Medium White turkey eggs from hens fed a diet containing a yeast culture of *Saccharomyces cerevisiae*, 51 (1995) 141

Preservation of brewers yeast slurry by a simple on-farm adaptable technology and its effect on performance of weaner pigs, 53 (1995) 353

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Yeast culture

The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals, 55 (1995) 1

Effect of feeding yeast culture (Yea-sacc¹⁰²⁶) on rumen fermentation in vitro and production performance in crossbred dairy cows, 57 (1996) 247

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Yolk

Effect of free-range feeding on *n*-3 fatty acid and α -tocopherol content and oxidative stability of eggs, 72 (1998) 33

Young growing pigs

Effects of dietary oligosaccharides on the growth performance and faecal characteristics of young growing pigs, 71 (1998) 35

Yucca extract

Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Yucca schidigera

Effect of dietary *Yucca schidigera* extract on rumen and blood profiles of steers fed concentrate- or roughage-based diets, 51 (1995) 231

Effects of *Yucca schidigera* extract on fermentation and degradation of steroidal saponins in the rumin simulation technique (RUSITEC), 74 (1998) 143

Yucca

Effects of feeding *Yucca schidigera* extract in diets varying in crude protein and urea contents on growth performance and cecum and blood urea and ammonia concentrations of rabbits, 62 (1996) 121

Z**Zinc**

Trace mineral requirements of grazing cattle, 59 (1996) 61

Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237



